





S. 101.

INDEX

TO THE

PROCEEDINGS OF THE
NATURAL HISTORY SOCIETY
OF GLASGOW.

VOLS. I. TO V.—1851-1883.

GLASGOW: PUBLISHED BY THE SOCIETY
AT ITS ROOMS, 207 BATH STREET.

1885.




INDEX
TO THE
PROCEEDINGS OF THE
NATURAL HISTORY SOCIETY
OF GLASGOW.

[i.e. 1859]
VOLS. I. TO V.—1851-1883.



GLASGOW: PUBLISHED BY THE SOCIETY
AT ITS ROOMS, 207 BATH STREET.
1885.



The object of this Index is to supply an easy means of reference to the past work of the Natural History Society of Glasgow. It is anticipated that it will, in this respect, prove of especial service to those who are interested in the Fauna and Flora of the district; and that its grouping into what are really distinct indices will not fail to add to its usefulness.

The Council think it right that the Society should know to whom they are indebted for the whole of the work—not only for the method of the arrangement, but for the labour entailed in compilation. Mr. Richard M'Kay undertook this task, and he has carried it out in the most thorough and painstaking manner. He has spared neither time nor trouble on the work, and the Council believe that the Society will fully appreciate its value.

GLASGOW, *November*, 1885.

INDEX.



General Index,	v
Index to Scientific Names,	xxi
Index to Names of Contributors,	lxi
Index to Genera, Species, and Varieties New to Science,	lxiv
Do.				New to Britain,	lxvi
Do.				New to Scotland,	lxvii

GENERAL INDEX.

When the number of the volume is not given, the reference is to the First Part
of the *Proceedings*, which is not included in vol. i.

Abnormalities :

- Ash, ii. 17
- Athyrium Filix-Foemina, i. 91
- Atrichum undulatum, i. 107
- Black Rat, v. 274
- Breutelia arcuata, i. 107
- Caltha palustris, iv. 118
- Centaurea nigra, white-flowered, v. 254
- Dandelion, iv. 213 ; v. 4, 251
- Domestic Duck with three legs, ii. 187
- Dorking Fowl with three legs, ii. 187
- Black Grouse : female with male plumage, i. 230
- Geum rivale, i. 237
- Hawthorn, ii. 17
- Human foetus, ii. 335
- Human skull, v. 268
- Kale, v. 4
- Oystercatcher, ii. 254
- Pheasant : female with male plumage, i. 166
- Plantago lanceolata, ii. 260
- Primrose, iv. 269
- Rook, ii. 17 ; iii. 83
- Sand-martin, i. 297
- Solaster endeca, i. 37
- Stachys palustris, iv. 192
- Star-fishes, i. 41
- Abnormalities in Mosses, Notes on, i. 107
- Acanthospongia Smithii, Notes on, iii. 125
- Acarus, New species of, i. 102, 111
- Accentor, Hedge, i. 280 ; ii. 91 ; iii. 237, 262
- Acilii of the West of Scotland, 5
- Adder, ii. 148
- Ailsa Craig, Geology of, i. 151
- Albinos :
 - Blackbird, iii. 330
 - Bullfinch, iii. 330
 - Common Hare, iii. 330
 - Hedgehog, iv. 37
 - Mallard, ii. 193

Albinos (continued) :

- Rook, iii. 330
- Sand-martin, ii. 164 ; iii. 330
- Sky-lark, ii. 7
- Starling, ii. 4, 195
- Uria troile, i. 130
- Water-vole, ii. 251
- Common Woodcock, ii. 303
- Albinos, Note on, i. 45
- Alcyonella, On a Fresh-water Polyzoon belonging to the genus, ii. 2
- Algae of the Firth of Clyde, Distribution of, i. 14
- Allan, James, Death of, v. 155, 160
- Alpine and Sub-alpine forms near the Sea-level, i. 158
- Alston, Edward Richard, F.L.S., F.G.S., &c., Death of, v. 155
- , In Memoriam notice of, v. 69
- Amphidotus cordatus, Notes on, v. 17
- Amphioxus lanceolatus, Notes on, i. 246
- Anacharis alsinastrum, Notes on, v. 267
- Anderson, Thomas, Death of, iv. 122
- Angel-fish, Notes on, i. 99
- Angelica sylvestris, Galls on, i. 99
- Annelid, A curious species of, i. 9
- Annelides, Sandstone burrowed into by, i. 39
- Annual Meeting, 1859, i. 1
 - 1860, i. 8
 - 1861, i. 13
 - 1862, i. 41
 - 1863, i. 72
 - 1864, i. 95
 - 1865, i. 118
 - 1866, i. 145
 - 1867, i. 184
 - 1868, i. 229
 - 1869, ii. 1
 - 1870, ii. 57
 - 1871, ii. 164
 - 1872, ii. 192
 - 1873, ii. 221
 - 1874, ii. 256
 - 1875, iii. 1

- Annual Meeting, 1876, iii. 98
 1877, iii. 221
 1878, iv. 1
 1879, iv. 115
 1880, v. 1
 1881, v. 155
 1882, v. 247
- Anomia ephippium, Notes on, i. 14
- Anser palustris, Notes on, i. 39
- Apiarian Notes for 1877, iii. 256
 1878, iv. 10
 1879, iv. 193
 1880, v. 13
 1881, v. 163
 1882, v. 269
- Apteryx Owenii and its eggs, Notes on, iv. 14
- Archaeocidarid, Notes on, ii. 225
- Archibuteo lagopus, Recent occurrences in Scotland of, iii. 29
- Ardnamurchan, Birds of, iii. 259
- Asphondyliae of the Glasgow district, iii. 111
- Astrorhiza limicola, Notes on, v. 17
- Athalia, Old World species of, iii. 128
- Auchinlea, Shotts, Ancient river course at, ii. 151
- Auk, Great, Extinction of, ii. 185
 —, Little, 7; i. 86, 315; ii. 179; iv. 186, 213, 252, 324; v. 149
- Auk, Little, Notes on, i. 50
- Avocet, iv. 249
- Avondale, Botany of, iv. 120
- Avon Valley, Botany of, iv. 119
- Ayrshire, Birds of, i. 269

B

- Babyrussa, iii. 319
- Badger, ii. 140; iii. 158, 188; v. 122, 231
- Ballan Wrasse, i. 90
- Bandurria, iv. 199
- Barra-head and its Bird Life, iv. 280
- Bass Rock, Excursion to, 6
- Bat, iv. 303
 Barbastelle, ii. 63
 Common, ii. 139; iii. 187; iv. 91; v. 120, 229
 Daubenton's, i. 203; v. 229
 Greater Horse-shoe, v. 120
 Long-eared, iii. 187; v. 120, 229
- Bathgate, Notes of Geological excursions to, i. 167
- Bathyporeia Robertsoni, Notes on, i. 74
- Bear, Brown, v. 125
- Bee-eater, i. 295; iv. 242
- Bees: Origin, Treatment, and Cure of Foul Brood, iii. 192

- Bell-bird, ii. 236
- Bellerophon, Notes on, ii. 16
- Ben Ghnu's, Notes on, v. 253
- Berwickshire, Birds of, i. 150
 —, Excursion to, 6
- Birds, Report on, for 1878-79, iv. 144
- Birds of Prey mentioned by Greek Writers, i. 143
- Bird's-foot Sea-star, i. 148
- Biscacha, Notes on, iii. 136, 197
- Bison, Indian, Notes on, ii. 19
- Bittern, i. 82; ii. 162; iv. 37, 171, 246
 American, Occurrence of in Islay, iii. 43
 Common, i. 303; iii. 70, 164
 Little, i. 186, 237; ii. 166
- Blackbird, i. 280; ii. 95, 161; iii. 62, 159, 163, 238, 263; iv. 56, 158, 237, 306; v. 137
- Crow, ii. 281
- Swamp, ii. 281
- Black-cap, iii. 63; iv. 153, 237
- Black-cap Warbler, its occurrence in Scotland during Winter, iii. 349
- Black Currant, Blight affecting, i. 111, 121
- Blairdardie, Bird remains found at, i. 174
- Blennocampa, A new species of, iii. 107
- Blenny, Viviparous, i. 90
- Blue-bird, ii. 272
- Bluethroat, iv. 236
- Boar, Wild, v. 125
- Boblink, ii. 280
- Bohemian Waxwing, i. 285
- Boring Marine Alga, iv. 77
- Boulder, Fossils of a Travelled, i. 379
- Boulder clay Period, Life of the, i. 252
- Box-crab, iii. 319
- Brachiopoda, Notes on Carboniferous, iv. 263, Plate
- Brambling, i. 288; iii. 65; iv. 59, 239; v. 56, 225
- Breadalbane Mountains, Plants from, v. 5*
- Bryology of the Campsie Hills, i. 115
- Buchan, Birds of, iv. 234
 —, Notes on the Mammalia of, v. 228
- Buffalo, Cape, ii. 21
- Bull, White, v. 122
- Bullfinch, i. 290; ii. 102; iii. 66, 159, 163, 264; iv. 58, 239; v. 139
- Bunting, Black-headed, i. 287; ii. 102, 162; iv. 240; v. 140
 Common, i. 287; ii. 101; iii. 65, 264; iv. 60, 240; v. 140
- Reed, iii. 65, 264; iv. 164
- Snow, i. 287; ii. 182; iii. 59, 65, 264; iv. 15, 60, 164, 240, 309; v. 57, 141

- Bunting, Yellow, i. 288; ii. 102; iii. 65, 163, 264
 Burnet-moth, Five-spotted, 7
 Bustard, Great, i. 301
 Little, ii. 241; iv. 250
 Butcher-bird, i. 236
 Butterflies, Nature-printed plates of, iv. 120
 Buzzard, Common, i. 276; ii. 79; iii. 61, 232, 261; iv. 63, 244; v. 49, 132, 210
 Honey, i. 72, 90, 150, 237, 276; ii. 195; iv. 64, 145, 245; v. 132
 Rough-legged, i. 90, 184, 276; iii. 29, 61; iv. 63, 145, 200, 244; v. 50, 132
 Turkey, ii. 265
 Buzzard, Rough-legged, On its recent occurrence in various parts of Scotland, iii. 29
 Bye-laws of the Natural History Society of Glasgow, v. 301

C

- Calamary, iii. 1
 Calciferous Sandstone fossils, iv. 8
 Caledonian Ox, i. 56
 Camarophoria, Notes on, i. 86
 Cam Creag, Plants of, v. 5*
 Campsie Hills, Bryology of, i. 115
 Campsie Valley, Brachiopod Shells of, i. 95
 Candona simplex, Notes on, i. 130
 Canlochan, Botanical Excursion to, i. 142
 Canoe found at Kirkintilloch, ii. 65
 Canoes found at Renfrew, i. 168
 Capercaillie, i. 299; ii. 106, 195; iii. 68; iv. 65, 201, 213
 Capercaillie in Scotland, ii. 10; iii. 348
 Carboniferous Crinoid Stems, On the Swollen Condition of, iv. 19, Plates
 Carboniferous Limestone, On a Weathered Boulder of, iii. 224
 Carboniferous Polyzoa, On a new method of fixing fronds of on a layer of asphalt, iii. 207
 Carboniferous Polyzoa, New Species of, iii. 353
 Carboniferous Shale enclosing Organisms, iii. 328
 Carboniferous Strata, Parallelism of the Scottish and North Irish, ii. 135
 Cardross and Helensburgh, Glacial Shells from, i. 91
 Carpellary Leaves in Angiosperms, Functions of, v. 3
 Caryophyllia Smithii, Notes on, i. 49

- Cat, Wild, ii. 142, 276; iii. 43, 189; v. 120
 Cecidomyia trifolii, Notes on, iii. 114
 Cecidomyiidae, Notes on the, iii. 178
 Centaurea nigra, white-flowered, v. 254
 Cerianthus Lloydii, Notes on, i. 72
 Cetacea, The Natural History of the, v. 36
 Chaffinch, i. 288; ii. 99; iii. 65, 163, 240, 264; iv. 59, 162, 239; v. 140
 Chapman, Thomas, Death of, iv. 115, 122
 Chat, Long-tailed, ii. 273
 Chiff-chaff, i. 284; ii. 161; iii. 63, 163; iv. 56
 Chile, Flora of, iv. 41
 Chitonellus, Recent and Fossil, iii. 322
 Chitonidae, A Contribution to the Study of the British Carboniferous, v. 84, Plates
 Chitonidae, List of Works and Papers referring to the Palaeozoic, v. 102
 Chough, i. 291; ii. 98, 224; iii. 66, 239; iv. 60; v. 117
 —, Remarks on, i. 42
 Cirropsilus, Peculiarity in habits of, iii. 99
 Cladius, Monograph of the British Species of, iii. 15
 Clay, Edible, iii. 37
 Clydesdale Hymenoptera, iii. 202
 Coal fish, 6
 Coal reptile, Notes on undescribed species of, i. 102
 Cod, Green, i. 90
 Coleoptera of Rannoch, ii. 183
 Coll, Botanical notes on, iv. 226
 Colorado Beetle, ii. 344
 Coloration of Caterpillars, On the use of, iv. 224
 Colour-markings in Fossil Shells, i. 185
 Colquhoun, Dr. Hugh, Death of, iv. 7, 115
 Columnar sandstone, ii. 221
 Colymbetes of the West of Scotland, 5
 Colymbus glacialis in summer plumage, i. 43
 Condor, iv. 192
 Conodont remains, iv. 78
 Conodonts, On a group of fossil organisms termed, iv. 5
 Constitution, Adoption of, 11
 Constitution, Revised, Adoption of, ii. 220, 347
 Conversazione and Exhibition, i. 77
 Coot, i. 308; ii. 118, 162; iii. 71, 164, 245; iv. 67, 176, 250; v. 147
 Copalite, Notes on, iii. 318
 Cormorant, i. 74, 316; ii. 133; iii. 73, 159, 164, 267, 271; v. 118, 150, 191, 209

Cormorant, on the habits of, i. 74

Great, iv. 68, 253

Green, i. 317; ii. 134, 258; iii. 267; v. 118

Coronella laevis, Notes on, i. 55

Corystes Cassivelaunus, On the habits of, i. 1

Courser, Cream-coloured, i. 238

Cow-bird, ii. 280

Crake, Corn, i. 307; iv. 67, 177, 250, 316; v. 147, 211

Spotted, i. 87, 101, 307; ii. 182; iii. 70, 196; iv. 17, 177, 250; v. 211

Crane, its recent occurrence in Ross-shire, ii. 31

Balearic, Notes on, ii. 178

Demoiselle, ii. 178

Sand-hill, ii. 283

Craw, Water, iii. 58

Creeper, Common, i. 294; ii. 88; iii. 64, 262; iv. 150

Tree, iv. 60, 241; v. 134

Crex pratensis, Notes on, v. 308

Crinoids, Notes on, i. 111; iii. 279

Crinoids, Notes on injured or diseased, iii. 91, 333

Crinoid Stems, Adventitious structures on, iv. 73

Crocodiles' eggs, ii. 257

Crocodilus frontalis, Notes on, i. 103

Croesus, On the British species of the genus, ii. 300

Crossbill, Common, i. 291; ii. 102, 253; iii. 66, 241; iv. 59, 239; v. 140

Parrot, i. 81, 291

White-winged, iv. 240

Crow, Blue, iii. 197

Carrión, i. 292; ii. 97; iii. 66, 163; iv. 60, 241, 307; v. 117, 139

Common, ii. 282

Hooded, i. 292; ii. 18, 33, 96; iii. 67, 239, 263; iv. 60, 241, 290; v. 139

Crustacea, New forms of, i. 169, Plate

Cuckoo, i. 295; ii. 103, 161; iii. 67, 163, 241, 264; iv. 61, 242, 310; v. 51, 141

Cuma trispinosa, Variations of, i. 83

Cumbrae, Contributions towards a Moss and Lichen Flora of, ii. 56

Curlew, i. 303; ii. 111; iii. 70, 164, 244, 265; iv. 65, 172, 247, 314; v. 59, 143

—, Esquimaux, iv. 247, 314; v. 59

Cuttle-fish, ii. 4

Cynipidae, On some points in the Natural History of, iii. 84

Cynipidae, Food-plants of, iii. 151

Cypris laevis and its habits, ii. 7

D

Dabchick, i. 313; ii. 163

Danaüs chrysippus and its Food-plant, ii. 18

Darwin, Dr. Charles, F.R.S., Death of, v. 226

Darwinian hypothesis of the Transmutation of Species, i. 47

Deer, American, iv. 102

Fallow, iv. 141; v. 122, 232

Great Irish, ii. 176

Hog, ii. 7

Red, ii. 146; iii. 191; iv. 99, 141, 303; v. 49, 122

Roe, ii. 147; iii. 191; iv. 141, 303; v. 122, 232

Deer, Roe, History and Habits of, i. 176

Denmark, Geological researches in, 8

Dentalia of the West of Scotland, iv. 69

Development of the Vegetable Ovule, iv. 119

Dewar, Donald, M.D., Death of, iii. 80

Diatomaceae, Notes on, i. 211

Dipper, i. 279; ii. 94; iii. 58, 62, 162, 238, 263; iv. 56, 159, 237; v. 137

Disco Island, Plants of, iii. 280

Distribution of the Vascular Plants of Britain, i. 17

Diver, Black-throated, i. 90, 314; ii. 6, 122, 182; iii. 73, 164, 246, 266; iv. 68, 185, 252; v. 149

Great Northern, i. 313; ii. 125, 213; iii. 73, 164, 247, 266; iv. 16, 68, 252, 324; v. 62, 149

Red-throated, i. 314; ii. 124, 163, 224; iii. 73, 246; iv. 252; v. 149

Dog-fish, 6.

Black-mouthed, i. 238

Dogs, Notes on, iii. 195

Dolphin, White-beaked, Notes on, v. 24

Donaldson, Alexander, Death of, iv. 115

Donegal, Natural History of, iii. 152

Dorking Fowl, ii. 187

Dotterel, ii. 108, 162, 182, 237; iii. 69, 243; iv. 66, 170, 249; v. 58, 226

Dotterel, On the nesting of in Scotland, ii. 237

Dove, Common, ii. 283

Ring, i. 298; iii. 68, 163, 264; iv. 62, 243; v. 141

Rock, i. 298; ii. 104, 184; iii. 241, 264; iv. 166, 243; v. 189

Stock, iv. 62, 165, 243

Turtle, i. 299; iii. 68; iv. 243, 310; v. 141

Dragonet, Gemmeous, i. 187, 238

- Dredging, Marine, i. 179, Plate
 Duck, Buffel-headed, iv. 256
 Eider, i. 311; iii. 164, 274; iv. 15, 69, 183, 256; v. 182, 209
 Ferruginous, iv. 255
 Golden-eyed, iii. 266
 Harlequin, iv. 16, 256
 King, iii. 274; iv. 184
 Long-tailed, i. 312; iii. 59, 72, 332; iv. 15, 202, 256, 323; v. 152
 Notes on the food of, iii. 332
 Paradise, ii. 232
 Pintail, i. 310; ii. 182; iii. 59, 72
 Scaup, i. 312; ii. 120
 Shoveler, i. 100
 Tufted, i. 312; ii. 163; iii. 72; iv. 53, 68, 183, 255, 322; v. 211
 Notes on its occurrence as a breeding species in Scotland, iv. 53
 Wild, i. 311; ii. 119, 163; iii. 59, 72, 164; iv. 68, 180, 255, 321; v. 61, 151
 Dunbar, Visit to shores of, i. 89, 93
 Dun Bird, i. 312
 Dunlin, i. 197, 306; ii. 114; iii. 59, 69, 244, 265; iv. 248; v. 145
 Dytisc of the West of Scotland, 5

E

- Eagle, Golden, i. 273; ii. 72, 182, 185; iii. 58, 60, 158, 162, 230; iv. 64, 199, 244; v. 129, 267
 Sea, ii. 253
 Tawny, i. 81
 White-tailed, iii. 60, 231, 261, 330; iv. 64, 245, 303; v. 51, 130
 East Lothian and Berwickshire, Birds of, i. 150
 Echinus sphaera, Notes on, i. 109
 Edible Bird's-nest, iii. 2
 Edible clay, iii. 37
 Eggs of New Zealand Birds, ii. 232
 Egret, Buff-backed, iv. 246
 Eider, King, i. 90
 Elephant, Fossil, found at Airdrie, i. 82
 Elk, v. 125
 —, Existence of, in Scotland, ii. 176
 Irish, ii. 174
 Emperor Moth, ii. 58
 Emu, Eggs of, ii. 257
 Encrinital limestone, Notes on, ii. 262
 Entomostraca, Notes on, i. 227
 Equisetaceae, Notes on, v. 254
 Equisetum, Latent vitality of, i. 165
 Ermine, ii. 141, 186; v. 121, 230
 On the Habits of, i. 129
 European, Wreck of, iii. 317

- Evolution, Entomological notes bearing on, iv. 256
 Evolution of the Hymenoptera with regard to Larval Coloration, iv. 121
 Excursions :
 Benbowie, v. 250
 Ben Voirlich, iv. 120; v. 161
 Black Mount, iv. 119
 Bridge of Weir, v. 255
 Bute (Dredging), v. 252
 Cadder Wilderness, v. 249
 Campsie, iv. 121
 Carrubber, v. 6*
 Castlecary Glen, v. 249
 Craigenglen, iv. 2
 Eaglesham, iv. 121
 Glenboig, iv. 117
 Gourock (Dredging), v. 252
 Hamilton, iv. 117
 Highlands, v. 160
 Innellan, v. 160
 Kilmalcolm, v. 159
 Kilmahew Glen, v. 6*
 Manuel, v. 6*, 250
 Milngavie, v. 9*
 Possil Marsh, v. 249
 Shielhill Glen, v. 159
 Torrance Glen, East Kilbride, v. 253
 Troon, v. 255
 Vaut Glen, v. 249

F

- Fairlie, Glacial beds at, i. 83
 Falcon, Greenland, i. 254; ii. 60, 198; iv. 16, 63
 Iceland, i. 99; ii. 60; iii. 86; v. 131, 226
 Its occurrence in Islay, iii. 86
 Peregrine, i. 274; ii. 74, 196; iii. 60, 158, 162, 231, 261; iv. 63, 244, 290, 304; v. 116, 130, 207, 302
 Red-legged, iv. 244, 304; v. 50
 Fenestella, Notes on, i. 95; iii. 82
 Fern Islands and some of the Birds found there, iii. 268
 Ferns, Fossil, Notes on, iv. 18
 Fieldfare, i. 198, 279; ii. 161, 177; iii. 62, 163, 263; iv. 56, 156, 237, 307; v. 137
 Nesting of in Great Britain, ii. 177
 Pied variety, i. 198
 Field Naturalists, Proposals for entrance of Glasgow Society of, iv. 116
 Fife, Plants of, v. 5*
 Finch, Haw, iv. 163
 Mountain, i. 288

- Finch, Sea-side, ii. 278
 Sharp-tailed, ii. 278
 Fir-cones, Spirals in, ii. 155
 Fire-crest, iv. 56
 Fish, Effects of frost on, iv. 144
 Fish as a subject of study, v. 260
 Fishes, Habits of, i. 45
 Fish-pond at Port Logan, Visit to, ii. 247
 Flannan Isles and their Bird Life, v. 197, Plates
 Flexible sandstone, v. 65
 Flexible Sea-urchins, iii. 253
 Flicker, ii. 269
 Flycatcher, Great Crested, ii. 270
 Least, ii. 271
 Pied, ii. 192; iii. 162; iv. 238; v. 138
 Red-eyed, ii. 276
 Spotted, i. 279; ii. 95; iii. 62, 239, 263; iv. 58, 238; v. 138
 Foraminifera from Lanarkshire Coal-field, ii. 31
 Foraminifera. Species new to Britain, v. 268
 Forest trees, Early flowering of, ii. 246
 Formation of the Society, 3
 Fossil fruit from High Blantyre, i. 203
 Fossil plant remains, ii. 196
 Fossil trees in Arran, i. 123
 Foumart, ii. 141
 Four-horned Sheep of St. Kilda, ii. 194
 Fox, ii. 143; iii. 189; v. 121, 230
 Francolin, Notes on, ii. 184
 Frog, ii. 148
 Frogs, A shower of, iii. 195
 Frost, Injury to vegetation by, ii. 169
 Fulmar, Northern, iv. 253
 Fungi, Exhibition of, iv. 196
 —, Notes on, iv. 259

G

- Gadwall, i. 87, 151, 310; iv. 181, 253, 255; v. 212
 Gallinule, Purple, Notes on, i. 81
 Galls, Notes on, v. 29
 Gannet, i. 317; iii. 164, 267, 274; v. 150
 Gar-fish, iii. 318
 Garganey, i. 311; iv. 182, 254
 Garvies, Abundance of in the Forth, ii. 180
 Gasteropod Mollusca of the Carboniferous Limestones of the West of Scotland, i. 70
 Gaur, ii. 19
 Geological changes in Scotland, Succession of, i. 112

- Girvan, Distribution of Mosses in the Valley of, i. 36
 Glacial Shells, Notes on, i. 87
 Glasgow Naturalists' Society, Amalgamation with, i. 129
 Glas Mhiel, Botanical Excursion to, i. 142
 Glaucanome, New species of, ii. 325; iii. 253
 —, Notes on, ii. 258; iv. 257
 Glencart, Notes on the Fossils in a thin bed of impure Carboniferous Limestone at, v. 234
 Goat, Wild, iv. 107
 Goatsucker, iii. 58, 233
 European, ii. 85
 Godwit, Bar-tailed, i. 305; iv. 173, 247; v. 144
 Black-tailed, i. 305; iii. 59, 70; iv. 247
 Golden-eye, i. 312; ii. 121; iii. 72, 164; iv. 69, 184, 256, 323; v. 62, 152
 Goldfinch, i. 289; ii. 99, 162; iii. 65, 163; iv. 59, 239; v. 56, 140
 Goniocypris mitra, Notes on, v. 214
 Goosander, i. 239, 312; iii. 59, 72, 164, 266; iv. 16, 69, 184, 256, 323
 Goose, iv. 68, 177, 316; v. 60
 Barnacle, i. 213, 309; iii. 59, 71, 159, 164; iv. 178, 253, 290
 Bean, i. 308; iii. 71; iv. 253
 Brent, i. 309; iii. 59, 71; iv. 253; v. 151
 Canada, i. 57, 309; iii. 59, 71; iv. 254
 Egyptian, i. 151; ii. 242; iii. 59, 71; iv. 254
 —, Notes on, ii. 242
 Grey Lag, i. 308; ii. 118; iii. 71, 164, 245, 266; iv. 317; v. 150
 Pink-footed, i. 309; ii. 215; iii. 71; iv. 178, 253
 Red-breasted, iv. 254
 Soland, i. 317
 Spur-winged, iv. 253
 White-fronted, i. 198, 309; iv. 178, 253, 317
 Goshawk, i. 275; ii. 6, 195; iv. 147, 243
 American, ii. 265; iv. 62
 Graham, Henry Devonport, Death of, ii. 245
 Grampus, v. 232
 Graptolites, Notes on, i. 268
 Graptolites from the Girvan Valley, ii. 182
 Gray, Robert, Thanks of the Society voted to, i. 71

Grebe, Dusky, Notes on, v. 77
 Eared, i. 85, 186
 —, in spring plumage, i. 186
 Great Crested, i. 313; iii. 73, 164, 266; iv. 186, 252; v. 226
 Horned, iv. 203; v. 226
 Little, i. 313; ii. 126, 163; iii. 73, 164, 247, 266; iv. 68, 185, 252, 324; v. 62, 150, 226
 Red-necked, i. 85, 313; iii. 164; iv. 186, 252; v. 226
 Sclavonian, i. 313; ii. 188; iii. 73; iv. 186, 203, 324; v. 209
 Greeks and Romans, Animals and Plants familiar to, i. 38
 Greenfinch, i. 289; ii. 100; iii. 66, 163, 264; iv. 59, 163, 239; v. 140
 Greenock, Rare Plants in the Neighbourhood of, v. 77
 Greenshank, i. 305; ii. 113, 162, 182; iii. 59, 69, 244, 265; iv. 65, 172, 247; v. 59, 144
 Grosbeak, Pine, iv. 58
 Grouse, iv. 167; v. 58
 Black, i. 230, 299; ii. 106, 195; iii. 68, 264; iv. 65, 167, 245, 310; v. 143
 Pallas's Sand, i. 76; ii. 175
 —, Notes on, i. 76
 Red, i. 299; ii. 106; iii. 68, 164, 242, 264; iv. 65, 201, 245, 310; v. 141
 Ruffed, ii. 283
 Grouse Disease, Notes on, i. 225
 Guillemot, iii. 164, 266, 273
 Black, i. 315; ii. 127, 258; iii. 255, 267; iv. 252, 289; v. 118, 149, 226
 —, Changes of Plumage in, iii. 255
 Bridled, i. 314; v. 191, 208
 Common, i. 130, 314; ii. 126; iv. 67, 252, 283; v. 118, 149, 190, 208
 Ringed, i. 224, 314; iii. 266; iv. 252
 —, Notes on, i. 224
 Gull, Black-headed, i. 318; ii. 132, 199; iii. 59, 74, 165, 267; iv. 67, 188, 251, 325; v. 147
 Bonaparte's, iii. 74
 Common, i. 319; ii. 132, 199; iii. 74, 165, 267, 275; iv. 66, 188, 251, 325; v. 117, 148
 Glaucous, ii. 188, 199, 210, 289; iii. 74; iv. 189, 251; v. 63, 209
 Great Black-backed, i. 320; ii. 130, 200, 212; iii. 59, 75, 165, 247, 267; iv. 67, 251; v. 118, 148, 190, 208
 Herring, i. 320; ii. 132, 184, 212; iii. 74, 267; iv. 251, 325; v. 118, 148, 190, 208

Gull, Iceland, i. 320; ii. 201; iv. 189, 251; v. 148
 Ivory, i. 168, 319; ii. 209; iv. 251; v. 147
 Kittiwake, i. 103, 319
 Laughing, ii. 287
 Lesser Black-backed, i. 320; ii. 131, 184; iii. 59, 75, 267; iv. 67, 251; v. 148, 190, 208
 Little, i. 318; ii. 7, 213; iii. 74, 164; iv. 188, 251; v. 148
 Short-legged Ivory, ii. 209
 White-winged, i. 320; ii. 210
 Gull, Iceland, Occurrence of in the Estuary of the Forth, ii. 210
 Gulls, Abundance of in the Forth, ii. 180
 Gyrfalcon, Norwegian, ii. 60
 Gyrini of the West of Scotland, 5

H

Habrodon Notarisii, Distribution of, i. 118
 Halcampa chrysanthellum, Notes on, i. 73
 Halichondria ventilabrum, remarkable specimen, i. 39
 Halipl of the West of Scotland, 5
 Hamilton, James, Death of, i. 75
 Hammer, Yellow, ii. 162
 Hare, Brown, iv. 104
 Common, ii. 146; iii. 191; iv. 302; v. 49, 123, 234
 Mountain, ii. 146; iii. 191; iv. 105; v. 124, 234
 Harrier, Hen, i. 276; ii. 81, 166, 251, 289; iii. 61, 232, 261; iv. 63, 243; v. 132
 Marsh, i. 52; ii. 195; iii. 61; v. 226
 —, Notes on, i. 52
 Montagu's, i. 277; ii. 83, 195, 251
 Haskeir, The Islands and Rocks of, and their Bird Life, v. 181, Plate
 Hawk, Bee, i. 72
 Fish, ii. 268
 Marsh, ii. 267
 Red-shouldered, ii. 266
 Red-tailed, ii. 266
 Sharp-shinned, ii. 266
 Sparrow, ii. 251
 Hebrides, Journal of a Tour through the Outer, ii. 58
 Hedgehog, ii. 140, 193; iii. 187; iv. 37; v. 120, 229
 Helensburgh and Cardross, Glacial Shells from, i. 91
 Helices of North America, i. 11
 Helicidae in Bute, Distribution of, i. 247

Helix concava, Notes on, i 1
Helix concava, Structure and habits of, i 4
Helix nemoralis, An unusual variety of, v. 308
Helix villosa, Notes on, iii. 172
 Hen, Maori, ii. 235
 Moor, iii. 71, 164
 Prairie, ii. 282
 Swamp, ii. 232
 Water, ii. 162 ; iii. 159
 Hermit-crabs, Habits of, i. 10
 Hermit-crabs in the Post-tertiary period, v. 192
 Heron, Common, i. 303 ; ii. 110, 162 ; iii. 70, 159, 164, 243, 265 ; iv. 65, 171, 246 ; v. 143
 Great White, iv. 246
 Green, ii. 284
 Night, i. 303 ; ii. 284 ; iv. 171, 246, 313
 Purple, iv. 246
 Snowy, ii. 283
 Herring, Notes on the, i. 240
 Heterocism of the Uredines, v. 293
 Heterophyllia *Lyelli* and *H. mirabilis*, Identity of, i. 256, Plate
 Hippocampus, Short-nosed, i. 76
 Hippolyte *pusiola*, Notes on, i. 86
 securifrons, Notes on, i. 82
 Hislop, Robert, of Polmont, Death of, v. 2
 Hobby, i. 275 ; ii. 195 ; iii. 60 ; iv. 63, 244, 304 ; v. 50
 Honey-bee, On the, iii. 75
 Hooper, i. 309 ; iii. 266
 Hoopoe, i. 76, 294 ; iii. 255 ; iv. 12, 149, 241 ; v. 141
 Occurrence of in Arran, iii. 255
 Horned Trunk-fish, v. 180
 Hornet, Nest of, ii. 11
 Houston, Post-tertiary Clay-beds at, ii. 336
 Human skulls from Peru, v. 308
 Hutcheson, Thomas S., Death of, iii. 331 ; iv. 1
 Hybrids:
 Black Grouse and Capercaillie, ii. 175, 195, 263 ; iii. 127
 Black Grouse and Common Grouse, ii. 263
 Black Grouse and Red Grouse, ii. 263
 Black Grouse and Willow Grouse, ii. 263
 Hare, iii. 128
 Hydrocanthari of the West of Scotland, 4
 Hydypori of the West of Scotland, 5

Hymenoptera, Notes on Clydesdale, iii. 202
 Do., Inverness-shire, ii. 290
 Do., Kingussie, iii. 86
 Do., Sutherlandshire, iii. 248
 Hymenoptera, New or rare, iv. 108
 On little known British, ii. 304
 On the study of the Phytophagous, iii. 141
 Hyrax, Cape, Notes on, v. 64

I

Ibis, Glossy, iv. 247 ; v. 58
 White, ii. 284
 Ice-duck, Long-tailed, i. 87
 Iceland, Birds of, iv. 15
 Immersion Lenses, On, iv. 117
 Inverness-shire, Hymenoptera observed in, ii. 290
 Insects, On the development of, ii. 260
 Irvine, Sketch of the Coal-fields in the neighbourhood of, ii. 154

J

Japan, Entomostraca and Foraminifera from, iii. 84
 Jackdaw, i. 293 ; ii. 98 ; iii. 59, 67, 159, 163 ; iv. 60, 240 ; v. 117, 139
 Jay, i. 294 ; iii. 67, 163 ; iv. 60
 Blue, ii. 282

K

Kammplatten, Notes on, v. 18
 Keddie, William, Death of, iii. 223
 Kelvingrove Museum, Agreement between the Society and the Town Council regarding the Formation and Development of a Collection of Plants and Invertebrata for, v. 172
 Kelvingrove Museum, Collections for, v. 156, 157
 Moss Collection for, v. 272
 Neuroptera-planipennia for, v. 302
 Trichoptera for, v. 302
 Kestrel, i. 275 ; ii. 77, 160, 195 ; iii. 61, 162, 232, 261 ; iv. 63, 148, 244 ; v. 116, 131
 Kilchattan, Post-tertiary beds at, ii. 33
 Killer, v. 232
 King Bird, ii. 270
 King-crab, ii. 6, 243
 King-fish, ii. 197

- Kingfisher, i. 295; ii. 161; iii. 67, 159, 163; iv. 62, 149, 242, 305; v. 51, 289
 Great Belted, ii. 271
 Kingfisher, Notes of its occurrence near Glasgow, v. 289
 Kite, i. 275; ii. 79; iii. 61; iv. 64, 245
 Swallow-tailed, ii. 60
 Kittiwake, 7; i. 103, 319; ii. 132, 199, 210; iii. 74, 165, 267; iv. 67, 251, 289; v. 118, 147, 190, 207
 Kiwi, Notes on, iv. 271
 Knot, i. 306; iv. 248
 Nesting-place of, iii. 123

L

- Laigh Baidland, Fossils of, iv. 190
 Land Shells from the Greenock district, v. 290
 Laoigh, Ben, Plants of, v. 4, 5*, 274
 Lapwing, i. 302; ii. 109, 162; iii. 69, 164, 243, 264; iv. 66, 169, 249; v. 58, 146
 Eggs of, i. 158
 Lark, iv. 61, 164, 241, 306; v. 141
 Meadow, ii. 281
 Shore, i. 90; iii. 163
 Notes on, ii. 10
 Leaves of Trees and Shrubs, Experiments on, iii. 105
 Lepidopterous Gall, A remarkable, from South America, iii. 201
 Lepidopterous Insects from Congo, i. 325, Plates
 Leptoceridae of the Glasgow district, iii. 57
 Library, Additions to, i. 11, 184, 198, 251, 254, 268; ii. 5, 6, 10, 30, 33, 56, 60, 63, 66, 134, 149, 154, 156, 180, 191, 195, 216, 222, 250, 255, 261, 342, 345; iii. 98, 110, 217, 357; iv. 109, 327; v. 64, 107, 157
 Lichens, On, iv. 119
 Linnaeus, Visit to the birthplace of, 8
 Linnet, i. 250; ii. 100; iii. 66, 163, 240, 264; iv. 59, 163, 239; v. 140
 Green, iv. 309
 Mountain, i. 290
 Lizard, Common, ii. 147
 Loch Lomond and Neighbourhood, Birds of, iii. 58
 Loch Lomond, Ornithological jottings from, iv. 199; v. 209
 Loch Ryan, Marine Zoology and Botany of, i. 21
 Lothian, East, Excursion to, 6
 Luce Bay, Marine Zoology and Botany of, i. 21

- Luida fragilissima, Observations on, i. 36
 Lychnis diurna, Galls on, iii. 184
 Lyre-bird of Australia, Notes on, v. 19

M

- M'Pherson, Dr. James, Death of, iv. 1
 Magnetic Iron Sand, ii. 216
 Magpie, i. 293; ii. 96, 161; iii. 67, 159, 163, 263; iv. 60, 240; v. 138
 Mahar Grogary, Shell-mounds at, ii. 24
 Mallard, iii. 266
 Malloch, Charles, Death of, iii. 317; iv. 1
 Mammalia, Report on for 1878-79, iv. 141
 Mammalia of Scotland, iv. 80
 Mammals of the Neighbourhood of Loch Lomond, iii. 186
 Mammals of Sutherlandshire, ii. 138
 Mammoth Cave, Blind Fauna of, ii. 264
 Marine Alga, Notes on the occurrence of a species of Boring, iv. 77
 Marine Algae, Mounting for the Microscope, iii. 85
 Marine Invertebrata of the Firth of Clyde, i. 57
 Marten, iv. 93
 Pine, i. 198; ii. 213; iii. 158, 188; v. 265
 —, Notes on, v. 265
 Marten Cat, i. 21
 Martin, i. 296; ii. 87; iii. 67, 163, 234, 262; iv. 61, 148, 241; v. 116
 House, v. 134
 Purple, ii. 275
 Sand, i. 296; ii. 88, 161, 169; iii. 68, 163, 234; iv. 61, 148, 241; v. 134
 Yellow-breasted, ii. 142; v. 121
 Melanoid Yellow-hammer, ii. 4
 Members, List of for 1876-77, iii. 211
 Merganser, Red-breasted, i. 312; ii. 122; iii. 59, 72, 266; iv. 69, 256; v. 152
 Merlin, i. 274; ii. 76, 160; iii. 60, 158, 162, 231, 261; iv. 63, 147, 244; v. 131
 Merlin's egg, Variety of, i. 159
 Merlin's nest in a tree, iii. 255
 Meteorological Notes and Remarks on the state of vegetation in the Public Parks of Glasgow during the year 1877, iii. 324
 Do. for 1878, iv. 70
 Do. for 1879, iv. 214
 Do. for 1880, v. 36
 Do. for 1881, v. 193
 Do. for 1882, v. 303

- Method in Collecting Natural History Specimens, On, v. 191
 Microscopic Examination, On, v. 10*
 Microscopic Manipulation, On, v. 252
 Migration of Birds, Remarks on, iii. 46
 Migration of Birds in Autumn of 1878, iv. 126
 Millerite, iii. 178
 Mimicry, On, v. 176
 Mimicry among Animals, v. 16
 Moa, Notes on, i. 230; ii. 180, 213; iv. 196
 Mocking-bird, ii. 236
 Mole, ii. 140; iii. 187; v. 120, 229
 Common, Brown variety, v. 192
 —, Curious varieties of, ii. 68
 Mollusca, Land and Fresh-water around Glasgow, i. 188
 Mollusca from Egypt and Palestine, i. 382
 Montagu's Sucker, i. 87
 Moor-hen, i. 308; iv. 67, 250
 Mortality among Sea-birds, i. 2, 4
 Mosses, Rare, in the West of Scotland, i. 38
 Mouse, Harvest, v. 233
 House, ii. 145; iii. 190; iv. 104; v. 123, 233
 Long-tailed Field, iii. 189; v. 123, 233
 Short-tailed Field, v. 123, 234
 Wood, v. 123, 233
 Mull Leaf-beds, ii. 22
 Myopotamus coypus, Notes on, v. 28

N

- Nardoo, i. 21
 Narwhal, v. 232
 Napoleona, Notes on, ii. 256
 Natterjack Toad, v. 223
 Natural History as a branch of Education, ii. 11
 Neanderthal cranium, Notes on, i. 97
 Nematus femoralis, Habits of, ii. 295
 Nereis bilineata, Habits of, i. 1
 Newt, Alpine, Notes on, iv. 273
 Palmated, ii. 148
 Rough, ii. 148
 Smooth, ii. 148
 New Zealand Birds, Habits of, i. 185
 Night-jar, i. 297; ii. 182; iii. 58, 68, 261; iv. 62, 242; v. 134
 Niptus hololeucus, Notes on, ii. 302
 North American Birds' Eggs and Skins, ii. 264
 Nudibranchiate Mollusca, Notes on some of the, i. 11

- Nudibranchiate Mollusca of the Cumbræ, i. 204
 Nutcracker, iv. 240
 Nuthatch, ii. 221; iv. 60
 White-bellied, ii. 277
 Nutria, a South American Rodent, iii. 344

O

- Oak, Evergreen, iv. 121
 Object-finder for the Microscope, i. 121
 Oil-shales, Natural history of, i. 132
 Opah, ii. 197
 Ophiocoma brachiata, Notes on, i. 73
 Ophiolepis gracilis, Notes on, i. 86
 Ophiura affinis, Notes on, i. 85
 Opossum, Notes on the Common, iv. 38
 Yellow, Notes on the, iv. 84
 Orange, on the Structure of an, v. 35
 Oriole, Baltimore, ii. 281
 Golden, ii. 31, 182
 Orme's Head, Notes on specimens from, i. 148
 Ornithological Journal of the Winter of 1878-79, iv. 123
 Ornithology, Report on Scottish, 1879-80, iv. 291
 Ornithology, Third Report on Scottish, 1880-81, v. 41
 Ornithology of the Lower Petchora, iii. 44
 Do of the Suburbs of Glasgow, i. 106
 Orthotricha of the Valley of the Girvan, i. 15
 Osprey, i. 82, 238, 274; ii. 74, 182; iii. 3, 60; iv. 64, 144, 245; v. 130
 Ostracoda, On Fresh and Brackish Water, iv. 77
 Otter, ii. 141; iii. 157, 188, 327; iv. 92; v. 122, 231
 Otter found in the Glasgow Botanic Gardens, iii. 327
 Outer Hebrides, Mammalia of, iv. 88
 Ouzel, Ring, i. 280; ii. 95; iii. 62, 163, 263; iv. 56, 237; v. 137
 Owen's Apteryx, Notes on, i. 254
 Owl, Barn, iii. 158, 261; iv. 62, 243
 Burrowing, ii. 269
 Eagle, iv. 62, 243; v. 223
 Notes on, v. 223
 Fern, iii. 58
 Great Horned, ii. 268
 Hawk, i. 81, 236, 278
 Long-eared, i. 277; ii. 84; iii. 61, 233; iv. 62, 243; v. 51
 Mottled, ii. 268
 Parrot, Notes on, i. 254, 255

- Owl, Short-eared, i. 277; ii. 84; iii. 61, 233; iv. 62, 243; v. 51, 134
 Snowy, i. 55, 81, 202, 278; ii. 176, 242; iv. 62, 147, 243
 Habits of, i. 55
 Tawny, i. 278; ii. 83; iii. 61, 158, 162, 233, 261; iv. 62, 148, 243; v. 133, 209
 White, iii. 61, 162
 Ox, Gigantic Fossil, v. 126
 Small Fossil, iv. 107
 Oyster-catcher, i. 302; ii. 109, 254, 285; iii. 69, 243, 265, 277; iv. 67, 250; v. 147, 189, 207
 Pied, ii. 233
 Oyster Fishery, i. 26
- P**
- Painted Lady, 7
 Paisley Canal, Shells from, v. 310
 Paisley Clay-beds, Organisms from, i. 90
 Parallel forms in different genera of Shells, ii. 158
 Parasites and Saprophytes, Vegetable, iv. 203
 Partridge, i. 300; ii. 105, 162; iii. 68, 242, 264; iv. 65, 169, 246; v. 143
 Grey, iii. 164
 Red-legged, ii. 182
 Partridge, On some common varieties of the, iii. 132
 Pastor, Rose-coloured, i. 230; ii. 182; iv. 60, 240
 Pearson, James H., Death of, iii. 35
 Peccary, Collared, Notes on, iv. 269
 Peewit, i. 302
 Penguin, iii. 321
 Crested, iii. 321
 Pentremites, On the occurrence of in Carboniferous Limestone Series, iv. 260, Plate
 Perdix cinerea, Varieties of, iii. 132
 Permanence of Species and the Limits of Variation, i. 77
 Perthshire, Birds of the North-west of, iv. 54; v. 225
 Perthshire, The Mammalia of North-west, v. 119
 Petrel, Fork-tailed, i. 81, 322
 Notes on, i. 228
 Fulmar, ii. 130; iv. 324; v. 208
 Leach's, i. 378; ii. 286; iv. 68
 Stormy, i. 197, 322; ii. 221; iii. 165, iv. 68, 253; v. 226
 Do from Ailsa Craig, i. 48
 Do at Port-Glasgow, i. 48
 Petromyzon fluviatilis and its mode of preying on *Coregonus clupeoides*, ii. 61
 Pewee, ii. 271
 Wood, ii. 271
 Phaenusa, Monograph on, iii. 95
 Monograph of British Species of, iii. 5
 Phalarope, ii. 135
 Grey, i. 76, 90, 254, 307; iv. 66, 176, 249; v. 146, 212
 Red-necked, ii. 63, 116; iv. 15, 66, 176, 249
 Phalaropus hyperboreus in summer plumage, i. 42
 Pheasant, i. 299; ii. 104; iii. 68, 164, 242, 264; iv. 65, 246; v. 143
 Diard's, i. 208; ii. 6, 166
 Pheasant, female with male plumage, i. 166; ii. 179
 —, hybrid, i. 236
 —, velocity of flight of, ii. 213
 Phyllococe lamellingera, Notes on, ii. 342
 Phyllotaxy of vegetables, Remarks on the simpler Spirals in, ii. 158
 Phyllotoma, Monographic revision of, ii. 315
 Physical Geography of British Plants, i. 131
 Phytophagous Hymenoptera, iii. 141, 320
 Pigeon, iii. 241
 Rock, 7; v. 117
 Wood, i. 251, 298; ii. 103; iv. 165; v. 58
 Food of, ii. 39
 Natural History of, ii. 39
 Pine forests, Damage done to by the Capercaillie, iii. 348
 Pintail, i. 82; iv. 15, 180, 254, 320; v. 62, 151
 Pipit, Meadow, i. 286; ii. 93, 161; iii. 65, 263; iv. 15, 58, 155, 239, 306; v. 136
 Rock, i. 286; ii. 93, 184; iii. 65, 263; iv. 58, 155, 239; v. 117, 136, 189, 207
 Shore, i. 82
 Tree, i. 286; ii. 93, 161; iii. 65, 163, 263; iv. 58, 155; v. 136
 Pisidium fontinale, Notes on, iii. 172
 Pladda, Plants of, v. 6*
 Planorbis complanatus, Notes on, iii. 172
 Plantago lanceolata, Abnormal form of, ii. 260
 Plants rare in the West of Scotland, iii. 41
 Pleurobranchus plumula, Notes on, ii. 32

- Plover, iv. 249
 Crook-billed, ii. 234
 Golden, i. 301; ii. 108, 162; iii. 69, 164, 264; iv. 15, 66, 170, 249, 313; v. 58, 146
 Grey, i. 302; v. 146
 Ringed, i. 301; ii. 109; iii. 69, 243, 265; iv. 67, 250; v. 146
 Wilson's, ii. 285
 Pochard, i. 312; ii. 182; iii. 72, 246; iv. 68, 182, 255, 322; v. 151
 Polecat, ii. 141; iii. 188; v. 121, 230
 Pope, v. 223
 Porbeagle, i. 76
 Porcellia, Notes on, ii. 16
 Porpoise, ii. 144; iv. 98; v. 232
 Portpatrick, Marine Zoology and Botany of, i. 21
 Portree Bay, Skye, On a few hauls of the Dredge in, v. 11
 Possil Marsh, Birds frequenting, ii. 160
 Post-tertiary Fossils, On a Mode of Identifying, ii. 3
 Potato, Notes on, iv. 45
 Potato, Cultivation of in its Native Country, v. 166
 Poterioceras, Notes on, i. 239
 Pottery, Ancient, from Peru, iii. 128
 Powan, Habits of, i. 48
 Pratt, Arthur, Death of, v. 155, 174
 President's Address, iii. 123; v. 257
 Productus, Adherent form of, iii. 175
 Prosen, Glen, v. 6*
 Protection of Wild Birds, On the, v. 83
 Protective Resemblance in Tenthredinidae, iii. 352
 Proteus anguinus, living specimens, iii. 327
 Ptarmigan, ii. 106, 182; iii. 59, 68, 243, 264; iv. 15, 65, 168; v. 141
 Pteronites, Notes on, i. 146
 Puffin, i. 315; ii. 129; iii. 73, 267, 272; iv. 68, 252, 287; v. 118, 149, 190, 208

Q

- Quail, i. 300; ii. 105; iii. 164; iv. 65, 168, 246, 310; v. 143
 Quercus infectoria, Galls on, ii. 288

R

- Rabbit, ii. 146; iii. 191; iv. 106, 142, 302; v. 49, 124, 234
 Rail, Clapper, ii. 286
 Land, i. 307; ii. 117; iii. 70, 164, 266

- Rail, Virginia, ii. 286
 Water, i. 307; ii. 117, 162, 186, 253; iii. 70, 164; iv. 67, 177, 250, 316; v. 147
 Rail, Water, Nest of, ii. 186
 Raised Beaches at Irvine, i. 127
 Rankine, Dr. Daniel Reid, Death of, v. 221, 248
 Rannoch, Coleoptera of, ii. 183
 Lepidoptera of, ii. 214
 Rat, Black, ii. 145; iii. 158, 190; v. 123, 233
 Brown, ii. 145; iii. 190; iv. 103; v. 123, 233
 Water, v. 123, 234
 Raven, i. 292; ii. 96; iii. 66, 163, 239, 263; iv. 15, 60, 241; v. 55, 117, 138
 Razor-back, v. 231
 Razorbill, i. 316; ii. 129, 181; iii. 73, 266, 273; iv. 67, 186, 252, 287, 324; v. 118, 149, 191, 208
 Razorbills. Mortality among, ii. 181
 Redbreast, i. 280; ii. 91; iii. 62, 163, 237, 262; iv. 56, 236; v. 136
 Redpoll, iv. 163, 308
 Lesser, i. 290; ii. 101; iii. 66; iv. 59, 239; v. 140
 Mealy, i. 290; iv. 59
 Redshank, ii. 112, 162; iii. 69, 164, 265; iv. 15, 66, 172, 247; v. 144
 Redstart, i. 281; ii. 90, 182; iii. 62, 236, 262, 275; iv. 56, 236; v. 135
 Redwing, i. 280; ii. 161; iii. 62, 263; iv. 56, 157, 237, 307
 Register of Plants, Committee appointed to keep, iv. 121
 Regulus, Golden-crested, ii. 89; iii. 235
 Reindeer, ii. 5; iii. 191
 Reindeer, Occurrence of in Scotland, 13
 Relations of Natural History to Medicine, v. 174
 Removal of the Society to Bath Street, v. 2
 Reptiles of Sutherlandshire, ii. 138
 Rhynchopora, a Genus new to Carboniferous Strata, iv. 13
 Rissoa striata, Injured specimens of, iii. 278
 Robin, ii. 272; iv. 152; v. 52
 Ground, ii. 279
 Roller, i. 295; ii. 175; iv. 61, 241
 American, iv. 242
 Red-breasted, iii. 197
 Rook, i. 293; ii. 4, 17, 97, 224; iii. 67, 163, 239, 263; iv. 60, 159, 240, 307; v. 55, 139
 Pied variety, ii. 4
 Rorqual, v. 231

- Ross Arden, Clay Beds of, i. 92
 Ross-shire, Ornithological notes from,
 ii. 182
 Rotche, i. 50
 Rothesay, Dredging notes from the
 Bay of, ii. 45
 Ruff, i. 184, 305; iv. 173, 201, 248;
 v. 223
 Ruppia maritima, sub-sp. rostellata,
 Notes on, v. 227

S

- Saddleback, v. 217
 Sanderling, i. 301; iii. 70, 164; iv.
 248; v. 145
 Sand-grouse, Pallas's, i. 151; iv. 64,
 245; v. 141.
 Sandpiper, Buff-breasted, ii. 196
 Common, i. 304; ii. 112, 162; iii.
 69, 164, 265; iv. 66, 248; v. 144
 Curlew, i. 197, 306; iii. 265; iv. 248
 Freshwater, iii. 59
 Green, i. 237, 304; ii. 57; iii. 224;
 iv. 173, 247
 Pectoral, ii. 196; v. 291
 —, Notes on, v. 291
 Purple, 7; i. 307; ii. 64, 112; iii.
 265, 277; iv. 290; v. 145, 189
 Solitary, ii. 196
 Spotted, i. 256; ii. 2, 196, 285
 Wood, i. 304; ii. 193; iii. 59, 69; iv.
 9, 66, 173, 201, 247
 —, Notes on, iv. 9
 Saprophytism, iv. 203
 Saxicava rugosa, showing an unusual
 mode of repair, iii. 198
 Scaup, iii. 72; iv. 68, 255, 322; v. 152
 Schiehallion and the Neighbourhood of
 Tummel Bridge, Flora of, v. 161
 Schimper, Prof., Death of, v. 2
 Scorpion, Living specimen of, ii. 6
 Scoter, Black, ii. 121; iii. 246; iv. 255;
 v. 152
 Common, i. 311
 Surf, iv. 255
 Velvet, i. 239, 311; iii. 275; iv. 255,
 323; v. 152
 Scouler, John, M.D., LL.D., F.L.S.,
 Death of, ii. 175
 Sculliongour, On a section of Lower
 Carboniferous Limestone Strata at,
 ii. 219
 Sea Anemones of Cumbræ, ii. 24
 Sea-eagle, i. 150
 White-tailed, i. 273; ii. 73
 Sea-gulls frequenting the Estuary of
 the Forth, ii. 198
 Sea-horse, i. 90
 Seal, Common, ii. 143; iv. 93; v. 231
 Great Grey, ii. 144; iv. 37, 95
 Greenland, iv. 95
 Harp, v. 217
 Hooded, v. 218
 Ringed, iv. 94
 Seal and Whale Fishery of 1881, v. 215
 Do. of 1882, v. 292
 Seed potatoes, Experiments with Chi-
 lian, v. 269
 Sea-pike, iii. 318
 Sea-star, Bird's-foot, ii. 6
 Sea-weeds, On, v. 302
 Sea-weeds in the Paisley Clay Beds, i.
 99
 Sethe, 6
 Shag, i. 317; iii. 164; iv. 68, 150,
 191, 209
 Shearwater, Dusky, iv. 253
 Manx, i. 321; ii. 60, 130; iii. 267;
 iv. 187
 Sheldrake, i. 310; ii. 119; iii. 164; iv.
 202, 254; v. 151, 211
 Shell Mounds at Machar Grogary, ii. 24
 Do. of the North of Ireland, v. 7
 Do. of the Outer Hebrides, ii. 64.
 Shoveller, i. 151, 310; ii. 7, 163; iii.
 59, 72; iv. 68, 182, 255, 322
 Shrew, Common, ii. 140; iii. 188; v.
 120, 229
 Lesser, iv. 92; v. 230
 Oared, i. 70
 Water, ii. 140; v. 230
 Shrike, Great Grey, i. 90, 236, 278; ii.
 157; iii. 43, 61; iv. 57, 200, 238;
 v. 54, 138, 212, 225
 Remarks on, ii. 157
 Northern, Remarks on, ii. 157
 Red-backed, iv. 238
 Silkworm, i. 236
 Japanese, ii. 194
 Silkworm and its products, i. 236
 Siskin, i. 289; ii. 100; iii. 66, 240; iv.
 59, 239; v. 57, 140
 Skimmer, Black, ii. 288
 Skua, Arctic, iv. 15
 Buffon's, i. 72, 321; iv. 252
 Great, iv. 251
 Pomarine, i. 178, 321; ii. 182; v.
 148, 208
 Richardson's, i. 236, 321; ii. 130,
 258; iii. 247; iv. 16, 251; v. 148
 sp. ?, iv. 189
 Skuas, On the, iv. 274
 Sky-lark, i. 287; ii. 7, 102, 161; iii. 65,
 163, 241, 264
 Slow-worm, ii. 147
 Smelt, Hebridean, i. 187
 Smew, i. 90, 151, 312; ii. 182; iii. 59,
 72; iv. 185, 256, 323

- Snake, Smooth, Notes on, iv. 197
 Turkey, iii. 4
- Snipe, Brown, ii. 7
 Common, i. 306; ii. 115, 160, 162, 224; iii. 59, 70, 164, 265; iv. 15, 66, 174, 249, 314; v. 59, 145
 Great, i. 236, 306; iii. 164; iv. 173, 248, 315; v. 54, 59
 Jack, i. 306; ii. 115, 160, 162; iii. 59, 70, 164, 265; iv. 66, 249, 315; v. 59, 146
 Solitary, i. 101
- Societies to which Proceedings are sent, iii. 219, 359; iv. 112, 330
- Sparrow, Black-throated, ii. 278
 Chipping, ii. 279
 Common, i. 288; ii. 101; iii. 66, 163, 264; iv. 59, 162, 239; v. 140
 Field, ii. 279
 Hedge, iii. 62, 163; iv. 58, 239; v. 136
 Song, ii. 279
 Tree, i. 85; ii. 57, 101; v. 140
 —, Notes on, ii. 57
 White-throated, Occurrence of in Aberdeenshire, i. 209
- Sparrow-hawk, i. 251, 275; ii. 78, 160; iii. 61, 162, 232, 261; iv. 62, 243; v. 116, 132
 Notes on, i. 251
- Species, On, v. 158
 On the Darwinian Hypothesis of the Transmutation of, i. 47
 Permanence of, and the limits of variation, i. 77
- Spider, Trap-door, iii. 4
 Nest of, iii. 37
- Spiders, Notes on, iii. 194
 Do., with Additions to the Scottish Lists, iii. 351
- Spiders of the West of Scotland, iii. 170
- Spider-crab, iii. 319
- Spina Bifida, On, v. 268
- Spiralis retroversus, Notes on, iv. 230
- Spirifera trigonalis, Occurrence and distribution of, iii. 37
- Spirorbis, Notes on, i. 101
- Spizaetus, Crested, ii. 22
- Sponge Spicules, Notes on, iii. 102
- Spoonbill, iv. 247
- Squid, iii. 1
- Squirrel, ii. 144; iii. 157, 189; iv. 142; v. 49, 123, 232
- St. Abb's Head and its Bird Life, v. 110
- Star-fishes, Abnormalities in, i. 41
- Starling, i. 291; ii. 4, 98, 161, 184; iii. 66, 163, 240, 264; iv. 60, 161, 240, 308; v. 56, 117, 139
 Red-winged, i. 146; ii. 281
- Stenotheca, Notes on, ii. 223
- Stewart, Alexander Bannatyne, Death of, v. 2
- Stilt, Black-winged, ii. 162, 285; iv. 66
- Sting-ray, Spine of, iii. 4
- Stint, Little, ii. 4, 57; iii. 59, 70; iv. 248
 Temminck's, ii. 164
- Stirlingshire, Birds of, i. 173
- Stoat, ii. 141; iii. 158, 188; v. 121, 230
- Stonechat, i. 281; ii. 90, 161; iii. 63, 163, 236, 262; iv. 15, 56, 237; v. 135
- Stone Hammer from Stobcross, ii. 335
- Stork, White, iv. 247
- Sturgeon, i. 186
- Succinea oblonga, Notes on, v. 267
- Sulcorettopora, A new species of, iii. 166, Plate
- Summer Session, 1879, iv. 117
 Do., 1880, v. 3
 Do., 1881, v. 157
- Sun-fish, Short, caught in the Firth of Clyde, Notes on, v. 176
- Sussex, Spring rambles in, v. 254
- Sutherlandshire, Birds breeding in, ii. 69; iii. 226
 Do., Birds of the East of, v. 126
 Do., Mammals and Reptiles of, ii. 138
- Swallow, i. 296; ii. 87, 169; iii. 67, 163, 234, 262; iv. 61, 148, 241, 304; v. 51, 134
 Bank, ii. 276
 Barn, ii. 274
 Chimney, ii. 270
 Cliff, ii. 275
 White-bellied, ii. 275
- Swan, Bewick's, i. 310; ii. 150; iii. 59, 71; iv. 318; v. 151
 Black, iv. 68
 Mute, iv. 254
 Polish, iv. 254
 Whistling, i. 309
 Wild, ii. 149; iii. 71, 164; iv. 15, 202, 317
 sp.?, iv. 179; v. 60, 109
- Swift, i. 297; ii. 85; iii. 68, 163, 262; iv. 62, 148, 242, 305; v. 51, 134
 Alpine, i. 69
 Himalayan Tree, i. 69
 Spine-tailed, i. 68
- Symmetry of Plants and Animals, 3
- Synapta inhaerens, Notes on, i. 73
- Synocladia, New species of, iii. 253
- Synocladia and other Allied Forms, v. 30

T

- Tanager, Scarlet, ii. 274
 Tatler, Green-rumped, ii. 7
 Teal, i. 311; ii. 120, 163; iii. 59, 72, 159, 164, 266; iv. 68, 181, 254, 321; v. 62, 151
 Tenthredinidae, Food-plants of, iii. 151
 Tern, i. 318; ii. 133; iii. 73, 248, 267, 276; iv. 189, 250
 Arctic, i. 318; ii. 133; iii. 73, 164, 248, 267, 276; iv. 67, 250; v. 147, 190
 Black, i. 318; ii. 63; iii. 74; iv. 250
 Least, ii. 288
 Lesser, i. 318; ii. 133; iii. 74, 248; v. 147
 Little, iv. 251
 Marsh, ii. 287
 New Zealand, ii. 236
 Roseate, ii. 287; iii. 74, 276; iv. 250
 Sandwich, 7; i. 317; ii. 133; iii. 74, 276; iv. 250
 Sooty, ii. 287
 Testacella, Habits of, 14
 Thomson, George, Death of, iv. 51, 115
 Thomson, James, Death of, iii. 36
 Thrush, iv. 56, 156, 237, 306; v. 137
 Bendire's, ii. 277
 Brown, ii. 276
 Golden-crowned, ii. 273
 Missel, i. 279; ii. 94, 161; iii. 62, 238, 263; iv. 56, 155, 237; v. 137
 Palmer's, ii. 277
 Song, i. 280; ii. 94, 161; iii. 62, 159, 163, 238, 263
 White's, iv. 158
 Wilson's, ii. 272
 Wood, ii. 272
 Thysanopoda, Notes on, i. 119
 Tit, Blue, i. 284; ii. 57, 92, 162; iii. 64, 163, 262; iv. 57, 154, 238
 Cole, i. 284; ii. 92, 162; iii. 64, 262; iv. 57, 154, 238; v. 136
 Great, i. 284; ii. 91; iii. 64, 237, 262; iv. 57, 237; v. 136
 Long-tailed, i. 285; ii. 92, 162; iii. 64, 163, 262, 237; iv. 57, 154, 238
 Marsh, i. 284; ii. 181, 216; iii. 64; iv. 57, 153
 Titmouse, Black-cap, ii. 278
 Crested, iii. 64; iv. 57
 Toad, ii. 148
 Topknot, Bloch's, i. 81
 Muller's, i. 81
 Tortoise, Box, v. 65
 Tortoise remains, iv. 196

- Tory Island, Archaeology and Natural History of, iv. 80, Map and Plate
 Touraco, iv. 12
 Treasurer's Statement, 1875-76, iii. 216
 Do. do. 1876-77, iii. 360
 Do. do. 1877-78, iv. 114
 Do. do. 1878-79, iv. 332
 Do. do. 1879-80, v. 153
 Do. do. 1880-81, v. 246
 Do. do. 1881-82, v. 313
 Trichoptera of the Clyde Valley, iii. 258
 Trogon resplendens, Habits and distribution of, i. 37
 Trout, Tailless, ii. 179
 Tube-building Annelids, Notes on, iii. 31
 Tubers, Bulbs, and Tap-roots, their Functions in the Vegetable Economy, iv. 217
 Turbinated Corals, Notes on, iii. 169
 Turkey, Brush, ii. 150
 Wild, ii. 11, 189
 —, Its introduction into Argyllshire, ii. 11
 —, Nesting of, ii. 189
 Turnstone, i. 99, 302; ii. 182; iii. 69, 265, 277; iv. 249; v. 60, 146, 189
 Turnstone in summer plumage, i. 99
 Twite, i. 290; ii. 100; iii. 66, 163, 240, 264; iv. 163, 239, 309

U

- Underground Stems, Morphology of, v. 158
 Uniformity of Method in recording Natural History Observations, iii. 115
 Unwelcome Flower Guests, iv. 118
 Ural, Avi-fauna of, ii. 282
 Urania, Notes on, ii. 222
 Urus scoticus, Notes on, i. 56

V

- Vascular Plants of Britain, Distribution of, i. 17
 Vegetation in the Public Parks, ii. 324; iii. 79, 100, 176, 324; iv. 70, 214; v. 36, 193, 303
 Vegetation, Notes on the effect of Smoke on, iii. 340
 Viper, ii. 143
 Vole, Bank, i. 130; iii. 191; v. 123, 234
 Field, ii. 145; iii. 190; iv. 104; v. 234

- Vole, Red Field, ii. 145; iii. 191; v. 123, 234
 Water, ii. 145, 251; iii. 190; v. 123, 234

W

- Wagtail, Grey, i. 285; ii. 92, 161; iii. 64, 163, 237, 263; iv. 58, 238; v. 136
 Pied, i. 285; ii. 92, 161; iii. 64, 163, 263; iv. 58, 154, 238; v. 136
 Ray's, i. 286; ii. 92; iii. 65, 163, 263
 White, iv. 15
 Yellow, ii. 161; iv. 238
 Walker-Arnott, Prof., Sum voted for the purchase of his Herbarium and Library, i. 254
 Walrus, iv. 97
 Warbler, Blackcap, i. 282
 Blue-throated, ii. 192
 Chestnut-sided, ii. 274
 Garden, i. 282; iii. 163; iv. 57
 Grasshopper, i. 281; iii. 58, 63, 262; v. 52
 Marsh, Notes on, i. 110
 Reed, iv. 237
 Sedge, i. 282; ii. 88, 161; iii. 58, 63, 159, 234; iv. 57, 237; v. 134
 Willow, i. 283; ii. 89; iii. 58, 235, 262; iv. 151, 305
 Wood, i. 283; iii. 58, 235; iv. 152
 Yellow, ii. 274
 Wart Hog, ii. 149
 Wasps, Social, Notes on, ii. 259
 Water-hen, ii. 117; iv. 176; v. 147
 Wax-wing, iii. 64; iv. 58, 159, 238
 Occurrence of in Scotland, ii. 177
 Bohemian, i. 81, 165, 285; v. 54
 Weasel, Common, ii. 141; iii. 188; v. 121, 230
 Ermine, iii. 188
 Weather, Record of, iv. 134
 Weaver-bird, Nest of, iii. 82
 Weever, Greater, i. 90
 West Kilbride and Ardrossan, Notes on the Flora of, v. 241
 Whale, Atlantic Right, v. 66
 Bottle-nose, v. 219
 Common Beaked, v. 231
 Pilot, ii. 144, 149; iv. 98; v. 232
 Sperm, ii. 144
 White, ii. 144
 Whale and Seal Fishery of 1881, v. 215
 Do. do. 1882, v. 292
 Wheatear, i. 281; ii. 90, 161; iii. 63, 163, 236, 262; iv. 56, 153, 237; v. 53, 135, 189
 Whimbrel, i. 304; ii. 111; iii. 164, 265; iv. 15, 170, 247; v. 143
 Whinchat, i. 281; ii. 90; iii. 63, 236, 262; iv. 56, 153, 237; v. 135
 Whitethroat, i. 283; ii. 88, 161; iii. 58, 63, 235; iv. 152, 237; v. 52, 134, 225
 Lesser, i. 283; iii. 63, 262; iv. 57, 237; v. 52
 Whooper, iii. 59; iv. 68, 202, 254; v. 151
 Widgeon, i. 311; ii. 119, 163, 182; iii. 159, 164, 266; iv. 68, 179, 254, 320; v. 62, 151
 Wigtownshire, Birds of, i. 269
 Wild Birds, On the Protection of, v. 83
 Willet, ii. 285
 Windmillcroft Beds, Botany of, i. 159
 Wingate, James, Death of, iv. 1
 Wings of Birds, Anatomical structure of, ii. 324
 Winter of 1878-79, Ornithological Journal of, iv. 130
 Do. 1879-80, do. do. iv. 292
 Do. 1880-81, do. do. v. 42
 Wolf, ii. 149; iv. 107; v. 124
 Wolf-fish, Contents of Intestines of, ii. 335
 Woodcock, i. 305; ii. 116, 188, 189, 253, 303; iii. 70, 164, 245, 265; iv. 66, 174, 248, 315; v. 60, 145
 Nesting habits of, ii. 188, 189
 Wood-lark, i. 287
 Woodpecker, i. 294; iv. 165
 Downy, ii. 269
 Green, iii. 163
 Great Spotted, i. 90, 151, 230, 237, 378; ii. 176; iii. 67; iv. 61, 242; v. 141
 Spotted, ii. 182
 Wren, i. 294; ii. 88; iii. 64, 159, 163, 234, 262; iv. 56, 150, 237, 305; v. 117, 134
 Golden-crested, i. 284; iii. 63, 262; iv. 56, 152, 237
 House, ii. 277
 Long-billed Marsh, ii. 277
 Ruby-crowned, iii. 63
 Willow, ii. 161, 164; iii. 63; iv. 56, 237; v. 135
 Yellow variety, ii. 164
 Wood, ii. 161; iii. 63; iv. 56, 237; v. 135
 Wryneck, ii. 179; iv. 61, 242

Y

- Yellow-hammer, i. 288; ii. 4; iii. 241; iv. 60, 164, 240; v. 140
 Melanoid variety, ii. 4
 Yellow-throat, Maryland, ii. 273

INDEX TO SCIENTIFIC NAMES.

- Abia nitens*, iii. 88
 sericea, ii. 291; iii. 252
Abies Douglasii, ii. 156; v. 213
Acacia cavenia, iv. 49
 lophantha, iv. 71
Acanthias vulgaris, 6
Acanthocinus aedilis, 8; ii. 1
Acantholeberis curvirostris, i. 41
Acanthopora stellipora, ii. 327, Plate
Acanthospongia Smithii, iii. 125
Acanthylis nudipes, i. 68
Accentor modularis, i. 280; ii. 91; iii. 62, 163, 237, 262, 300; iv. 58, 239; v. 136
Accipiter fuscus, ii. 266
 nisus, i. 275; ii. 78, 160, 251; iii. 48, 61, 162, 232, 261; iv. 62, 243; v. 131
Acer campestre, ii. 171; iv. 117
 platanoides, ii. 171
 pseudo-platanus, ii. 171
 saccharinum, ii. 171
 striatum, ii. 171
Aceras anthropophora, iii. 156, 166
Acerina vulgaris, v. 223
Achaea ophismoides, i. 357
 partita, i. 358, Plate
Acherontia atropos, ii. 154
Achillea Millefolium, v. 7*
Achnanthidium flexellum, i. 216
Acidalia fumata, ii. 225
 latifera, i. 375
Acidaspis Brightii, ii. 166
Acilius fasciatus, 5
 sulcatus, 5
Acmaea lineata, v. 228, 291
 testudinalis, i. 26, 35
 virginea, i. 35
Aconitum Napellus, iii. 321; v. 78
Acredula caudata, iv. 57, 238; v. 136
 rosea, ii. 92; iii. 64, 163, 237, 262; iv. 154
Acrocephalus schoenobaenus, ii. 88; iii. 234
 streperus, iv. 237; v. 134
Actinia mesembryanthemum, ii. 29
Actinocrius dactylus, iv. 20
Actinoloba dianthus, ii. 28
Actinostoma fenestratum, ii. 252, 258, 344; iii. 167
Actitis hypoleuca, iii. 51, 265, 307; iv. 66, 248; v. 144
Adamsia palliata, i. 10, 62; ii. 28
Adelanthus Carringtoni, ii. 18
Adesmia balsamica, iv. 49
Adiantum Capillus-Veneris, i. 384; iii. 322
 pedatum, iii. 322
Adoxa Moschatellina, v. 159
Aecetis ochracea, v. 176
Aecidium albescens, v. 159
 berberidis, v. 296
 grossulariae, v. 299
 violae, v. 249
Aedemia perspicillata, i. 16
Aega tridentata, i. 67
Aegilips abietina, ii. 324
 armatus, ii. 293; iii. 90
 Dalmanni, iii. 90
 nitidulus, iii. 90, 252
 subulifera, ii. 324
Aegialitis curonicus, iii. 306
 fluvialis, iii. 51
 hiaticula, ii. 109; iii. 50, 69, 243, 265, 306; iv. 67, 250; v. 146
 Wilsonius, ii. 285
Aegirus punctilucens, i. 206
Aegithalus pendulinus, iii. 294
Aegolius brachyotus, iii. 236
 otus, iii. 286
Aesculus flava, ii. 172
 hippocastaneum, ii. 172
 Pavia, ii. 172
Agaricus epixanthus, v. 254
 fascicularis, v. 254
 infundibuliformis, v. 160
 laccatus, v. 160, 254
 radicatus, v. 160
 rubescens, v. 254
 rutilans, v. 254
 stercorarius, v. 160
 terreus, v. 254
 vaginatus, v. 254
Agelaius phoeniceus, ii. 281
Agelena brunnea, ii. 183
Aglaia striata, i. 20; ii. 66
Agrimonia Eupatoria, iii. 165; v. 160, 242
Agroëca proxima, iv. 79

- Agrostis alba*, v. 8*
 canina, v. 280
 vulgaris, v. 8*, 280
Agrotis catenifera, i. 349
 hemileuca, i. 348
Aira caespitosa, var. *brevifolia*, v. 280
 pseudo-alpina, v. 280
 flexuosa, iii. 281; v. 8*
 var. *montana*, v. 280
 praecox, v. 8*, 280
Ajuga pyramidalis, iv. 228
Alauda alpestris, i. 90; ii. 10; iii. 163, 290
 arborescens, i. 287; iii. 290
 arvensis, i. 287; ii. 102, 161; iii. 49, 65, 163, 241, 264, 289; iv. 61, 164, 241, 306; v. 141
 brachydactyla, iii. 290
 calandra, iii. 290
 tatarica, iii. 290
Alca impennis, ii. 58
 torda, i. 3, 316; ii. 129, 181; iii. 73, 266, 273; iv. 67, 186, 252, 287, 324; v. 118, 149, 191, 208
 troile, iii. 266, 273; iv. 67, 252, 283; v. 118, 149
Alcedo alcyon, i. 16
 ispida, i. 295; ii. 161, 198; iii. 67, 159, 163, 289; iv. 62, 149, 242, 305; v. 51, 289
Alces malchis, ii. 176; v. 125
Alchemilla alpina, i. 18; v. 253, 276
 vulgaris, iii. 281; v. 276
 var. *montana*, v. 276
Alcyonella sp. ? ii. 2
 fungosa, ii. 2
Alethopteris heterophyllia, iv. 19
Aletis postica, i. 332, Plate
Alicularia compressa, ii. 18
Alisma ranunculoides, iii. 166; iv. 229
Allantus nothus, ii. 293; iii. 89, 142, 251
 3-cinctus, iii. 203
Alligator mississippiensis, v. 291
Allium ursinum, iii. 166; v. 8*
 vineale, v. 243, 245
 var. *compactum*, v. 163
Allosorus crispus, iv. 119
Allotria aperta, iii. 90
 cursor, iii. 204
 minuta, iii. 90, 252
 pleuralis, iv. 108
Alnus americana, iii. 342
 glutinosa, i. 161, 237; iii. 342; v. 278
 var. *lutinora asplenifolia*, iii. 342
Aloe caesia, i. 88
Alopecurus agrestis, i. 125
 geniculatus, v. 280
 pratensis, iii. 281
Alsine rubella, v. 5*
 verna, v. 175
Alteutha bopyroides, i. 104
 depressa, i. 105
Aluco flammeus, ii. 85; iii. 261; iv. 62, 243
Alyssum calycinum, v. 243, 244
Amaeraecium albicans, i. 122
 argus, i. 122
Amara lunicollis, ii. 217
Amaryllis Johnsoni, i. 88
Amaurobius fenestralis, iii. 171
Amblyodon dealbatus, i. 143; v. 160, 284
Amblyopsis spelaeus, ii. 264
Amblystegium irriguum, i. 115
 serpens, v. 286
Ambulyx constrictilis, i. 328
Amelanchier Botryapium, iii. 342
Amia canina, i. 187
Ammodromus caudacutus, ii. 278
 maritimus, ii. 278
Amouroucium proliferum, i. 58
Ampelis garrulus, ii. 177; iii. 50, 64; iv. 58, 159, 238; v. 54
Ampelisca Gaimardii, ii. 49
Ampelopsis hederacea, iii. 343
Amphidesma compressum, i. 32
Amphidotus cordatus, i. 29, 63, 66; v. 17
 gibbosus, i. 99
 roseus, i. 99; ii. 51; iv. 232
Amphigonium fumosa, i. 363
Amphioxus lanceolatus, i. 246
Amphipleura pellucida, iv. 117
 sigmoidea, i. 218
Amphithoe littorina, ii. 49
Amphiura Chiajii, i. 116
Amphoridium lapponicum, v. 283
 Mougeotii, v. 284
Anacharis alsinastrium, v. 161, 175, 267
 canadensis, ii. 163
 eucharoides, ii. 293
 typica, ii. 293
Anagallis caerulea, v. 255
 tenella, iv. 229; v. 242, 245
Anaphe reticulata, ii. 295
Anarhynchus frontalis, ii. 234
Anas acuta, i. 310; iii. 52, 72
 boschas, i. 311; ii. 119, 163, 193; iii. 72, 164, 266, 312; iv. 68, 180, 255, 321; v. 61, 151
 clangula, iii. 52
 clypeata, i. 100, 151, 271, 310; ii. 7, 163; iii. 51
 crecca, i. 311; ii. 163; iii. 52, 159, 312
 cristata, iii. 52
 fusca, iii. 52

- Anas glacialis*, iii. 52
 histrionica, iv. 16
 marila, iii. 52
 nigra, iii. 52
 penelope, i. 311; ii. 119, 163; iii. 52, 72, 159, 164, 312
 querquedula, i. 311; iii. 312
 strepera, i. 87, 151, 310; iii. 312
 sp.?, iii. 312
Anceus Edwardsii, ii. 24
 maxillaris, ii. 24
Anchistropus emarginatus, i. 43
Anchomenus gracilis, ii. 217
Anchusa sempervirens, iv. 119; v. 5*, 80
Ancula cristata, i. 206
Ancylus fluviatilis, i. 36, 189, 193
 lacustris, i. 193; ii. 165
Andraea alpestris, i. 167
 alpina, v. 282
 crassinervis, v. 282
 falcata, v. 282
 petrophila, v. 282
Andrena albicans, ii. 294
 albicrux, ii. 294
 combinata, iii. 253
 fulvicrux, ii. 294
 furcata, iii. 253
 minutula, ii. 294
 nana, iii. 90, 253
 parvula, iii. 253
 xanthura, ii. 294
Andricus amenti, ii. 244, 293; iii. 251, 252
 curvator, ii. 293; iii. 252
 inflator, ii. 293
 noduli, ii. 244
 quadrilineatus, ii. 293; iii. 252
 ramuli, ii. 244, 293; iii. 251, 252
Andromeda tetragonum, iii. 281
Anemone nemorosa, v. 275
Aneura multifida, v. 288
 pinguis, v. 288
 sinuata, v. 288
Angelica sylvestris, i. 99; iv. 83; v. 277
Anguis fragilis, ii. 147
Anodon cygneus, i. 189, 191
Anodonta cygnaea, v. 215, 310
 var. *incrassata*, v. 311
 radiata, v. 311
 minor?, v. 311
Anomia ephippium, i. 14, 24, 26, 34, 149; ii. 36, 340; iii. 157
Anonyx ampulla, ii. 23, 49
 denticulatus, ii. 23, 49
Anopthalmus Jelikampgii, ii. 264
 Mendricsii, ii. 264
Anser aegyptiacus, i. 12, 151; ii. 242; iii. 71
Anser albifrons, i. 198, 309; iii. 311; iv. 178, 253, 317
 arvensis, iii. 311
 bernicle, i. 46; iii. 71
 brachyrhynchus, i. 309; ii. 215; iii. 71; iv. 178, 253
 Brenta, i. 46
 canadensis, i. 57, 309; iii. 71
 cinereus, iii. 266, 311; iv. 317; v. 150
 clypeata, iii. 72
 cygnoides, iii. 310
 ferus, i. 308; ii. 118; iii. 71, 164, 245
 hyperboreus, iii. 310
 leucopsis, i. 309; ii. 213; iii. 71, 159, 164, 311
 minutus, iii. 311
 segetum, i. 308; iii. 51, 71, 311; iv. 253
 torquatus, i. 309; iii. 159
 sp.?, iv. 177
 sp.?, v. 60
Antaceus sp.?, i. 187
Antaeon lateralis, iv. 108
Antedon Milleri, ii. 51
 rosaceus, ii. 51
Antennaria dioica, iii. 281
Antennularia antennina, i. 33, 126, 142; ii. 47
 ramosa, i. 29, 126, 149
Anthea cereus, ii. 29
Anthelia Furatzkana, v. 287
 julacea, v. 287
Anthemis arvensis, ii. 3; v. 80, 245
 Cotula, ii. 3
 nobilis, v. 7*
Antheraea intermiscens, i. 344, Plate
 rhodophila, i. 343
Antherophagus glaber, iii. 3
Anthornis melanura, ii. 236
Anthoxanthum odoratum, v. 8*, 280
Anthracosia robusta, v. 274
Anthriscus vulgaris, v. 159, 245
Anthrocera filipendulae, 7
Anthus aquaticus, iii. 298
 arboreus, i. 286; ii. 161; iii. 65, 163, 298
 campestris, iii. 298
 cervinus, iii. 49, 298
 obscurus, ii. 93; iii. 65, 263; iv. 58, 155, 239; v. 117, 136, 189, 207
 petrosus, i. 286
 pratensis, i. 286; ii. 93, 103, 161; iii. 49, 65, 263, 298; iv. 58, 155, 239, 306; v. 136
 rupestris, i. 82; ii. 184
 Seebohmii, iii. 49
 trivialis, ii. 93; iii. 49, 263; iv. 58, 155; v. 136
Anthropoides virgo, ii. 178

- Anthyllis vulneraria*, i. 125; iii. 155; v. 5*
Antipathes spiralis, v. 176
Antitrichia curtipendula, v. 285
Aora gracilis, ii. 49
Aphilothrix albopunctata, iii. 282
callidoma, ii. 293; iii. 203
clementinae, iv. 274
Aphis radices, ii. 246
Apium graveolens, iii. 165
Aplidium fallax, i. 122
Aporrhais pes-pellicani, i. 26, 32, 35, 115; ii. 37, 341; iv. 199
Appendicularia flagellum, i. 61
Apteryx australis, iv. 271
Mantelli, iv. 272
Owenii, i. 254; ii. 244; iv. 14
Aquila chrysaetus, i. 273; ii. 72, 185; iii. 48, 60, 158, 162, 230, 284; iv. 64, 199, 244; v. 129, 267
clanga, iii. 284
imperialis, iii. 284
nobilis, iii. 284
pennata, iii. 284
Aquila vulgaris, v. 251
Arabis hirsuta, iii. 165; iv. 228; v. 162
petraea, v. 5*, 275
thaliana, v. 275
Araucaria imbricata, iv. 217
Arbutus Unedo, i. 18
Archaeodiscus Karreri, ii. 32; iii. 225
Archaeocidaridaris glabrispina, ii. 230
Munsteriana, ii. 230
Rankinii, v. 108
scotica, ii. 230
triserialis, ii. 230
Urei, i. 94, 178; ii. 229; iii. 254, 280
vetusta, ii. 230
Archaeopora nexilis, iii. 336
Archibuteo lagopus, iii. 29
Arctium Lappa, v. 7*
Arctostaphylos Uva-ursi, iii. 165; iv. 227; v. 162, 278
Arcturus longicornis, i. 16; ii. 50
Ardea alba, iii. 309
cinerea, i. 303; ii. 110, 162; iii. 70, 159, 164, 243, 265, 309; iv. 65, 171, 246; v. 143
herodias, ii. 283
minuta, i. 186, 237
purpurea, iv. 246
stellaris, iii. 310
Arenaria trinervis, v. 242
verna, iii. 42
Argulus foliaceus, iv. 108
Argyllia geranoides, iv. 49
Argyroneta aquatica, iii. 351
Armeria maritima, i. 18, 158; iv. 82; v. 278
vulgaris, v. 8*
Artaxa squamiplaga, i. 338
Artemis exoleta, i. 25, 32
lincta, i. 25
Artemisia Abrotanum, iii. 343
Artocarpus incisa, i. 70
Arum maculatum, v. 6*
italicum, iv. 118
Arundo Phragmites, iv. 44
Arvicola agrestis, ii. 145; iii. 190; iv. 104; v. 123, 234
amphibius, ii. 145, 251; iii. 190; v. 123, 234
glareolus, ii. 145; iii. 191; v. 123, 234
pratensis, i. 130
Ascidia intestinalis, i. 61
mentula, i. 29, 58
virginea, i. 60
Asclepias gigantea, ii. 18
Asio accipitrinus, ii. 84; iii. 48, 233; iv. 62, 243; v. 51, 134
otus, ii. 84; iii. 233; iv. 62, 243; v. 51
Asperula odorata, v. 277
Asphondylia genistae, iii. 113
pimpinellae, iii. 113
sarothamni, iii. 112
ulicis, iii. 113
Aspidium aculeatum, v. 243, 281
angulare, v. 82, 242, 243, 245
Filix-mas, v. 8*
Lonchitis, v. 8*, 281
Oreopteris, iii. 156, 166; v. 8*
Aspidophorus europaeus, i. 8, 29
Asplenium Adiantum-nigrum, v. 8*
Filix-foemina, v. 8*
fontanum, i. 269
germanicum, i. 269
marinum, i. 21; iii. 156, 166; iv. 83, 230; v. 8*, 242, 243, 245
Ruta-muraria, iii. 156; v. 5*, 244, 250
septentrionale, i. 269; v. 175
Trichomanes, v. 159, 250, 281
viride, v. 82, 162, 250, 281
Astarte compressa, ii. 37, 340
sulcata, i. 34, 238, 340
Asterias aurantiaca, ii. 17
Asterina gibbosa, i. 41
Astragalus hypoglottis, v. 5*
Astrantia major, v. 250
Astrocrinites Benniei, iv. 260
Astrophyton scutatum, i. 56, 238
Astrorhiza limicola, v. 17
Astur atricapillus, ii. 6, 265; iv. 62
nisus, iii. 285
palumbarius, i. 275; iii. 48, 285; iv. 243
Atelecyclycus heterodon, i. 120
Athalia abdominales, iii. 131

- Athalia annulata*, iii. 131, 198
glabricollis, iii. 129, 202, 249, 251
haematopus, iii. 130
lugens, iii. 131, 202
rosae, ii. 292; iii. 89, 130, 207, 251
scutellariae, v. 4
spinarum, iii. 130
tibialis, iii. 130
Athene Bramah, i. 57
Brodiei, i. 57
cunicularia, ii. 269
Athyris ambigua, i. 96
plano-sulcata, i. 96
Royssii, i. 96
Athyrium Filix-foemina, iv. 83
var. Victoriae, i. 167, 269
Athyria albicincta, i. 360
Atrichum angustatum, i. 100
tenellum, i. 126
undulatum, i. 107; v. 285
Atriplex Babingtoni, v. 255
patula, v. 8*
Atrypa incerta, ii. 21
Aucuba japonica, ii. 172; iii. 343; iv. 217
Aulacomnium palustre, v. 285
Aulax graminis, ii. 322
Avena alpina, v. 161
fatua, i. 20; v. 82
flavescens, v. 5*
pratensis, var. *alpina*, v. 280
pubescens, v. 82, 159, 243, 245
Avicula gibbosa, v. 239
sp. ?, v. 239
Aviculopecten sp. ?, v. 239
Axinus flexuosus, ii. 36, 340
orbicularis, ii. 205
Axolotl, i. 104
Azalea pontica, ii. 172
procumbens, iii. 281
Azeca tridens, i. 240

B

- Babyrussa alfurus*, ii. 7
Baccharis concava, iv. 50
rosmarinifolius, iv. 50
Bairdia subelongata, v. 238
submucronata, i. 122; v. 238
Balacra ochracea, i. 331
Balaena biscayensis, v. 66
Balaenoptera musculus, v. 231
rostrata, i. 89
Balaenus mysticelus, i. 127
Balanus carosus, i. 113
crenatus, ii. 38, 341
porcatus, i. 238; ii. 38, 341
vulgaris, i. 130
Balia perversa, i. 189, 194, 250; v. 291

- Balsamocarpon brevifolium*, iv. 49
Barbastellus communis, ii. 63
Barbula convoluta, v. 283
fallax, v. 283
fragilis, i. 124; v. 283
muralis, v. 283
rigidula, v. 283
subulata, v. 283
tortuosa, v. 283
unguiculata, v. 283
Barsine indecisa, i. 336
Bartramia arcuata, i. 116; v. 160
calcarea, i. 116
fontana, v. 160
Halleriana, v. 284
ithyphylla, v. 284
Oederi, v. 284
pomiformis, v. 160, 284
Bartsia alpina, v. 5*, 278
viscosa, v. 81
Basiana suffusa, i. 329
Bassus flavolineatus, iii. 37
Batatas edulis, iv. 220
Bathyporeia Robertsoni, i. 74
Bazzania triangularis, v. 287
tricrenata, v. 287
trilobata, v. 287
Bellerophon decussatus, ii. 16, 254;
v. 240
dilatatus, ii. 166
Dumontii, ii. 254; v. 240
Urii, ii. 16, 254; v. 240
Bellis perennis, iv. 44, 83; v. 7*
Bembidium paludosum, ii. 209
Berberis aquifolium, iii. 344
Darwinii, iii. 344
dulcis, iii. 344
empetrefolia, iii. 344
Jamiesoni, iii. 344
vulgaris, iii. 343
Bernicia brenta, iv. 253; v. 151
canadensis, iv. 254
leucopsis, iv. 178, 253, 290
ruficollis, iv. 254
Beta maritima, ii. 3
Betula alba, iii. 342; v. 278
Beyrichia bituberculata, i. 122
multiloba, i. 122
radiata, i. 122; v. 238
subarcuata, iii. 329
symmetrica, i. 122
Bidens cernua, iii. 165
Bigenerina digitata, v. 12
Biloculina depressa, ii. 38
ungens, i. 147
Blasia pusilla, v. 288
Blechnum strictum, i. 145
Blennius gunnellus, iv. 84
viviparus, i. 90

- Blennocampa aethiops*, ii. 292
albipes, ii. 292; iii. 251
alchemillae, iii. 107, 250, 252
betuleti, ii. 292
bipunctata, iii. 89, 104, 107, 207, 251
cinereipes, ii. 292; iii. 252
lineolata, iii. 104, 107, 149
luteiventris, ii. 292; iii. 89, 251
micans, iii. 198
nana, ii. 292; iii. 89
pusilla, ii. 292; iii. 89, 252
subserrata, iii. 108
Blepharostoma trichophyllum, v. 287
Blepharozia ciliaris, v. 287
Blysmus rufus, v. 242, 245
Boarmia abruptaria, i. 374
Bodotria concava, i. 69
Goodsirii, i. 52
longipes, i. 125
Bolborhynchus monachus, iv. 39
Boletus flavus, v. 160, 254
scaber, v. 160
Bolivina dilatata, v. 12
Bolocera eques, ii. 29
Tuediae, ii. 29
Bombus fragrans, ii. 209; iii. 90
hortorum, ii. 294; iii. 90
lapidarius, iii. 90, 252
lapponicus, iii. 90, 252
lucorum, ii. 294; iii. 90, 252
muscorum, ii. 294; iii. 90
pratensis, iii. 90
schrimsiranus, ii. 294; iii. 90, 252
vestigialis, iii. 252
Bombycilla garrula, i. 81, 165; iii. 295
Bombyx yama mai, ii. 194
Bonasa umbellus, ii. 283
Bos longifrons, iii. 168; iv. 107
primigenius, i. 13; i. 253; v. 126
taurus, v. 122
Botaurus lentiginosus, iii. 43
minutus, ii. 166
stellaris, i. 82, 303; ii. 162, 246; iii. 70, 164; iv. 37, 171, 246
Botrychium Lunaria, iii. 166; iv. 230; v. 82, 243, 245, 281
Botryllus polycyclus, i. 122
Schlosseri, i. 122
Botrytis bassiana, iv. 212
Rotys interfixalis, i. 370
Bowerbankia imbricata, i. 149
Brachythecium Huntii, i. 197
plumosum, v. 286
rivulare, i. 162; v. 285
rutabulum, v. 285
Starkii, i. 231; v. 285
Bradycellus collaris, ii. 217
harpalinus, ii. 217
Brassica monensis, i. 18
Breutelia arcuata, i. 107, 111; v. 284
Briarda conturbata, i. 354
Briza media, iii. 166; v. 5*
Bromus mollis, v. 8*
secalinus, i. 91
Brychius elevatus, v. 251
Bryopsis plumosa, 10
Bryssus lyrifer, i. 66
Bryum alpinum, v. 159, 284
argenteum, v. 284
barbatum, i. 126
bulbillosum, ii. 188
caespitium, v. 284
capillare, v. 284
cirrhatum, i. 238
contortum, ii. 187
Duvalii, i. 39
erythrocarpum, v. 284
filiforme, v. 285
gracile, i. 124
inclinatum, v. 284
julaceum, v. 284
Ludwigii, i. 143
Muhlenbeckii, i. 199
murale, i. 36
obconicum, i. 36
pallens, v. 284
pallescens, v. 284
pendulum, v. 284
pseudo-triquetrum, v. 160, 285
roseum, i. 199; v. 192
Schleicheri, i. 121; v. 285
Wahlenbergii, var. *glaciale*, i. 143
Buarremon schistaceus, i. 207
Bubalus caffer, ii. 21
Bubo coromander, i. 57
ignavus, iii. 48; iv. 62, 243; v. 223
maximus, ii. 214; iii. 287
virginianus, ii. 268
Bubulcus ibis, iv. 246
Buccinum undatum, i. 26, 32, 35; ii. 37, 340; iii. 160
Buchnera hydrabadensis, iv. 209
Buddlea globosa, iii. 343
Budytes citreolus, iii. 49
viridis, iii. 49
Bufo calamita, v. 223
viridis, v. 223
vulgaris, ii. 148
Bulimina arctica, v. 12
subteres, v. 12
Bulimus acutus, i. 35, 249; iv. 227, 255
carneus, i. 383
decollatus, i. 382, 384
faux-nigrum, i. 384
labrosus, i. 383
obscurus, i. 189, 194, 250
sidoniensis, i. 383
syriacus, i. 383

- Bulla aperta*, i. 32
lignaria, i. 26, 32
Bunium flexuosum, v. 277
Bunodes thallia, ii. 27, 29
Bunoea alcinoe, ii. 159
Buteo borealis, ii. 266
canescens, i. 57
lagopus, i. 90, 184, 275, 276; iii. 48,
 61, 284; iv. 63, 200, 244; v.
 50, 132
lineatus, ii. 266
vulgaris, i. 276; ii. 79; iii. 30, 61,
 232, 261, 284; iv. 63, 145, 244;
 v. 49, 132, 210
Butoroides virescens, ii. 284
Bythinia tentaculata, i. 189, 192; v.
 311

C

- Cakile maritima*, v. 255
Calamites arenosus, iv. 19
nodosus, i. 379; iv. 19
Calamodus schoenobaenus, iv. 57, 237
Calamodyta naevia, iii. 262
Calamodyte phragmitis, iii. 50
Calamoherpe palustris, i. 110
Calidris arenaria, i. 301; iii. 51, 70,
 164; iv. 248; v. 145
Callianassa turneriana, v. 29
Callionymus lyra, i. 187, 238
Calliope laeviuscula, ii. 24, 49
Callipso compressus, iii. 105
Callithamnion corymbosum, i. 23
Callitriche autumnalis, v. 176
Callophyllis laciniata, i. 201
Calluna vulgaris, iv. 82; v. 7*, 278
Caltha palustris, iv. 118, 223; v. 275
Calveria hystrix, ii. 226; iii. 254
Calystegia Soldanella, i. 18
Camarophoria globulina, i. 86
crumena, i. 86, 96
Camelina sativa, v. 244
Campanula glomerata, v. 5*
hederacea, v. 80
latifolia, v. 6*, 250
rapunculoides, v. 5*
rotundifolia, v. 7*, 278
Campanularia dumosa, i. 142
flexuosa, ii. 47
raridentata, ii. 48
verticillata, ii. 47
Camponiscus luridiventris, iii. 88, 252
Campylodiscus bicruciatu, i. 220
parvulus, i. 220
simulans, i. 220
Campylopus alpinus, i. 119
atrovirens, v. 283
auriculatus, i. 91, 92
Campylopus brevifolius, i. 119
brevipilus, i. 100, 148
compactus, i. 108, 124, 126, 127
densus, i. 108
flexuosus, v. 283
fragilis, i. 108, 148; v. 283
intermedius, i. 119
paradoxus, v. 283
polytrichoides, i. 127, 148
Schwarzii, i. 92
Shawii, i. 148
Cancer pagurus, v. 192
Canda reptans, ii. 341
Candona detecta, i. 130
simplex, i. 130
Canis lupus, ii. 138; iv. 107; v. 124
vulpes, iii. 189; v. 121, 230
Cantharellus cibarius, v. 254
Capnodes trinotata, i. 365
Caprella acanthifera, ii. 50
linearis, ii. 50
Capreolus capraea, ii. 147; iii. 191; v.
 122, 232
Caprimulgus europaeus, i. 297; ii. 85;
 iii. 68, 233, 261, 287; iv. 62, 242;
 v. 134
Capsella Bursa-pastoris, v. 275
Caragana arborescens, iii. 342
Carbo cormoranus, ii. 258
Carcinas maenas, i. 62; iv. 231
Cardamine amara, v. 159
hirsuta, v. 6*, 275
pratensis, v. 275
sylvatica, v. 275
Cardiomorpha oblonga, v. 239
Cardium echinatum, i. 25, 32, 149; ii.
 36; iii. 160; v. 8
edule, 9; i. 25, 32; ii. 36; iii. 160;
 v. 8
fasciatum, ii. 340
norvegicum, i. 25, 32
pygmaeum, i. 25, 29
Carduelis elegans, i. 289; ii. 162; iii.
 240; iv. 59, 239; v. 56, 140
spinus, i. 289; iii. 240; iv. 59, 239;
 v. 57, 140
Carduus acanthoides, v. 254
heterophyllus, iv. 120
palustris, v. 277
tenuiflorus, i. 19; v. 255
Carex acuta, v. 280
ampullacea, v. 280
aquatilis, v. 159
var. Watsoni, v. 82
atrata, v. 5*, 280
binervis, v. 280
capillaris, v. 5*, 280
curta, var. *alpicola*, v. 280
dioica, v. 82, 245, 280
flava, var. *lepidocarpa*, v. 280

- Carex fulva*, v. 280
 glauca, var. *stictocarpa*, v. 280
 Oederi, v. 280
 ovalis, v. 280
 var. *bracteata*, v. 280
 pallescent, v. 280
 panicea, iv. 82; v. 280
 pauciflora, v. 280
 pendula, v. 82
 pilulifera, v. 280
 pulicaris, v. 280
 pulla, v. 5*, 280
 rigida, iv. 120; v. 5*, 280
 riparia, v. 82
 stellulata, v. 8*, 280
 sylvatica, v. 250
 teretiuscula, v. 82
 vaginata, v. 280
 vesicaria, v. 245
 vulgaris, v. 8*, 280
Carlina vulgaris, v. 6*, 161
Carpodacus erythrinus, iii. 49
Carum verticillatum, v. 160, 243, 245
Carychium minimum, i. 189, 194
Caryophyllia Smithii, i. 49; ii. 30
Casarca variegata, ii. 232
Cassidulina laevigata, i. 147
Castanea vesca, ii. 171
Castor fiber, ii. 138
Catabrosa aquatica, iii. 166
Cathartes aura, ii. 265
Catoscopium nigrum, v. 284
Cecidomyia artemisiae, v. 29
 betulae, iii. 182
 cerastii, iii. 181
 cerris, iii. 181
 galii, iii. 182
 pilosellae, iii. 179
 pruni, iii. 182
 pustularis, iii. 183
 quercus, iii. 179
 saliceti, iii. 180
 trifolii, iii. 114
Cedrus deodara, iv. 217
 libani, v. 213
Cellepora cervicornis, i. 34
 pumicosa, i. 33
Cellularia scruposa, i. 149
 ternata, i. 186
Centaurea Calcitrapa, ii. 3
 Cyanus, i. 20
 nigra, v. 254
 Tacea, v. 175
Cephalaspis Lyelli, ii. 245
Cephalozia bicuspidata, v. 287
 divaricata, v. 287
 Lammersiana, v. 287
 multiflora, v. 287
Ceramium rubrum, i. 23, 29
Cerapus abditus, ii. 49
Cerapus difformis, ii. 49
 punctatus, ii. 49
Cerastium alpinum, iii. 281
 var. *lanatum*, v. 276
 pubescens, v. 276
 arvense, v. 79
 semidecandrum, v. 7*
 triviale, var. *alpestre*, v. 276
 viscosum, v. 7*
 vulgatum, v. 7*
Cerasus flore-pleno, iii. 342
 Laurocerasus colchica, iii. 343
Ceratisolen legumen, i. 31
Ceratocampa imperialis, ii. 58
 regalis, ii. 11
Ceratodon purpureus, v. 283
Cereus grandiflora, v. 4
Cerianthus Lloydii, i. 72; ii. 25, 30
Ceripora gracilis, ii. 252
 interporosa, i. 95; iii. 2
 rhombifera, ii. 252
 similis, iii. 2
Cerithium reticulatum, i. 26, 35
Ceropacha or, i. 21
Ceroptres cerri, iii. 110, 203
Certhia familiaris, i. 294; ii. 88; iii. 64, 262, 297; iv. 60, 150, 241; v. 134
Cervus capreolus, i. 176
 dama, v. 122, 232
 elaphus, ii. 146; iii. 191; iv. 99; v. 122
 tarandus, ii. 5, 138; iii. 191
Ceryle alcyon, ii. 271
Ceterach officinarum, iii. 156, 166
Cetochilus septentrionalis, i. 244
Cetonia aurata, iii. 196
Chaetetes tumidus, iv. 24
Chaetopteryx villosa, iii. 141
Chaetura pelagica, ii. 270
Chalina oculata, iii. 178
Chara fragilis, v. 162
Charadrius hiaticula, i. 301
 morinellus, ii. 108, 162, 182, 237
 pluvialis, i. 301; ii. 108, 162; iii. 50, 69, 164, 264, 306; iv. 66, 170, 249, 313; v. 58, 146
Charaxes ameliae, iii. 4
 ethalion, ii. 154
 eupale, iii. 4
Chauleasmus streperus, iv. 181, 255
Chauna chavaria, iv. 123
Cheiracanthium carnifex, iii. 352
 nutrix, iii. 171
Cheirurus clavifrons, ii. 179
 trispinosus, i. 171, Plate
Chelidon urbica, iii. 262; iv. 61, 148, 241, 305; v. 134
Chelidonium majus, v. 78, 251
Chelonobia testudinaria, i. 39

- Chenalopex aegyptiaca*, iv. 254
Chenopodium album, v. 8*
 Bonus-Henricus, v. 251
Cherleria sedoides, v. 5*, 276
Chetochilus septentrionalis, iv. 231
Chiloscyphus polyanthos, v. 287
Chirodota digitata, i. 73
Chiton aculeatus, v. 92
 Armstrongianus, v. 89, 104, Plate
 Burrowianus, iii. 324
 cordatus, v. 93, 105, Plate
 cordifer, v. 97
 dalriensis, v. 86, 104, Plate
 fascicularis, i. 26
 Geikiei, v. 94, 105, Plate
 gemmatus, iii. 324; v. 91
 hastatus, v. 94
 humilis, iii. 324; v. 90
 Loftusianus, v. 86, 87, 88, 89
 marmoreus, i. 26, 34
 mempiscus, v. 93, 94
 priscus, v. 86
 ruber, i. 34
 soleaformis, v. 92, 105, Plate
 sp. ind., v. 91, 92, 95, Plate
Chitonellus antiquus, v. 98
 Bennicaneus, v. 86, 99, 106, Plate
 cordifer, v. 101
 Hancockianus, v. 92
 Kirkbyanus, v. 100, 106, Plate
 patelliformis, v. 98, 106, Plate
 speciosa, v. 98
 striatus, iii. 323
 subantiquus, v. 98
 subquadratus, iii. 324; v. 96, 101,
 105, Plate
 Youngianus, iii. 324; v. 101, 106,
 Plate
 sp. ind., v. 97, Plate
Chondrus crispus, i. 23; iii. 156
 ovularis, i. 383
Chonetes Buchiana, i. 96; ii. 255; iv.
 267
 gibberula, iv. 79
 Hardrensis, i. 96
 Laguessiana, iv. 78, 267
 polita, i. 96; iv. 265
Chorda filum, i. 23, 29
Chordaria divaricata, i. 8
Chroicocephalus atricilla, ii. 287
 ichthyaetus, v. 118
 minutus, iv. 188, 251; v. 148
 ridibundus, ii. 212; iii. 267; iv. 67,
 188, 251, 325; v. 147
Chrysanthemum segetum, i. 20
Chrysosplenium alternifolium, v. 80
 oppositifolium, v. 7*, 277
Cichorium Intybus, ii. 3
Cicuta virosa, v. 245
Ciconia alba, iv. 247
Ciconia maguari, iv. 123
 nigra, iii. 310
Cidaria corylata, ii. 225
Cimbex sylvarum, ii. 291; iii. 87, 252
Cinclidium stygium, i. 100, 127
Cinclus aquaticus, i. 274; ii. 94; iii.
 62, 162, 238, 263, 298; iv. 56,
 159, 237; v. 137
Circaea lutetiana, v. 254
Circus aeruginosus, i. 52; iii. 61, 285;
 v. 226
 cineraceus, ii. 83, 251; iii. 285
 cyaneus, i. 276; ii. 81, 166, 251, 289;
 iii. 48, 61, 232, 261, 285; iv.
 63, 132, 243
 hudsonicus, ii. 267
 Montagui, i. 277
 pallidus, iii. 285
Cirrospilus lamius, iii. 100
Cistothorus palustris, ii. 277
Cladium mariscus, iv. 229
Cladius Brullæi, iii. 2, 26
 difformis, ii. 291; iii. 19
 Drewseni, iii. 24, 37
 eradicatus, iii. 23
 padi, ii. 291; iii. 25, 88, 252
 rufipes, iii. 22
 viminalis, ii. 311; iii. 20, 88; iv. 225
Cladochonus crassus, iv. 22, 27
Cladodus mirabilis, ii. 214
Cladophora rupestris, ii. 50
Clangula albeola, iv. 256
 glaucion, ii. 121; iii. 72, 164, 266;
 iv. 69, 184, 256, 323; v. 62, 152
Clausilia Boissieri, i. 384
 corrugata, i. 384
 nigricans, i. 35
 rugosa, i. 189, 194, 250
Clavellina lepadiformis, i. 122
 Savigniana, i. 122
Claytonia alsinoides, iv. 18; v. 83
Cleditoma nigra, iii. 203
Climacammina antiqua, ii. 31, 32
Climacium dendroides, i. 162, 175
Cliona celata, ii. 38, 342
Clostera reclusa, 11
Clubiona reclusa, iii. 171
Clupea sprattus, ii. 200, 210
Clymene lumbricalis, i. 82
Clytia Johnstoni, ii. 46
Cnicus arvensis, v. 7*
 lanceolatus, v. 7*
 palustris, v. 7*
Cochlearia officinalis, i. 18, 158; iv. 82;
 v. 6*
 var. *alpina*, v. 275
Cochlicopa lubrica, i. 189, 194
Cochliodus sp.?, v. 240
Cochylis smeathmanniana, ii. 217
Cocconeis amygdalina, i. 213

- Cocconeis binotata*, i. 215
 britannica, i. 215
 crebrestriata, i. 214
 diaphana, ii. 212
 dirupta, i. 212
 fimbriata, i. 215
 Grevillei, i. 214
 major, i. 213
 mousii, i. 214
 nitida, i. 213
 ornata, i. 213
 pseudomarginata, i. 213
 punctata, i. 214
 punctatissima, i. 214
 scutellum, i. 215
 splendida, i. 214
 Thwaitesii, i. 216
Coccothraustes chloris, i. 289; ii. 100; iii. 66, 163
 vulgaris, iii. 289, 294; iv. 163
Codium tomentosum, iii. 155
Coenonympha typhon, ii. 225
Colaptes auratus, ii. 269
Coleosporium senecionis, v. 297, 299
Coluber dumfriensis, iv. 198
Columba livia, 7, i. 298; ii. 104, 184; iii. 241, 264; iv. 166, 243; v. 117, 189
 var. domesticus, iii. 303
 oenas, iii. 203; iv. 62, 165, 243
 palumbas, i. 298; ii. 39, 103; iii. 68, 163, 241, 264, 303; iv. 62, 165, 243; v. 58, 141
 turtur, i. 299; iii. 303
Colymbetes affinis, 5
 arcticus, 5, 6
 ater, 5
 bipunctatus, 5
 bipustulatus, 5
 bistriatus, 5; v. 251
 chalconotus, 5
 exoletus, 5
 fontinalis, 5
 fuliginosus, 5
 fuscus, 5
 guttiger, 5
 maculatus, 5
 paludosus, 5
 septentrionalis, iv. 252.
 Sturmii, 5
Colymbus arcticus, i. 3, 90, 314; ii. 6, 122; iii. 73, 164, 246, 266, 279, 315; iv. 68, 185, 252; v. 149.
 glacialis, i. 7, 43, 313; ii. 125, 213; iii. 73, 164, 266; iv. 16, 68, 252, 324; v. 62, 149
 septentrionalis, i. 314; ii. 124, 163, 224; iii. 73, 246, 315; v. 149
Comatula rosacea, i. 64; ii. 50
Conferva Aegrophila, i. 7
Conium maculatum, iv. 44
Conocephalus conicus, v. 286
Contopus virens, ii. 271
Conularia quadrisulcatus, i. 71
Convolvulus arvensis, iv. 44; v. 255
Coprinus comatus, v. 181
Coracias garrula, i. 295; ii. 175; iii. 289; iv. 61, 242
 scutata, iii. 197
Corbula gibba, i. 115
Cordia decandra, iv. 49
Coregone clupeoide, i. 49
Coregonus clupeoides, ii. 61
 Lacepedei, i. 48
Coremia munitata, ii. 225
Corephium aculeatus, v. 92
Corixa Geoffroyi, v. 251
 praeusta, v. 251
 striata, v. 251
Cornus sanguinea, iii. 343
 suecica, iv. 119; v. 5*, 277
Coronella austriaca, iv. 197
 laevis, i. 55; iv. 197
Coronula balaenaris, i. 39
Corophium longicorne, i. 104
Corvus americanus, ii. 282
 azureus, iii. 197
 corax, i. 292; ii. 96; iii. 48, 66, 158, 163, 239, 263, 297; iv. 60, 241; v. 55, 117, 138
 cornix, i. 292; ii. 18, 33, 96; iii. 48, 67, 239, 263, 296; iv. 60, 241, 290; v. 139
 corone, i. 292; ii. 97; iii. 66, 163, 296; iv. 60, 241, 307; v. 117, 139
 dauricus, iii. 296
 frugilegus, i. 293; ii. 97; iii. 48, 67, 83, 163, 239, 263, 297, 330; iv. 60, 159, 240, 307; v. 55, 139
 monedula, i. 293; ii. 98; iii. 48, 67, 159, 163, 296; iv. 60, 240; v. 117, 139
Corydalis bulbosa, iv. 223
 claviculata, v. 5*, 9*
 lutea, v. 251
 solida, v. 6*
Corynactis viridis, ii. 25, 30
Corystes Cassivelaunus, i. 1
Corythus enucleator, iii. 49
Cosmonetta histronica, iv. 256
Cotoneaster microphylla, iii. 344
 Simonsii, iii. 344
Coturnix communis, iv. 65, 168, 246, 310; v. 143
 vulgaris, i. 300; ii. 105; iii. 164
Cotyle riparia, ii. 276; iii. 50; iv. 61, 148, 241; v. 134
Cotyledon Umbilicus, i. 19; v. 7*, 242, 243, 244

- Crabro dimidiatus*, ii. 294
 varius, ii. 294
 wesmaeli, iii. 90
Crania quadrata, i. 96; iv. 76
Crataegus aurea, iii. 342
 crus-galli, ii. 171; iii. 342
 multiplex, iii. 342
 odoratissima, ii. 171
 oxyacantha, ii. 170; iii. 342
 punicea flore-pleno, iii. 342
 pyracanthus, ii. 171
Crenella marmorata, i. 25, 29, 58
Crenilabrus rupestris, i. 37
Crepis paludosa, v. 277
 virens, v. 277
Crex aquaticus, v. 211
 porzana, i. 87, 101, 307; iii. 70, 196
 pratensis, i. 307; ii. 117; iii. 70, 164, 266, 305; iv. 67, 177, 250, 316; v. 147, 211, 308
Cribella oculata, i. 29, 63
 rosea, i. 37
Crisia eburnea, i. 33
Crocodylus frontalis, i. 103
Croesus laticrux, ii. 300
 latipes, ii. 300; iii. 202
 septentrionalis, ii. 300; iii. 88, 353
 varus, ii. 244, 300; iii. 88
Crossopus fodiens, ii. 140; v. 230
 remifer, ii. 140
Cryptocampus saliceti, iii. 89, 252
Cryptocaria peumus, iv. 50
Cryptogramme crispa, v. 5*, 82, 281
Cryptomeria elegans, iv. 216
Cuculus canorus, i. 295; ii. 103, 161; iii. 48, 67, 163, 241, 264, 287; iv. 242, 310; v. 51, 141
Cucumaria fusiformis, ii. 51
 Hyndmanni, ii. 51
 pentactes, i. 67; ii. 51
Cuma Edwardsii, i. 97
 pygmaea, i. 115
 trispinosa, i. 83
 unguiculata, i. 2
Cupidonia cupido, ii. 282
Curruca atricapilla, i. 282
 cinerea, i. 283; ii. 161
 europaeus, i. 238
 hortensis, i. 282
 sylvicola, i. 283
Cuscuta chilensis, iv. 49
Cyanecula cyanecula, ii. 192
 suecica, ii. 192; iii. 50; iv. 236
Cyanura cristata, ii. 282
Cyathaxonia cornu, iii. 169
 Konincki, iii. 169
Cybele verrucosa, ii. 179
Cycas circinalis, i. 56
Cyclas cornea, i. 36, 189, 191
 lacustris, i. 189, 191
Cyclope neritea, iii. 332
Cyclops quadricornis, iv. 108
Cyclostoma elegans, i. 384
Cyclostrema costulatum, i. 113
Cydippe pileus, iii. 157; iv. 231
Cygnus americanus, iv. 318
 atratus, iii. 164
 Bewickii, i. 310; ii. 150; iii. 51; iv. 318; v. 151
 ferus, i. 309; ii. 150
 immutabilis, iv. 254
 minor, iii. 71, 310
 musicus, iii. 51, 71, 164, 266, 310; iv. 68, 202, 254, 317; v. 151
 nigrocollis, iv. 86, 123
 olor, iii. 310; iv. 254
 sp.?, iv. 179; v. 60, 109
Cylindrothecium concinnum, v. 285
Cymothoa vestrum, i. 8
Cynara cardunculus, iv. 44
Cynips kollari, iii. 201
 lignicola, ii. 209, 289
 marginalis, iii. 203
 radicis, ii. 209
 spongifica, iii. 110
Cynodontium virens, v. 282
Cynoglossum officinale, iii. 322; v. 5*
Cynophalus caninus, v. 3, 9*
Cynosurus cristatus, v. 281
Cynthia cardui, 7
 rustica, i. 10
Cyphona geminata, iii. 249, 252
Cypraea europaea, i. 35
Cypricardia rhombea, ii. 255
 sp.?, v. 239
Cypridina mariae, i. 124
 teres, i. 50
Cyprina islandica, i. 32, 34, 88, 238; ii. 36, 340
Cyprinus tinca, ii. 67
Cypris scoto-burdigalensis, i. 134
 compressa, i. 130; iii. 174
 incongruens, ii. 9
 laevis, ii. 7
Cypselus alpinus, iii. 287
 apus, i. 297; ii. 85; iii. 68, 163, 262, 287; iv. 62, 148, 242, 305; v. 51, 134
 melba, i. 69
Cyrena Cor, i. 384
 fluviatilis, i. 382
Cyrtoceras Gesneri, v. 240
Cyrtograpsus grayianus, ii. 183
Cystophora cristata, v. 218
Cystopteris fragilis, iv. 44; v. 160, 250
 var. dentata, v. 281
 multifida, v. 6*
 montana, v. 5*, 281
Cythere concinna, ii. 38, 341
 cornigera, i. 122

- Cythere dunelmensis*, ii. 38
fabulina, i. 122, 135, 379
pungens, i. 122, 135, 379
Rankineana, i. 122
secans, i. 122, 135, 379
subula, i. 379
ventricornis, i. 122
Cytheridea Müller, i. 150
punctillata, ii. 38, 341
Robertsoniana, i. 142
Cytisus alpinus, ii. 173
Laburnum, ii. 173

D

- Dactylis glomerata*, v. 8*
Dactylopterus orientalis, v. 28
Dafila acuta, iv. 180, 254, 320; v. 62, 151
caudata, i. 82
Danaus chrysippus, ii. 18
Daphne Mezereum, iii. 343
Daphnia pulex, iv. 108
Dasypus villosus, iii. 140
Daucus Carota, v. 160
Decatoma biguttata, ii. 323
Deiopeia pulchella, v. 213
Delesseria alata, i. 23
Delias mysus, ii. 303
Delphinapterus leucas, ii. 144
Delphinus albirostris, v. 27
Dendrochelidon coronatus, i. 69
Dendroecia aestiva, ii. 274
pennsylvanica, ii. 274
Dendronotus arboreescens, i. 206
Dentalina brevis, v. 12
consobrina, v. 12
Dentalium dalryense, iv. 69, 70
ingens, iv. 69
inornatum, iv. 69; v. 239
priscum, iv. 69; v. 239
scoticum, iv. 69, 70
Denticula decipiens, i. 217, 222
elegans, i. 223
frigida, i. 223
inflata, i. 222
Kützingii, i. 222
obtusa, i. 221, 222
ocellata, i. 223
sinuata, i. 222
subtilis, i. 223
tabellaria, i. 222
tenuis, i. 221, 222
thermalia, i. 223
Dercothoe punctatus, ii. 49
Desmarestia aculeata, i. 23
Dexamine spinosa, ii. 23
Diastopora megastoma, iii. 337; iv. 191
Diatoma vulgare, i. 222
Dicotyles tajacu, iv. 269
Dicranella heteromalla, v. 282
squarrosa, v. 282
subulata, v. 282
Dicranodontium longirostre, i. 39
Dicranograpsus tardiusculus, ii. 183
Dicranum arcticum, i. 381; v. 283
Blyttii, v. 282
circinnatum, i. 76
falcatum, v. 282
fulvellum, v. 282
fuscens, v. 283
longifolium, i. 165
majus, v. 283
palustre, i. 100; v. 283
polycarpum, i. 39
scoparium, v. 283
spurium, i. 116
squarrosus, v. 192
Starkii, v. 282
virens, i. 126
Dicroramphie herbosana, ii. 217
Didelphis aurita, iv. 38
crassicaudata, iv. 84
Didunculus strigirostris, ii. 68
Didymodon daldinianus, i. 124
recurvifolius, i. 75
Digitalis purpurea, i. 18
Dineura Degeeri, iii. 88, 252
fuscata, ii. 304
selandriiformis, ii. 304
testaceipes, iii. 88
Dinornis gigantea, iv. 196
Diodonta fragilis, i. 26, 32, 34
Dionaea muscipula, iv. 208
Dioscorea alata, iv. 220
Diphyscium foliosum, v. 254, 285
Diplophyllum albicans, v. 287
Diplopoda marginalis, ii. 326, 333, Plate
Diplotaxis muralis, v. 255
tenuifolia, v. 163
Dipsacus sylvestris, v. 80, 245
Discina nitida, i. 96; iv. 76
ostreoides, i. 146
perrugata, i. 124
Discoporella Grignonensis, ii. 341
Dissodon splachnoides, i. 121; v. 284
Distichium capillaceum, v. 283
inclinatum, i. 148; v. 283
Ditrichium flexicaule, v. 283
homomallum, v. 283
Dolerus aeneus, ii. 293; iii. 90, 251
anticus, ii. 293
eglanteriae, ii. 293
gibbosus, ii. 293; iii. 90, 251
gonager, ii. 293; iii. 90
haematodis, iii. 90
niger, ii. 293; iii. 90
palustris, ii. 293; iii. 90
pratensis, iii. 90, 251
vestigialis, ii. 293; iii. 251

- Dolichonyx oryzivorus*, ii. 280
Donacia crassipes, ii. 209
Donax trunculus, i. 32
Doris aspera, i. 205
 bilamellata, i. 205
 Johnstoni, i. 205
 pilosa, i. 205
 planata, i. 56, 205
 proxima, i. 268
 repanda, i. 205
 testudinaria, i. 205
 tuberculata, i. 205
 sp.?, i. 87
Doronicum pardalianches, iv. 118; v. 80, 250
Doryphora decemlineata, ii. 344
Doto coronata, i. 206
 fragilis, i. 206
Draba incana, v. 5*, 162, 275
 muralis, v. 78
 rupestris, v. 5*
 verna, iii. 165
Drapernaldia nana, io
Drassus lapidicolens, iii. 352
Dreissena polymorpha, i. 189, 192
Drosera anglica, iv. 228; v. 253, 276
 rotundifolia, v. 253, 276
Drosophyllum lusitanicum, iv. 208
Dryas octopetala, v. 4, 5*, 276
Drymis chilensis, iv. 47
Dryocopus martius, iii. 48
Dryophanta longiventris, iii. 203
 scutellaris, iii. 203
Dryoteras terminale, ii. 293; iii. 90, 252
Dyschirius impunctipennis, ii. 209
Dytiscus lapponicus, i. 231
 marginalis, 5; i. 231
 punctulatus, 5; i. 232

E

- Eccremocarpus scaber*, iv. 49
Echeveria metallica, iv. 71.
Echinocardium pennatifidum, i. 99
Echinocyamus pusillus, ii. 51
Echinus Dröbachiensis, ii. 38
 lividus, i. 88
 miliaris, i. 63
 spatangidae, ii. 38, 341
 sphaera, i. 29, 37, 63, 109; ii. 217, 341; iii. 157; iv. 232
Echium vulgare, i. 125; iv. 119; v. 80, 251
Ectocarpus crinitus, i. 23
 siliculosus, i. 23
Edwardsia callimorpha, i. 45; ii. 27, 29
 carnea, i. 37, 45; ii. 27, 29

- Eichwaldia bipartita*, i. 122
 scotica, i. 122
Elatine hexandra, i. 269
Eledone octopodia, ii. 4
Elenchus antiquus, ii. 254; v. 239
 subulatus?, v. 239
Elephas primogenius, i. 113
Elmis aeneus, v. 251
 parallelopipedus, v. 251
Emarginula reticulata, i. 35
Emberiza aureola, iii. 291
 citrinella, i. 288; ii. 102, 162; iii. 49, 65, 163, 241, 264, 291; iv. 60, 164, 240; v. 140
 hortulana, iii. 291
 melanocephala, iv. 240; v. 140
 miliaria, i. 287; ii. 101; iii. 65, 264; iv. 60, 240; v. 140
 nivalis, iii. 65
 pithyornis, iii. 292
 pusilla, iii. 49, 292
 pyrrhuloides, iii. 291
 rustica, iii. 291
 schoeniculus, i. 287; ii. 102, 162; iii. 49, 65, 264, 291; iv. 164
Emmelesia blandiata, ii. 225
 ericetata, ii. 225
Empetrum nigrum, iii. 166
Emphytus cinctus, ii. 292; iii. 148
 perla, ii. 251
 rufo-cinctus, iii. 251
 serotinus, iii. 202, 251
 tener, ii. 292
 tibialis, iii. 202
Empidonax minimus, ii. 271
Emys europaea, v. 267
Encalypta ciliata, v. 161, 254, 283
 rhabdocarpa, v. 283
 streptocarpa, i. 126
Encrinites mespiliformis, iv. 20, 21
Endendrium ramosum, i. 149
Endothyra ammonoides, ii. 32
 Bowmanni, ii. 31, 32
 globulus, ii. 32
 ornata, ii. 32
 plicata, ii. 32
 radiata, ii. 31, 32
 Robertsoni, ii. 32
Entada scandens, iii. 81
 Walbergii, iv. 221
Enteromorpha compressa, i. 24
 intestinalis, i. 24, 201
 ramulosa, i. 23, 24
Eolis alba, i. 206
 amaena, i. 207
 aurantiaca, i. 207
 cingulata, i. 207
 concinna, i. 206
 coronata, i. 206
 Drummondi, i. 206

- Eolis exigua*, i. 207
glauca, i. 268
Glottensis, i. 207
gracilis, i. 56
lineata, i. 206
nana, i. 206
olivacea, i. 56, 207
papillosa, i. 206
Peachii, i. 206
picta, i. 207
viridis, i. 207
Epeira agalena, iv. 79
cornuta, iii. 172
cucurbitina, iii. 172
diademata, iii. 172
quadrata, iii. 172
Ephialtes scopis, iii. 287
Epilobium alpinum, iii. 281; iv. 120;
v. 5*, 162, 277
alsinifolium, v. 5*, 277
anagallidifolium, v. 5*, 277
hirsutum, v. 160
montanum, v. 277
palustre, v. 277
tetragonum, v. 277
Epipactis latifolia, v. 250
Epithemia argus, i. 221
ocellata, i. 221
Equisetum arvense, iii. 281; v. 281
limosum, var. *fluviatile*, v. 282
maximum, v. 160
palustre, i. 165; v. 282
var. *subnudum*, v. 282
pratense, v. 282
var. *alpestre*, v. 282
Telmateia, v. 82
variegatum, v. 5*, 282
Erastria decora, i. 350
Erebia epiphron, ii. 225
Erica carnea, iii. 344
ciliaris, i. 18
cinerea, v. 7*, 278
multiflora, iii. 344
Tetralix, v. 278
Erigeron alpinus, v. 5*
Erigone acuminata, iii. 172
Douglasii, iii. 171
rubens, iii. 171
Erinaceus europaeus, ii. 140; iii. 187;
iv. 37; v. 120, 229
Eriocampa adumbrata, ii. 244
annulipes, ii. 292; iii. 89
ovata, ii. 292
testaceipes, ii. 262, 292
Eriocaulon septangulare, i. 269; iv. 230
Eriophorum angustifolium, v. 280
vaginatum, v. 280
Erodium cicutarium, iii. 155; iv. 43;
v. 255
moschatum, iii. 165; iv. 43
Errazurizia glandulifera, iv. 49
Eryngium maritimum, i. 18; iii. 165;
v. 242, 243, 244
Erysimum cheiranthoides, ii. 3
Erythraeus erythrophthalmus, ii. 23
Erythacus rubecula, i. 280; ii. 91; iii.
62, 163, 237, 262; iv. 56, 152,
236; v. 52, 136
Escallonia macrantha, ii. 324; iv. 216
Esox belone, iii. 318
Estheria punctatella, iii. 159
Eubolia palumbaria, ii. 225
Eucalyptus globulus, iv. 71
Eucalyx hyalina, v. 288
obovata, v. 288
Eucoela biscarpus, ii. 204
ciliaris, iii. 203
eucera, iii. 204
parvula, iii. 204
Eudendrium rameum, ii. 48
ramosum, i. 33
Eudromias morinellus, iii. 50, 69, 306;
iv. 66, 170, 249; v. 58, 226
Eudytes arcticus, iii. 52
cataractes, iii. 321
septentrionalis, iii. 52
Eulima Phillipsiana, v. 239
Eulima? sp.?, v. 239
Eumesius crassicornis, iii. 5, 36
Euomphalus carbonarius?, v. 239
serpula, v. 239
Euonymus angustifolius, iii. 342
europaeus, iii. 342
japonicus, ii. 324
latifolius, iii. 342
Eupatorium cannabinum, v. 160
Euphorbia exigua, iii. 166
Euphrasia officinalis, v. 7*, 278
Eupitecta togata, iv. 108
Euplectella aspergillum, i. 380
Euploea Lorraini, ii. 213
Eurhynchium crassinervum, i. 115
myosuroides, v. 286
Swartzii, v. 286
Eurypterus Scouleri, i. 378
Eusemia pardalina, i. 329, Plate
Eutelia quadriliterata, i. 352
Euura cynips, ii. 305

F

- Fagus sylvatica*, ii. 171
Falcinellus igneus, iv. 247; v. 58
Falco aesalon, i. 274; ii. 160; iii. 48,
60, 158, 162, 255, 261, 282; iv. 63,
147, 244; v. 131
Bonellii, i. 57
candicans, i. 47, 254; ii. 60, 198;
iii. 86; iv. 63

- Falco cenchris*, iii. 283
 chiquera, i. 57
 groenlandicus, i. 47; iv. 16
 gyrfalco, iii. 86, 282
 norvegicus, ii. 60
 islandicus, i. 99; ii. 60; iii. 86; v. 131, 226
 lanarius, iii. 282
 naevioides, i. 81
 nisus, v. 116
 peregrinus, i. 274; ii. 74, 196; iii. 48, 60, 158, 162, 231, 261, 282; iv. 63, 244, 290, 304; v. 116, 130, 207, 302
 subbuteo, i. 275; iii. 48, 60, 282; iv. 63, 244, 304; v. 50
 tinnunculus, i. 275; ii. 160, 195; iii. 61, 162, 261, 283; iv. 63, 244; v. 116, 131
 vespertinus, iii. 283; iv. 244, 304; v. 50
Favosites parasitica, iv. 29
Fedia olitoria, iii. 165
Felis catus, ii. 142; iii. 43, 140, 189; v. 120
Fenella nigrita, iii. 15
 tormentillae, iii. 15
Fenestella multiporata, v. 238
 virgulacea, v. 30
Fenusa albipes, iii. 2
 melanopoda, iii. 249, 251
 pumila, ii. 292
Festuca ovina, iii. 281; v. 8*
 var. *tenuifolia*, v. 281
 rubra, var. *duriuscula*, v. 281
 sciuroides, v. 281
Ficedula hypoleis, iii. 301
 rufa, iii. 301
 trochilus, iii. 301
Ficus religiosus, i. 56
Fidonia pinetaria, ii. 225
Fissidens adiantoides, v. 285
 osmundoides, v. 285
 rupestris, i. 91
Flemingia plumosa, i. 62
Flourensia thurifer, iv. 50
Flustra avicularis, i. 34
 carbacea, i. 186
 chartacea, i. 34
 foliacea, i. 29, 33; iii. 178; iv. 232
 hispida, i. 34
 membranacea, iii. 178
 Murrayana, i. 186
 truncata, i. 29, 34; iii. 178; iv. 233
Fontinalis antipyretica, i. 162; v. 250
Formica flava, ii. 293
 fusca, ii. 293; iii. 90
 nigra, ii. 246; iii. 90
 Formica rufa, ii. 293
Forsythia viridissima, iii. 243
Francolinus vulgaris, ii. 184
Fratercula arctica, i. 315; ii. 129; iii. 73, 267, 272; iv. 68, 252, 287; v. 118, 149, 190, 208
Fraxinus excelsior, ii. 172; iii. 342
 lentiscifolia, iii. 342
 ornus, iii. 342
Fregilus graculus, i. 291; ii. 224; iii. 297; iv. 60; v. 117
Fringilla borealis, iii. 293
 cannabina, iii. 293
 carduelis, ii. 99; iii. 65, 163, 293
 chloris, iii. 293
 coelebs, i. 288; ii. 99; iii. 65, 163, 240, 264, 294; iv. 59, 162, 239; v. 140
 linaria, iii. 293
 montifringilla, i. 288; iii. 49, 65, 294; iv. 59, 239; v. 56, 225
 petronia, iii. 294
 spinus, ii. 100; iii. 66, 293
Frullania dilatata, v. 286
 fragilifolia, v. 286
 germana, v. 286
 Tamarisci, v. 286
 var. *atrovirens*, v. 286
Frustulia nidulans, i. 212
Fucus ceranoides, i. 24
 nodosus, i. 23
 serratus, i. 22, 28
 vesiculosus, i. 22
Fulica atra, i. 308; ii. 118, 162; iii. 71, 164, 245, 305; iv. 67, 176, 250; v. 147
Fuligula clangula, i. 312
 cristata, i. 312; ii. 163; iii. 72, 314; iv. 53, 68, 183, 255, 322; v. 62, 211
 ferina, iii. 72, 314; iv. 68, 182, 255, 322; v. 151
 glacialis, i. 312
 marila, i. 312; ii. 120; iii. 72, 314; iv. 68, 255, 322; v. 152
 myroca, iii. 314; iv. 255
 rufina, i. 51, 312
Fulmarus glacialis, iv. 253, 324; v. 208
Funaria hygrometrica, iv. 44; v. 284
Furcellaria fastigiata, i. 23
Fusus antiquus, i. 26, 32, 35; ii. 37, 340
 var. *alba*, v. 223
 corneus, i. 378
 islandicus, i. 26, 35
 norvegicus, v. 11
 turtoni, v. 11

G

- Gadus aeglefinus*, iv. 84
morhua, iv. 84
Galanthus nivalis, v. 243, 245
Galathea Andrewsii, i. 82
nexa, i. 8
Galeopsis versicolor, iii. 165
Galium Aparine, v. 7*
boreale, v. 277
Mollugo, v. 5*
palustre, var. *Witheringii*, v. 277
saxatile, v. 277
verum, v. 7*
Gallinago gallinaria, iii. 265; iv. 66,
174, 249, 314; v. 145
gallinula, iii. 70, 164, 265
major, iii. 164; iv. 173, 248, 315; v.
59
media, iii. 70, 164
Gallinula chloropus, i. 308; ii. 117, 162;
iii. 159, 164; iv. 67, 176, 250;
v. 147
Gammarus locusta, ii. 24
marinus, ii. 23, 49
Garrulus glandarius, i. 294; iii. 67, 163,
296; iv. 60
infaustus, iii. 296
Garzetta candidissima, ii. 283
Gaudryina filiformis, v. 12
Gaultheria Shallon, iii. 344
Gavoeus gaurus, ii. 19
Gelechia cerealella, ii. 343
Gemellaria loricata, i. 149
loriculata, i. 29; iii. 178
Genista alba, iii. 343
tinctoria, v. 5*
flore-pleno, iii. 343
Gentiana Amarella, v. 175
campestris, v. 278
nivalis, v. 5*
Geometra congrua, i. 373
papilionaria, ii. 225
Geositta cucularia, iii. 140
Geothlypis trichas, ii. 273
Geranium lucidum, v. 5*, 250
molle, v. 7*
pratense, iii. 165; v. 276
Robertianum, v. 7*, 276
sanguineum, iv. 228; v. 242, 244
sylvaticum, v. 250
Geronticus melanopus, iv. 199
Geum intermedium, v. 159
rivale, i. 237; v. 276
Gigartina mammosa, i. 23; iii. 156
Githago segetum, v. 79
Glareola melanopectera, iii. 305
Glaucion clangula, iii. 313
Glaucion luteum, v. 244
Glaucanome aspera, ii. 258, 329, Plate,
333
elegans, ii. 328, Plate, 333, 344
flexicarinata, ii. 258, 329, Plate, 333,
344; iv. 258
laxa, ii. 258, 331, Plate, 334
marginalis, ii. 258, 326, Plate, 344
recticarinata, iv. 258
retroflexa, ii. 258, 330, Plate, 333
robusta, iii. 354, Plate
stellipora, ii. 252, 258, 325, 327,
Plate, 333, 344; iii. 167
Glaux maritima, i. 18
Globigerina bulloides, i. 147, 148
Globiocephalus melas, ii. 144, 149;
iv. 98; v. 232
Glyceria fluitans, v. 281
Glyphomitrium Daviesii, i. 69, 148, 208
Gnaphalium dioicum, v. 227
leontopodium, v. 227
supinum, iv. 120; v. 277
sylvaticum, iii. 281; v. 160
Gobius bipunctatus, i. 37
niger, iv. 84
Ruthersparr, i. 8
Goera pilosa, iii. 258
Goliathus drurii, iii. 99
polyphemus, iii. 196
Goniaster Templetoni, ii. 17, 51
Goniocypris mitra, iii. 173
Goniodoris nodosa, i. 205
Goodyera discolor, i. 52
Gossea microdeutopa, ii. 49
Goura albertissi, iii. 259
Gracillaria confervoides, i. 23
Graculus carbo, iii. 73, 164
cristatus, iii. 164
Grammodes curvilinea, i. 361
Graptemis pseudogeographica, v. 213
Graptolites colonus, ii. 183
prionon, ii. 183
Sedgwickii, ii. 183
Grevillea robusta, iv. 71
Grimmia apocarpa, v. 283
atrata, i. 148
Buchanani, ii. 187
commutata, i. 112
Doniana, v. 283
elongata, i. 225
Hartmanni, i. 202
leucophaea, i. 202
pulvinata, v. 283
Schultzii, i. 202; v. 283
spiralis, i. 143, 148
subsquarrosa, i. 123, 202
torquata, v. 283
trichophylla, i. 202
Grus canadensis, ii. 283
cinerea, ii. 31; iii. 51, 305
pavonina, ii. 178

Guivena avellana, iv. 50
 Gymnadenia conopsea, v. 6*, 279
 Gymnogramma leptophylla, i. 18
 Gymnomitrium concinnatum, v. 288
 crassifolium, v. 288
 crenulatum, v. 288
 Gymnosporangium juniperi, v. 298
 Gymnostomum commutatum, v. 282
 curvirostrum, v. 282
 rupestre, v. 282
 squarrosus, v. 161
 Gynanasa isis, ii. 159
 Gypaëtos barbatus, i. 57
 Gyps fulvus, iii. 282
 Gyrimus marinus, 6
 minutus, 6
 natator, 6
 villosus, 6

H

Habenaria albida, v. 81
 chlorantha, v. 6*
 viridis, v. 81, 279
 Habrodon Notarisii, i. 118
 Haemanthus gloriosa, iv. 220
 Haematopus ostralegus, i. 302 ; ii. 109,
 254 ; iii. 51, 69, 243, 265, 277,
 306 ; iv. 67, 250 ; v. 147, 189, 207
 longirostris, ii. 233
 palliatu, ii. 110, 285
 Halcampa chrysanthellum, i. 73
 Halecium halecinum, i. 34, 48
 muricatum, i. 142
 Halesus auricollis, iii. 258
 digitatus, iii. 42
 radiatus, iii. 42
 Haliaëtus albicilla, i. 150, 273 ; ii. 73,
 253 ; iii. 48, 60, 231, 261, 284,
 330 ; iv. 64, 245, 303 ; v. 51, 130
 Halichaerus gryphus, i. 54 ; ii. 144 ;
 iv. 37, 95 ; v. 185
 Halichondria panacea, iii. 178
 ramosa, i. 120
 Ventilabrum, i. 39
 Halictus abdominalis, ii. 294
 albipes, iii. 253
 minutus, iii. 253
 morio, ii. 294
 nitidusculus, iii. 253
 rubicundus, ii. 294
 subfasciatus, iii. 253
 Halidrys siliquosa, i. 24, 201
 Haliphus elevatus, 5
 fulvus, 5
 lineatocollis, 5
 ruficollis, 5 ; v. 251
 variegatus, 5
 Halychondria suberea, ii. 23

Harelda glacialis, i. 87 ; iii. 72, 313,
 332 ; iv. 202, 256, 323 ; v. 152
 histrionica, iii. 313
 Harpactes Hombergii, iii. 170, 171
 Harporhynchus bendirei, ii. 277
 curvirostris, var. palmeri, ii. 277
 rufus, ii. 276
 Hibiscus esculentus, iv. 221
 Hedera algeriensis, iii. 343
 canariensis, iii. 343
 Helix, iii. 343 ; iv. 83 ; v. 7*
 Roegneriana, iii. 343
 Hedwigia ciliata, v. 285
 Helianthemum vulgare, v. 5*
 Helianthus corcopsis, iv. 222
 tuberosus, iv. 223
 Heliophanus flavipes, iv. 79
 Helix aculeata, i. 189, 194, 249 ; v. 290
 alternata, II, 12
 arabica, i. 382, 383
 arbustorum, i. 35, 189, 194, 248
 aspera, i. 35, 189, 194, 248, 250
 Brookei, v. 181
 caesareana, i. 383
 candidissima, i. 383
 caperata, i. 35, 189, 194, 248, 250 ;
 v. 255, 290
 var. major, v. 290
 cariosa, i. 383
 concava, II, 14
 elegans, i. 383
 ericetorum, i. 248, 250
 fallax, II
 fusca, i. 189, 194, 249, 250 ; v. 290
 hirsuta, II
 hispida, i. 189, 194, 249
 hortensis, i. 189, 194, 248, 250
 lamellata, i. 189, 194, 249 ; v. 228,
 290
 lapicida, i. 384
 maculosa, i. 382
 melanostoma, i. 383
 monodon, II
 multilineata, II, 12, 13
 nemoralis, i. 35, 189, 194, 248 ; iv.
 227 ; v. 308
 var. hortensis, i. 189
 nummus, i. 384
 Olivieri, i. 383
 palliatu, II
 pennsylvanica, II
 perspectiva, II
 pisana, i. 384
 pomatia, i. 383 ; v. 267
 profunda, II, 12
 pulchella, i. 189, 194, 248
 rotundata, i. 189, 194, 249
 rufescens, i. 189, 194, 249, 250 ; v.
 290
 sericea, i. 35, 249, 250 ; v. 290

- Helix spiriplana*, i. 383
 syriacus, i. 383
 thyroides, II, 12
 tridentata, II
 vermicularis, i. 384
 villosa, iii. 172
 virgata, i. 383, v. 228
Helleboris viridis, v. 250
Helleria coalita, ii. 50
Helmia bulbifera, iv. 220, 221
Helminthochiton Griffithi, v. 85
Helodromas ochropus, iii. 224; iv. 247
Helodus sp.?, v. 240
Hemichroa lividiventris, ii. 291
 rufa, ii. 291; iii. 2, 88, 252
Heracleum Sphondylium, v. 7*, 277
Herberta adunca, v. 287
Hermæa bifida, i. 11, 207
Hero formosa, i. 207
Herodias alba, iv. 246
Heteronympha mirifica, ii. 303
Heterophyllia Lyelli, i. 256, Plate
 mirabilis, i. 256, Plate
Hexacola hexatoma, iii. 251, 252
Hieracium aurantiacum, v. 250
 holosericeum, v. 277
 murorum, v. 278
 nigrescens, v. 277
 pallidum, v. 278
 Pilosella, v. 277
 rigidum, v. 278
 vulgatum, v. 278
Himanthalia lorea, iv. 83
Himantopus candidus, iv. 66
 leucocephalus, ii. 233
 melanopterus, ii. 162
 nigricollis, ii. 285
Hippocampus brevirostris, i. 76, 90
Hippolyte Andrewsii, i. 86
 Barlii, i. 86
 Cranchii, i. 86
 pusiola, i. 86
 securifrons, i. 82
 spinus, i. 83
Hippophaë rhamnoides, iii. 343
Hippuris vulgaris, iii. 165; v. 80, 244
Hirundo bicolor, ii. 275
 horroreum, ii. 274
 lunifrons, ii. 275
 riparia, i. 296; ii. 88, 161, 164, 169;
 iii. 68, 163, 234, 303, 330
 rustica, i. 296; ii. 87, 160, 169; iii.
 50, 67, 159, 163, 234, 262, 303;
 iv. 61, 241, 304; v. 51, 134
 urbica, i. 296; ii. 87, 160; iii. 67,
 163, 234, 303; v. 116
Histiophorus indicus, ii. 259
Holasterella conferta, v. 238
Holcus lanatus, v. 8*, 280
 mollis, v. 280
Holopella obsoleta, ii. 166
Homalia trichomanoides, i. 162; v.
 285
Homalogyra atomus, ii. 37, 341
Homalothecium sericeum, v. 285
Homatornis undulatus, i. 57
Hookeria lucens, v. 192, 254
Hoplocampa crataegi, iii. 250, 252
 pectoralis, iii. 203
Hordeum murinum, i. 19; ii. 3; v.
 255
Hormomyia millefolii, iii. 183
Hyalonema parallellum, iii. 103, 177
 Sieboldi, iii. 177
Hyas araneus, i. 29, 62
 coarctatus, i. 8, 11
Hydnum repandum, v. 160
Hydreionocrinus scoticus, iii. 280
Hydrelia terminata, i. 351
Hydrochelidon nigra, iv. 250
Hydroporus assimilis, 5; v. 251
 confluens, 5
 Davisi, v. 251
 12-lineatus, 5
 depressus, v. 251
 erythrocephalus, 5
 halensis, 5
 inaequalis, v. 251
 lepidus, 5; v. 251
 9-lineatus, 5, 6
 palustris, 5; v. 251
 pictus, 5
 planus, 5
 pubescens, 5
 rivalis, v. 251
 septentrionalis, 5; v. 251
Hydropsyche lepidia, v. 176
Hygrophorus chlorophanus, v. 160
 conicus, v. 160
 miniatus, v. 160
Hylocomium lorcum, v. 286
 splendens, v. 286
 squarrosus, v. 286
 triquetrum, v. 286
Hylotoma ustulata, ii. 291; iii. 88, 252
Hymenophyllum tunbridgense, iii. 156,
 166; iv. 44
 unilaterale, v. 159, 245, 281
 Wilsoni, iii. 156, 166
Hyoscyamus niger, v. 5*
Hypætra atriplaga, i. 358
 biangulata, i. 359
 nana (?), i. 360
Hyperammina arbuscula, v. 163
 elongata, v. 12, 163
Hypericum Androsaemum, i. 6; iii.
 165, 343
 anglicum, i. 6
 calycinum, iii. 343; v. 244
 dubium, v. 160

Hypericum elatum, i. 7
 elodes, iii. 165
 pulchrum, v. 276
 quadrangulum, v. 160
Hyperoodon bidentatus, i. 82
 latifrons, v. 220
 rostratus, v. 219, 231, 293
Hyphasmopora Buskii, iii. 2
Hyphydrus ovatus, v. 251
Hypnum albicans, i. 111, 143
 arcticum, i. 76
 atrovirens, i. 143
 Bambergeri, i. 231
 breadalbenae, i. 197
 catenulatum, i. 143
 chrysophyllum, i. 148
 commutatum, v. 286
 cordifolium, v. 286
 Crista-castrensis, i. 112
 cupressiforme, v. 286
 cuspidatum, v. 286
 dimorphum, i. 76
 eugyrium, i. 70
 falcatum, v. 286
 filicinum, i. 162; v. 286
 giganteum, v. 286
 hamulosum, v. 286
 imponens, i. 231
 irriguum, i. 36
 loreum, v. 192, 273
 molle, i. 76
 molluscum, v. 192, 286
 ochraceum, i. 76; v. 286
 palustre, i. 70
 purum, v. 192, 273, 286
 repandum, v. 254
 revolvens, v. 286
 rugosum, i. 112, 116
 sarmentosum, v. 161, 286
 Schreberi, v. 192, 273, 286
 scorpioides, v. 286
 splendens, v. 192, 273
 squarrosus, v. 192
 stellatum, v. 286
 striatum, v. 161
 tamariscinum, i. 162; v. 273
 trifarium, v. 286
 triquetrum, v. 192, 273
 umbratum, i. 143
 uncinatum, i. 162; v. 286
 undulatum, i. 36, 160
Hypochaeris radicata, v. 7*, 277
Hypotriorchis aequalis, ii. 76; iii. 231
Hypsa dissociata, i. 334
Hypsibates himantopus, iii. 306
Hyrax capensis, v. 64

I

Ianthina communis, i. 35

Iberis amara, v. 79
Ibis alba, ii. 284
 falcinellus, v. 19
Ichneumon crassipes, ii. 304
Ichneutes reunitor, iii. 5
Icteria longicauda, ii. 273
Icterus baltimore, ii. 281
Idotea cuspidata, i. 8; ii. 50
Ilex Aquifolium, iii. 156
 var. *balearica*, iii. 343
 crassifolia, iii. 343
 Hodginsii, iii. 343
 laurifolia, iii. 343
Illaenus Barriensis, ii. 179
 Bowmanni, ii. 179
 Thomsoni, ii. 179
Ilybius fuliginosus, v. 251
Impatiens noli-me-tangere, v. 79
Inachus dorsettensis, i. 29
 Dorynchus, i. 8
 leptochirus, i. 37
Iris Pseudacorus, v. 8*
Ischadites Kanigii, i. 197
Isoetes lacustris, iii. 166
Isothecium myosuroides, i. 162
 myurum, v. 285

J

Jamesoniella Carringtoni, v. 287
Jasione montana, i. 125
Jasminum nudiflorum, iii. 343
 officinale, iii. 343
Jubaea spectabilis, iv. 43
Juglans regia, ii. 171
Juncus acutiflorus, v. 279
 biglumis, v. 161, 163, 279
 bufonius, v. 279
 castaneus, v. 163, 279
 communis, v. 8*
 compressus, v. 279
 conglomeratus, v. 279
 effusus, v. 279
 lamprocarpus, var. *nigritellus*, v. 279
 maritimus, v. 8*, 243, 245
 squarrosus, v. 279
 supinus, v. 279
 trifidus, v. 5*, 279
 triglumis, iv. 120; v. 279
Jungermannia alpestris, v. 288
 barbata, v. 288
 bicrenata, v. 288
 cordifolia, v. 288
 crenulata, v. 288
 var. *gracillima*, v. 288
 Floerkii, v. 288
 incisa, v. 288
 inflata, v. 288
 lurida, v. 288
 lycopodioides, v. 288

- Jungermannia minuta*, v. 288
 Mülleri, v. 288
 quinqueidentata, v. 288
 riparia, v. 288
 saxicola, i. 168
 sphaerocarpa, v. 288
 turbinata, v. 288
 ventricosa, v. 288
Juniperis communis, iii. 166; v. 242
 nana, iv. 227
Jynx torquilla, iii. 288; iv. 61, 242

K

- Kantia Trichomanis*, v. 287
Kellia rubra, i. 34
Kerria japonica, iii. 343
Ketupa flavipes, i. 57
Kirkbya Eichwaldiana, iii. 225
 Permiana, i. 122
 Urii, i. 122
Kleditoma albipennis, iii. 252
 geniculata, iii. 252
 nigra, iii. 252
Knautia arvensis, i. 19; v. 5*, 250
Kobresia caricina, v. 5*, 280
Koeleria cristata, iv. 229; v. 243, 245, 281

L

- Labrus maculatus*, i. 90
 trimaculatus, i. 9
Laburnum alpinum, iii. 342
 vulgare, iii. 342
Laccophilus minutus, 5
Lactarius blennius, v. 254
 deliciosus, v. 160
 glycosmus, v. 160
 insulsus, v. 254
 quietus, v. 254
Lactuca muralis, v. 5*, 251
Lacuna divaricata, ii. 37, 341
 vineta, i. 35
Lagena aperta, v. 268
 curvilineata, v. 274
 Rizzeae, v. 268
Lagenorhynchus albirostris, v. 24
Lagopus albus, ii. 263; iii. 50, 304
 alpinus, iii. 304
 mutus, iii. 243; iv. 65, 168; v. 58, 141
 rupestris, ii. 107
 scoticus, i. 299; ii. 263; iii. 242; iv. 65, 167, 201, 245, 310; v. 58, 141
Lagostomus trichodactylus, iii. 136, 197; iv. 38, 85

- Laminaria bulbosa*, iv. 83
 digitata, i. 33, 230; iii. 155; iv. 83
 var. stenophylla, i. 231; iii. 155
 saccharina, i. 23, 64
Lamium Galeobdolon, v. 4
Lamna cornubica, i. 76
Lampris luna, ii. 197
Lanice conchylega, iii. 34
Lanius borealis, ii. 157
 collurio, iii. 302; iv. 238
 excubitor, i. 90, 236, 278; ii. 157; iii. 43, 61, 302; iv. 57, 200, 238; v. 54, 138, 212, 225
Laomedea geniculata, i. 33
Lapageria rosea, iv. 46
Lardizabala bitemata, iv. 47
Larus affinis, ii. 52
 argentatus, i. 320; ii. 132, 184, 206, 211; iii. 74, 267, 316; iv. 251, 325; v. 118, 148, 190, 208
 cachinnans, iii. 316
 canus, i. 3, 319; ii. 132, 199; iii. 52, 74, 165, 267, 275, 315; iv. 67, 188, 251; v. 117, 148
 chalconotus, ii. 207
 eburneus, i. 168, 319; ii. 209
 fuscus, i. 320; ii. 131, 184, 211; iii. 75, 267; iv. 67, 251; v. 148, 190, 208
 glaucescens, ii. 207
 glaucus, ii. 188, 199, 210, 211, 289; iii. 52, 74; iv. 189, 251; v. 63, 148, 209
 icelandicus, i. 320
 leucopterus, ii. 201, 206, 210, 211; iv. 189, 251
 marinus, i. 320; ii. 130, 200, 206, 211; iii. 52, 75, 165, 247, 267; iv. 67, 251; v. 148, 190, 208
 minutus, i. 318; ii. 213; iii. 74, 164, 315
 neveus, ii. 209
 philadelphus, iii. 74
 ridibundus, i. 318; ii. 132, 199; iii. 74, 165, 315
 tridactylus, 7; i. 103, 319; ii. 132, 199; iii. 74, 165
 sp.?, v. 63
Lasius niger, ii. 293
Lastrea Barnesii, i. 167, 269
 cristata, i. 76, 269
 var. spinulosa, v. 4
 dilatata, var. alpina, iv. 120
 Filix-mas, var. remota, i. 167
 remota, i. 269
 rigida, iv. 119
 Thelypteris, i. 167
Lathraea squamaria, iv. 209, 210
Lathrobium atripalpe, ii. 254

- Laurencia obtusa*, i. 22, 28
 pinnatifida, iii. 155
Laurus camphora, i. 56
 colchicum, iv. 216
 rotundifolium, iv. 216
Lavatera arborea, v. 244
Leda pernula, i. 114; ii. 37, 340
 pygmaea, ii. 37, 340
Ledocarpum pedunculare, iv. 47
Lejeunea patens, v. 286
 serpyllifolia, v. 286
Lema Erichsoni, ii. 254
Lemna gibba, iv. 44
 minor, iv. 44
Leontochir ovallei, iv. 50
Leontodon autumnalis, var. *pratensis*,
 v. 277
 hispidus, v. 277
 Taraxacum, v. 7*
Lepas anatifera, v. 176
Leperditia Okeni, i. 134
 scotoburdigalensis, iii. 329
Lepidium campestre, v. 4
 Draba, v. 255
 ruderales, v. 175
 Smithii, v. 79, 244, 251
Lepidodendron obovatum, iii. 56
Lepidogaster bimaculatus, i. 8
 cornubiensis, iv. 84
Lepidozia reptans, v. 287
 setacea, v. 287
Lepoclinum gelatinosum, i. 122
Leptacanthus Jenkinsoni, ii. 159
Leptaena sericea, ii. 21
 tenuicincta, ii. 21
 transversalis, var. *Youngiana*, ii. 21
 Youngiana, i. 229
Leptothorax acervorum, ii. 294; iii. 90,
 105
Lepturus filiformis, v. 243, 245, 252
 var. *incurvatus*, v. 82
Lepus cuniculus, ii. 146; iii. 191; iv.
 106; v. 124, 234
 europaeus, ii. 146; iii. 191, 331; iv.
 104; v. 123, 234
 timidus, iii. 128
 variabilis, ii. 146; iii. 128, 191; iv.
 105, 124, 234
Leskea moniliformis, i. 124
 nervosa, i. 197
 pulvinata, i. 36, 121
 rufescens, v. 5*, 254
Lestris Buffonii, i. 72, 321
 crepidatus, v. 148
 parasiticus, ii. 130
 pomarinus, i. 178, 321; iii. 315
 pomatorhinus, v. 148
 Richardsonii, i. 236, 321; ii. 258;
 iv. 16
Leucodon morensis, i. 121
 sciuroides, i. 112, 126
Leucopsumis cryptochroma, i. 331, Plate
Leycesteria formosa, iii. 343
Ligurinus chloris, iii. 264; iv. 59, 163,
 239, 309; v. 140
Ligusticus scoticum, ii. 324; iv. 118;
 v. 7*, 242, 245, 255
Ligustrum ovalifolium, ii. 324
 vulgare, iii. 343
 var. *sempervirens*, iii. 343
Lima hyans, i. 62
 sp.?, i. 34
Limax flavus, v. 290
 marginatus, v. 290
 maximus, i. 193; v. 290
Limnaea auricularia, i. 190, 192; v. 311
 glabra, i. 190, 193
 palustris, i. 189, 193
 peregra, i. 189, 192
 stagnalis, ii. 165
 truncatula, i. 189, 192
Limnaeus palustris, i. 35
 pereger, i. 35, 251
 truncatulus, i. 35
Limneria croceipes, iii. 36
 flaviventris, iv. 108
 fusipes, iv. 108
 vestigialis, iv. 108
Limnius tuberculatus, v. 251
Limnocyrtus gallinula, iv. 66, 249,
 315; v. 59
Limnophilus griseus, iii. 258
 subcentralis, v. 28
Limosa aegocephala, iii. 51, 70, 307;
 iv. 247
 cinerea, iii. 307
 lapponica, iv. 173, 247; v. 144
 melanura, i. 305
 rufa, i. 305; iii. 307
Limulus polyphemus, ii. 6, 243, 244
Linnaea borealis, i. 18, 269; iii. 321
Linaria Cymbalaria, v. 6*, 81
 minor, v. 6*
 vulgaris, v. 160, 250
Lingula attenuata, i. 124
 marginata, i. 67
 mytiloides, i. 67, 96; iv. 263
 quadrata, ii. 166
 Ramsayi, i. 124, 169
 scoticus, i. 67
 squamiformis, i. 67, 96; ii. 136
 Thomsonii, i. 67
Linota canescens, i. 290; iii. 49
 cannabina, i. 290; ii. 100; iii. 66,
 163, 240, 264; iv. 59, 163, 239;
 v. 140
 flavirostris, ii. 100; iii. 66, 163, 240,
 264; iv. 163, 239, 309
 linaria, i. 290; iii. 49; iv. 59, 308

- Linota montium*, i. 290
 rufescens, ii. 101; iii. 66; iv. 59, 163,
 239; v. 140
Linum catharticum, v. 276
Linyphia concolor, iii. 172
 frenata, iii. 351
 montana, iii. 351
 nebulosa, iii. 351
 pallida, iv. 79
 peltata, iii. 172
 pusilla, iii. 172
 socialis, iii. 172
 tenebricola, iii. 172
Linyphia triangularis, iii. 172
 variegata, iii. 172
 zebrina, iv. 79
Liparis Montagui, i. 87
 vulgaris, i. 67
Lissotriton palmipes, i. 74
Listera cordata, iii. 166; v. 81, 159
 ovata, iii. 166; v. 81, 159
Lithodendron fasciculatum, iii. 323
 junceum, iii. 323; iv. 191
Lithodes maia, i. 8
Lithospermum officinale, iii. 165
Litrea venonosa, iv. 48
Littorina littoralis, i. 26, 32, 35; v. 8
 littorea, i. 26, 32, 35; ii. 37, 340; iii.
 160, 320
 var.?, v. 223
 neritoides, i. 26
 obtusata, ii. 37, 340
 rudis, i. 26, 32, 35
Lituola glomerata, v. 12
Lobelia Dortmanna, iii. 165; iv. 119;
 v. 5*
Locustella naevia, v. 52
Loiseleuria procumbens, v. 5*
Loligo vulgaris, iii. 1; v. 273
Lolium perenne, v. 8*, 281
Lomaria spicant, v. 281
Longipedia cornuta, i. 108
Lonicera Caprifolium, iii. 322
 Periclymenum, v. 7*, 83
Lophius piscatorius, i. 29, 45
Lophocolea bidentata, v. 287, 302
 heterophylla, v. 287
Lophyrus pallipes, ii. 209
 pini, iii. 3
 rufus, iii. 202
 virens, ii. 209; iii. 202
Loranthus europaeus, iv. 209
Lota molva, iv. 84
Lotus corniculatus, v. 7*
 major, v. 7*
Loxia curvirostra, i. 291; ii. 102, 253;
 iii. 66, 241, 294; iv. 59, 239, 240;
 v. 140
 pityopsittacus, i. 81, 291
Loxonema rugifera, ii. 255; v. 239
 scalaroidea, v. 239
Lucina borealis, i. 26
 flexuosa, i. 149
 fragilissima, i. 36, 61
Lusciola caligata, iii. 302
 caliope, iii. 302
 philomela, iii. 301
 phoenicura, iii. 302
 rubecula, iii. 302
 suecica, iii. 302
Lutra vulgaris, ii. 141; iii. 157, 188,
 327; iv. 92; v. 122, 231
Lutreria elliptica, i. 26
Luzula campestris, v. 279
 multiflora, var. *congesta*, v. 279
 pilosa, v. 279
 spicata, iv. 120; v. 5*, 279
 sylvatica, v. 279
Lycaena boetica, v. 213
Lychnis diurna, iii. 184; v. 276
 Flos-cuculi, v. 276
 vespertina, v. 79, 244
 Viscaria, v. 175
Lycopodium alpinum, v. 281
 annotinum, iii. 322; iv. 120; v. 162
 clavatum, v. 281
 selaginoides, iii. 166
 Selago, iii. 281
Lycopsis arvensis, v. 255
Lycopus europaeus, iii. 165; v. 81, 245
Lycosa amentata, iii. 172
 monticola, iii. 172
 pullata, iii. 172
Lyda arbustorum, iii. 203
 betulae, ii. 251
 depressa, ii. 293; iii. 90
 erythrocephala, ii. 251
 flaviceps, ii. 251
 fulvipennis, iii. 198
 pratensis, iii. 90
Lygocerus juniperi, iv. 274
Lymnaea auricularia, v. 311
Lynceus pectenatus, i. 43
Lyngbya majuscula, i. 23
Lysimachia nemorum, v. 278
 thyrsiflora, v. 245
 vulgaris, v. 81
Lythrum Salicaria, v. 160

M

- Machetes pugnax*, i. 184, 271, 305; iii.
 51, 307; iv. 173, 201, 248
Macrocheilus acutus, ii. 254; v. 239
 imbricatus, ii. 254; v. 239
Macrophya albicincta, iii. 203, 251
 albipunctata, iii. 43
Macrorhamphus griseus, ii. 7

- Mactra solida*, i. 25, 32
 stultorum, i. 32
 subtruncata, i. 25, 32, 36
 truncata, i. 32
Mallotus villosus, ii. 159
Malva moschata, v. 6*, 244
 rotundifolia, ii. 3; v. 255
 sylvestris, i. 19
Mantis religiosa, iii. 56
Marasmius rotula, v. 6*
Marchantia polymorpha, v. 250, 286
Mareca penelope, iii. 266; iv. 68, 179, 254, 320; v. 62, 151
Marrubium vulgare
Marsupella Stableri, v. 180
Martes abietum, i. 198; ii. 142, 213; iii. 158, 188
 foina, i. 21; ii. 142; v. 265
 sylvestris, iv. 93; v. 121, 265
Mastogloia apiculata, i. 215
 Dansei, i. 215
 Grevillei, i. 215
 lanceolata, i. 215
 Smithii, i. 215
Matricaria inodora, v. 7*
 var. *maritima*, v. 160
Maytenus chilensis, iv. 48
Meandrina labyrinthica, iii. 319
Meconopsis cambrica, iv. 118; v. 5*
Medicago falcata, ii. 3
Medusa aurita, iv. 231
Meesia uliginosa, v. 284
Megalichthys sp.?, i. 174, Plate
Megalophus regius, i. 20
Megapelmus ensifer, iii. 90
 eucharoides, iii. 90
Megaspilus mullensis, v. 181
Melampyrum pratense, v. 160
 var. *montanum*, v. 278
Melanippe hastata, ii. 157
Melanips longitarsis, iii. 203
 opacus, ii. 293; iii. 90
Melanopsis costata, i. 384
 praerosa, i. 383
 Saulcyi, i. 384
Meleagris americana, ii. 15
 gallipavo, ii. 11, 189
 mexicana, ii. 15
 ocellata, ii. 15
Meles taxus, ii. 140, 158; iii. 188; v. 122, 231
Melica nutans, v. 250
 uniflora, v. 8*, 250
Melilotus alba, v. 163
 officinalis, iii. 322; v. 79
 parviflora, ii. 3; v. 244
Melobesia agariciformis, ii. 289
 calcareia, i. 200
 polymorpha, i. 199; ii. 342
Melonites Etheridgei, iii. 225
 Youngii, iii. 225
Melopsittacus undulatus, i. 56
Melospiza fallax, ii. 283
 melodia, ii. 279
Membranipora Flemingii, ii. 37, 341
 membranacea, i. 34, 149
 pilosa, i. 33
Mentha citrata, iv. 44
 piperita, iv. 44
Menura superba, v. 19
Menyanthes trifoliata, v. 278
Menziesia coerulea, i. 269
Meraporus graminicola, ii. 262
Mercurialis perennis, v. 8*, 278
Mergulus alle, 7; i. 86; ii. 179; iv. 186, 213, 252, 324; v. 149
 melanoleucos, i. 315; ii. 246
Mergus albellus, i. 90, 151; iii. 52, 72, 314; iv. 185, 256, 323
 castor, iii. 314
 merganser, i. 239, 312; iii. 52, 72, 164, 266; iv. 16, 69, 184, 256, 323
 serrator, i. 312; ii. 122; iii. 52, 72, 266, 314; iv. 69, 256; v. 152
Merlangus carbonarius, 6
 virens, i. 90
Merops apiaster, i. 295; iv. 242
Mertensia maritima, v. 245
Mesembryanthemum edule, iv. 219
Mesoleius marginatus, iii. 110
Meta Merianae, iii. 172
 segmentata, iii. 172
Metzgeria conjugata, v. 288
 furcata, v. 288
 pubescens, v. 288
Meum Athamanticum, v. 162
Micra convergens, i. 351
 intricata, i. 352
Micrococos chilensis, iv. 43
Microdeutopus versiculatus, ii. 23
Microgaster sericeus, iv. 273
Micronia tenella, i. 377
Microstilba heterogena, iii. 204
Miliolina Auberiana, v. 268
 contorta, v. 268
 labiosa, v. 268
 venusta, v. 268
Milium effusum, iii. 166; v. 250
Milvus ater, iii. 285
 glaucopus, iii. 285
 ictinus, ii. 79; iii. 61; iv. 64, 245
 regalis, iii. 285
 vulgaris, i. 275
Mimulus luteus, v. 81, 251
Mimus carolinensis, ii. 2, 6
Mnium cinclidoides, i. 76, 143
 hornum, v. 285
 punctatum, v. 285

Mnium serratum, i. 162; v. 285
spinosum, i. 104
undulatum, v. 285, 302
Modiola Modiolus, i. 25, 32, 34
Molanna palpata, v. 28
Molgula tubulosa, i. 10, 29, 122
Molinia caerulea, v. 281
Moloch horridus, i. 378
Molothrus pecoris, ii. 280
Monadon monoceros, v. 232
Montagua monoculoides, ii. 49
Montia fontana, iv. 118
 var. *rivularis*, v. 276
Mormolyce phyllodes, ii. 181
Mormon fratercula, i. 3, 50
Morpho aurora, iii. 28
 cypris, iii. 28
 gordartie, iii. 28
 sulkowskyi, iii. 28
Morrhua minutata, i. 8
Motacilla alba, iii. 49, 298
 boarula, i. 285; ii. 161; iii. 64, 163,
 298
 citreola, iii. 299
 flava, iii. 299
 lugubris, ii. 92; iii. 263; iv. 58, 154,
 238; v. 136
 Rayi, i. 286; ii. 92, 161; iii. 65, 163,
 263; iv. 238
 suecica, ii. 192
 sulphurea, ii. 92; iii. 237, 263; iv.
 58, 238; v. 136
 Yarrellii, i. 285; ii. 161; iii. 64, 163
Motella quinquecirrata, i. 8
Mulgedium alpinum, i. 143
Munida Rondeletii, i. 8
Murchisonia angulata, v. 239
 elongata, v. 239
 obscura, ii. 166
 quadricarinata, ii. 255; v. 239
 striatula, ii. 255; v. 239
 Urei, v. 239
Murex erinaceus, i. 35
Mus decumanus, ii. 145; iii. 190; iv.
 103; v. 123, 233
 minutus, v. 233
 musculus, ii. 145; iii. 190; iv. 104;
 v. 123, 233
 rattus, ii. 145; iii. 158, 190; v. 123,
 233
 sylvaticus, ii. 144; iii. 189; v. 123,
 233
Muscicapa atricapilla, ii. 192; iii. 162,
 303; iv. 238; v. 138
 grisola, i. 279; ii. 95; iii. 62, 239,
 263, 302; iv. 58, 238; v. 138
Musophaga gigantea, iv. 12
Mustela erminea, i. 129; ii. 141; iii.
 158, 188; v. 121, 230

Mustela putorius, ii. 141; iii. 188; v.
 121, 230
 vulgaris, ii. 141; iii. 188; v. 121, 230
Mutisia latifolia, iv. 50
 subulata, iv. 50
Mya arenaria, i. 25, 31
 truncata, i. 25, 31, 114, 149; ii. 36,
 340
Myarchus crinitus, ii. 270
Mylia Taylori, v. 287
Mynes Geoffroyi, ii. 303
Myopotomus coypus, iii. 344; v. 28
Myosotis alpestris, v. 5*
 palustris, v. 80
 repens, v. 80
 versicolor, v. 159
Myrica Gale, v. 278
Myrmica ruginodis, ii. 293; iii. 90
Myrrhis odorata, i. 125
Myrtus luma, iv. 51
 ugni, iv. 47
Mysis chamaeleon, v. 4, 10*
Mytilus edulis, 9; i. 25, 32, 34, 114,
 200; ii. 37, 340; v. 8
 modiolus, ii. 37, 340
Myurella apiculata, i. 124
 julacea, i. 124
Myurium Hebridarum, i. 148

N

Naia squinado, iii. 319
Napoleona imperialis, ii. 257
Narcissus Pseudo-narcissus, v. 243, 245
Nardia compressa, v. 288
 emarginata, v. 288
 Funckii, v. 288
 scalaris, v. 288
Nardus stricta, iv. 82; v. 8*, 281
Narthecium ossifragum, v. 279
Nassa incrassata, i. 35
 reticulata, i. 26, 32, 35
Natica affinis, i. 238; ii. 37, 341
 clausa, i. 114
 groenlandica, ii. 37, 341
 monilifera, i. 32, 35
 nitida, i. 26
Naticopsis elliptica, v. 239
 plicistria, ii. 254
 tabulata, v. 239
 variata, ii. 254, v. 239
Natrix torquata, v. 162, 267
Nauclerus furcatus, ii. 60
Naucoris cimicoides, iii. 2
Nautilus ingens, ii. 336
Navicula ambigua, i. 2-0
 birostrata, i. 220
 cuspidata, i. 220
 dissimilis, i. 216

- Navicula libellus*, i. 218
 macula, i. 216
 rhombica, i. 218
 Trochus, i. 220
Nebalia bipes, ii. 23
Nebessa chalyboeata, i. 376
Neckera complanata, i. 162; v. 285
 crispa, i. 162, v. 285
 Philippeana, i. 38, 76
 pumila, i. 38, 162; v. 285
Nedroma, i. 353
 ferruginea, i. 353
Nematus abdominalis, ii. 291; iii. 89, 252
 abietum, ii. 311
 acuminatus, ii. 291
 albipennis, ii. 262
 alnivorus, ii. 291
 antennatus, iii. 250, 252
 apicalis, iii. 2
 appendiculatus, iii. 88, 249, 252
 arcticus, iii. 320
 baccarum, iii. 5
 betulae, iii. 249
 bilineatus, iii. 88, 252
 brachyacanthus, ii. 312
 breadalbanensis, v. 181
 cadderensis, iii. 89
 canaliculatus, iii. 249, 252
 capreae, iii. 88, 252
 carinatus, ii. 311
 cinereae, ii. 292, 295; iii. 89
 clibrichellus, iii. 250, 252
 conductus, ii. 291; iii. 88
 consobrinus, ii. 336
 crassiventris, iii. 320
 crassulus, ii. 313; iii. 89, 252
 crassus, ii. 312; iii. 88
 croceus, ii. 292
 Degeeri, ii. 291
 dimidiatus, ii. 311
 dorsatus, ii. 292; iii. 2, 88, 249, 252
 dubius, iii. 320
 fallax, iii. 249, 252
 femoralis, ii. 295
 flavipennis, iii. 5
 fulvipes, iii. 88
 furvescens, ii. 308
 gallicola, iii. 89; iv. 103, 225
 herbacea, ii. 306; iii. 252
 histrion, ii. 291
 hortensis, iii. 37
 humeralis, ii. 304
 hyperboreus, ii. 262
 imperfectus, iii. 88
 interstitialis, ii. 260
 Kirbyi, ii. 291
 lativentris, ii. 312
 leucostigmus, ii. 308
 longiserra, iii. 104, 202
 Nematus luteus, ii. 291; iii. 88, 252
 var. *trimaculatus*, ii. 259
 Marshalli, ii. 262
 miliaris, ii. 292; iii. 89, 252
 myosotidis, iii. 89, 252
 obductus, ii. 291; iii. 88, 252
 ochropus, iv. 108
 pallescens, ii. 292; iii. 105
 palliatus, iv. 225
 pallidiventris, ii. 259
 pallipes, ii. 311
 papillosus, ii. 292; iii. 89
 pedunculi, iii. 252, 320
 placidus, iii. 320
 puncticeps, ii. 262
 punctulatus, iii. 88, 252
 quercus, iii. 88
 ribesii, ii. 292; iii. 89, 252
 ruficornis, ii. 262; iii. 252
 var. *fraxini*, ii. 291
 rumicis, iii. 88, 202, 251, 252
 saliceti, ii. 292, 295
 septentrionalis, ii. 291
 solea, ii. 310
 stilatus, ii. 291
 striatus, ii. 304
 strongylogaster, iii. 320
 testaceipes, ii. 291
 turgidus, iii. 320
 Vallisneri, ii. 292, 295
 varus, ii. 291
 vesicator, iii. 104
 viminalis, iii. 89; iv. 225
 Westermanni, iii. 104
 xanthogaster, iii. 202
 Zetterstedti, ii. 262
Neottia nidus-avis, iv. 210; v. 81, 250
Nephrodium dilatatum, v. 281
 Filix-mas, v. 281
 Oreopteris, v. 160, 281
Nereis bilineata, i. 1
 Dumerilii, ii. 48
Nerine rufipes, iv. 79
Neritina Jordani, i. 384
 Michonii, i. 383
Nesticus cellulanus, iii. 171
Nettium crecca, iv. 68, 181, 254, 321;
 v. 62, 151
Neuropteris gigantea, iv. 19
Neuroterus lenticularis, iii. 252
Nicothoe astaci, i. 125
Niptus hololeucus, ii. 302
Niso Smithiana, v. 240
Nitella opaca, v. 162
Nitzschia curvula, i. 217
 dubia, i. 217
 incrustans, i. 218
 lanceolata, i. 218
 linearis, i. 217
 minutissima, i. 217

- Nitzschia sigma*, i. 218
 sigmatella, i. 217
 sigmoidea, i. 216
 thermalis, i. 217
Noenia excavata, ii. 24, 49
 rimapalmata, ii. 49
Nomada flavoguttata, ii. 294; iii. 90
 mistura, ii. 304
 ruficornis, ii. 294; iii. 253
 xanthostica, ii. 209
Nonionina crassula, i. 148
 orbicularis, v. 274
 turgida, ii. 38, 342
 umbilicatulæ, i. 148; v. 12
Nothria conchylega, iii. 34
Notiophilus palustris, ii. 217
Notodelphus ascidicola, i. 58
Notodonta camelina, i. 21
 dictæa, i. 21
 dictæoides, i. 21
 dromedaria, i. 21
Notoplax speciosa, v. 98
Nucifraga caryocatactes, iii. 296; iv. 240
Nucula lineata, v. 239
 nitida, i. 149
 tenuis, ii. 37, 340
Numenius arquata, i. 303, 304; ii. 111; iii. 70, 164, 244, 265, 309; iv. 65, 172, 247, 314; v. 59, 143
 borealis, iv. 12, 247, 314; v. 19, 59
 phaeopus, ii. 111; iii. 51, 164, 265, 309; iv. 170, 247; v. 144
Nyctabenion orontes, ii. 303
Nyctale tengmalmi, iii. 286
Nyctea scandiaca, ii. 176; iv. 62, 147, 243
Nycteardea Gardeni, ii. 284
Nyctemera decisa, i. 330, Plate
 simplex, i. 330
Nycticorax Gardeni, i. 303
 grisea, iv. 171, 246, 313
Nymphæa alba, iv. 228
Nyssia rudis, i. 342
Nysson spinosus, ii. 294

O

- Obba*, i. 362
 longissima, ii. 48
 prompta, i. 362
Ochydromus australis, ii. 235
Octopus vulgaris, 8
Odontoschisma Sphagni, v. 287
Odynerus parietum, iii. 90
Oedipodium Griffithianum, v. 284
Oenanthe Lachenalii, v. 242, 245
Oidemia fusca, i. 239, 311; iii. 275, 313; iv. 255, 323; v. 152

- Oidemia nigra*, i. 311; ii. 121; iii. 246, 313; iv. 255; v. 152
 perspicillata, v. 255
Oligotrichum hercynicum, v. 285
Olios castaneus, i. 51
Oncidium graminifolium, i. 56
Oniscoda maculosa, i. 12
Ononis arvensis, v. 5*, 243
Onuphis Eschrichtii, i. 85
Operculina ammonoides, i. 148; v. 12
 complanata, i. 148
Ophideres divitiosa, i. 356, Plate
Ophiocoma bellis, i. 61
 brachiata, i. 73
 filiformis, ii. 51
 granulata, i. 61
 rosula, i. 61
Ophioglossum vulgatum, iv. 3, 118; v. 82, 160, 249
Ophiolepis gracilis, i. 86, 93
Ophiura affinis, i. 85
 albida, i. 63, 66, 85
 filiformis, i. 66
 Norman, i. 85
 texturata, i. 63, 66, 85
Ophiura subaenescens, i. 361, Plate
Opula, i. 311
 impletalis, i. 371
Orca gladiator, v. 232
Orchis maculata, v. 279
 mascula, v. 279
Orconectes pellucidus, ii. 264
Orechtochilus villosus, i. 234
Origanum vulgare, v. 250
Oriolus galbula, ii. 31; iii. 299
Orixa, i. 367
 filifera, i. 367
Ornithopus perpusillus, v. 79, 80, 243, 244
Ornus europæa, ii. 172
 rotundifolia, ii. 172
Orobanchæ rubra, v. 163
Orthagoriscus lanceolatus, v. 176
 mola, v. 176
Orthia alata, i. 169
 biforata, ii. 166
 Bouchardii, ii. 21
 calligramma, var. *scotica*, ii. 21
 elegantula, ii. 21
 galea, i. 169
 girvaniensis, ii. 166
 Michelini, i. 96; iv. 268
 resupinata, i. 96
 vespertilio, ii. 21
Orthoceras attenuatum, v. 240
 cinctum, v. 240
 sp ?, v. 240
Orthotetes crenestria, var. *senilis*, iv. 265
 pelargonatus, iv. 266

Orthothecium rufescens, v. 250, 285
Orthodontium gracile, i. 115
Orthotrichum affine, v. 284
 calvescens, i. 111, 121
 crispulum, i. 39
 crispum, i. 39
 fastigiatum, i. 120
 leiocarpum, v. 284
 Lyellii, v. 284
 patens, i. 16
 pumilum, i. 120
 Rogeri, i. 120
 rupestre, i. 115
 Shawii, i. 16
 Sturmii, i. 16, 115, 121
Ortonia carbonaria, ii. 223 ; iv. 75
Ortygion coturnix, iii. 305
Ortygometra affinis, iii. 126
 porzana, iii. 305
Osmerus hebridicus, i. 187
Osmunda regalis, iii. 156, 166 ; iv. 118, 230 ; v. 82, 242
Ostracion cornutus, v. 180
Ostrea edulis, i. 26, 32, 34, 114 ; iii. 157 ; v. 8
 vulgaris, 9
Othonia Fabricii, ii. 50
Otis tarda, i. 301 ; iii. 305
 tetrax, ii. 241 ; iv. 250
Otocoris alpestris, iii. 49
Otus brachyotus, i. 277 ; iii. 61
 vulgaris, i. 277 ; iii. 61
Ouvirandra fenestralis, i. 52
Owenia filiformis, iii. 33
Oxalis Acetosella, v. 276
 corniculata, iii. 322
 gigantea, iv. 46
 lobata, iv. 46
Oxyria reniformis, v. 162, 278

P

Pachygnatha Clerckii, iii. 172
 Degeerii, iii. 172
Pachyprotasis antennata, iii. 251
 rapae, ii. 292 ; iii. 89, 251
 simulans, ii. 292 ; iii. 89
 variegata, ii. 209, 292 ; iii. 89
Pagellus centrodonatus, i. 119 ; iv. 84
Pagophila brachytarsus, ii. 209
 eburnea, iv. 251 ; v. 147
Pagurus Bernhardus, i. 29, 62, 206
 cuanensis, i. 3, 62
 Forbesii, i. 2
 laevis, ii. 23
 Prideauxii, i. 10, 62 ; ii. 28, 33
 Thompsoni, i. 37
Palaeachlya perforans, iv. 77
 var. *carbonaria*, iv. 78

Palaeacis cyclostoma, iv. 74
Palaeoniscus Wardi, ii. 66
Palamedea cornuta, iii. 197
Palmipes membranaceus, i. 148 ; ii. 6, 17
Paludina bulimoides, i. 382
 nilotica, i. 382
Pandion carolinensis, ii. 268
 haliaëtus, i. 82, 238, 274 ; ii. 74 ; iii. 3, 48, 60, 283 ; iv. 64, 144, 245, v. 130
Panopaea norvegica, i. 88 ; v. 11
Papaver Argemone, i. 125 ; iv. 118 ; v. 78
 dubium, i. 19
 Rhoeas, i. 19
Papilio adamaster, iii. 224
 agamedes, iii. 224
 antimachus, iii. 99
 hesperus, iii. 4
 hippocoon, ii. 177
 latreillianus, iii. 4
 merope, ii. 177
 Ulysses, ii. 303
 zalmoxis, ii. 157
Parabatrachus Colei, i. 174, Plate
Parietaria officinalis, iii. 166 ; v. 81
Paris quadrifolia, v. 249
Parnassia palustris, v. 277
Parus ater, i. 284 ; ii. 92, 162 ; iii. 64, 262, 295 ; iv. 57, 154, 238 ; v. 136
 atricapillus, ii. 278
 borealis, iii. 135
 caeruleus, i. 284 ; ii. 57, 92, 162 ; iii. 64, 163, 262, 295 ; iv. 57, 154, 238
 caudatus, i. 285 ; ii. 162 ; iii. 295
 cinctus, iii. 50, 135
 cristatus, iii. 64, 295 ; iv. 57
 cyaneus, iii. 295
 griscens, iii. 135
 kamschatkensis, iii. 50, 135
 major, i. 284 ; ii. 91 ; iii. 64, 237, 262, 295 ; iv. 57, 237 ; v. 136
 palustris, i. 284 ; ii. 181, 216 ; iii. 64, 135, 295 ; iv. 57, 153
 sibiricus, iii. 295
Passer domesticus, i. 288 ; ii. 101 ; iii. 49, 66, 163, 264, 292 ; iv. 59, 162, 239 ; v. 140
 montanus, i. 85 ; ii. 57, 101 ; iii. 49, 292 ; v. 140
Pastor roseus, i. 230 ; iv. 60, 240
Patella pellucida, i. 34
 vulgaris, iii. 160
 vulgata, i. 26, 34 ; ii. 341 ; v. 8
Peachia hastata, i. 69 ; ii. 27, 29
 triphylla, i. 268 ; ii. 27, 29
Pecten islandicus, i. 88, 238 ; ii. 36, 340

- Pecten maximus*, i. 25, 88; ii. 247
 opercularis, i. 26, 62; iii. 34
 var. lineata, v. 223
 pusio, i. 34
 striatus, iii. 157
 varius, i. 24, 26, 29, 33, 149
Pectinaria belgica, i. 31; iii. 33
Pectunculus glyceris, i. 25, 33, 34
Pedicellina echinata, ii. 47
Pedicularis lapponica, iii. 281
Pelecanus crispus, iii. 314
Pelias Berus, ii. 148
Pellia calycina, v. 288
 epiphylla, v. 288
Pelonaea corrugata, i. 122
Pelosina variabilis, v. 163
Pelophila borealis, ii. 217
Peneroplis pertusus, i. 147
Pennatula phosphorea, i. 378
Pentacrinus europaeus, i. 64
Pentacrita albipennis, ii. 324
 geniculata, iii. 90
 nigra, iii. 104
 5-toma, ii. 334
Pentacta pentactes, i. 63
Penthina ochromelana, i. 21
 praelongana, i. 21
Pentremites obesus, iv. 262
Peplis Portula, iii. 165; v. 80, 243, 244
Perdix cinerea, i. 300; ii. 105, 162; iii. 68, 132, 133, 164, 242, 264; iv. 65, 169, 246; v. 143
 var. montana, iii. 133
Perineura brevispina, iii. 251
 excisa, ii. 293
 instabilis, iii. 89
 nassata, ii. 293; iii. 89, 251
 sordida, ii. 293; iii. 251
Perisoreus infaustus, iii. 48
Pernettya mucronata, iii. 344; iv. 216
Pernis apivorus, i. 72, 90, 150, 237, 276; iii. 31, 283; iv. 64, 145, 245; v. 132
Peronospora infestans, iv. 204, 206; v. 269
Peronosporites antiquarius, iv. 211
Persea lingue, iv. 51
Petalodus Hastingsiae, iii. 339
Petasites alba, iv. 269; v. 312
 vulgaris, ii. 170; v. 242
Petrinia, i. 347
 lignosa, i. 348
Petromyzon fluviatilis, ii. 61
 marinus, ii. 62
Petta pusilla, iii. 33
Peucedanum Ostruthium, v. 80
Peziza coccinea, iv. 212
Pezophycta brachyptera, iii. 204, 251, 252
Phacochaerus aethiopicus, ii. 149
Phaegorista similis, i. 332, Plate
Phaenicura ruticilla, i. 281
Phaenusa albipes, iii. 11, 97
 betulae, ii. 13; iii. 89
 hortulana, iii. 96
 melanopoda, iii. 6
 pumila, iii. 7
 pumilio, iii. 11
 pygmaea, iii. 5, 10, 97
 ulmi, iii. 9
Phalacrocorax carbo, i. 74, 316; ii. 133; iii. 159, 267, 271; iv. 68, 253; v. 118, 150, 191, 209
 cristatus, ii. 134; iii. 267; iv. 68; v. 118, 150, 191, 209
 graculus, i. 317
Phalaris canariensis, v. 255
Phalaropus cinereus, iii. 307
 fulcarius, iv. 66, 176, 249; v. 146, 212
 hyperboreus, i. 42; ii. 63, 116; iii. 51; iv. 66, 176, 249
 lobatus, i. 76, 90, 254, 307; ii. 135
Phallus impudicus, v. 6*
Phasianus colchicus, i. 299; ii. 104, 213; iii. 68, 164, 242, 264; iv. 65, 246; v. 143
 versicolor, i. 208; ii. 6, 166
Pheidole posilla, v. 29
Phellia picta, ii. 28
Phibalura flavirostris, i. 21
Philadelphus coronarius, iii. 343
Philodromus lineatipes, iii. 352
Philomedes longicornis, i. 124
Philonotis calcarea, v. 284
 fontana, i. 162; v. 284
 var. falcata, v. 284
Philonthus cephalotes, ii. 254
 puella, ii. 254
Phleum alpinum, v. 161
 pratense, *var. nodosum*, v. 280
Phoca barbata, i. 54
 groenlandica, i. 51, 53, 54; iv. 95; v. 217
 hispida, iv. 94
 vitulina, ii. 143; iv. 93; v. 231
Phocaena communis, ii. 144; iv. 98; v. 232
Pholadidea papyracea, i. 34
Pholas candida, i. 25, 34
 crispata, i. 34; ii. 36, 340
 dactylus, i. 34
Pholeoptynx cunicularia, iii. 140
Phormosoma placenta, iii. 254
Phryganea obsoleta, iii. 28
 striata, iii. 27
 varia, iii. 27
Phrynosoma Harlenii, i. 203
 orbiculare, i. 203
Phyllodoce bilineata, ii. 48

- Phyllodoce lamellingeri*, ii. 342
Phyllonethis lineata, iii. 171
Phyllophora rubens, i. 23
Phyllopneuste rufa, iii. 63, 163
 sibilatrix, iii. 63
 trochilus, iii. 63, 262
Phylloscopus borealis, iii. 50
 collybita, iv. 56
 neglectus, iii. 50, 53
 sibilatrix, iv. 56, 152, 237; v. 135
 tristis, iii. 50, 54
 trochilus, ii. 89; iii. 50, 235; iv. 56,
 151, 237, 305; v. 135
Phyllotoma aceris, ii. 318
 microcephala, ii. 320
 nemorata, ii. 317; iii. 89, 251
 ochropoda, ii. 318
 vagans, ii. 319
Physa fontinalis, i. 36, 189, 192
Physeter macrocephalus, ii. 144
Pica caudata, i. 293; ii. 161; iii. 67,
 159, 163
 rustica, ii. 96; iii. 48, 263; iv. 60,
 240; v. 138
Picus canus, iii. 288
 leuconotus, iii. 288
 major, i. 90, 151, 230, 237, 294, 378;
 ii. 176; iii. 67, 288; iv. 61, 165,
 242; v. 141
 martius, iii. 288
 medius, iii. 288
 minor, iii. 48, 288
 pubescens, ii. 269
 tridactylus, i. 16; iii. 48, 288
 viridis, iii. 163, 288
Pileopsis hungaricus, i. 32, 35
Pimpla graminellae, iii. 84
Pinguicula lusitanica, iii. 165; v. 245
 vulgaris, v. 278
Pinicola enucleator, iv. 58
Pinna ingens, i. 378
Pinnularia capillacea, iv. 19
Pinus halepensis, i. 70
 Pinaster, ii. 155
 sylvestris, i. 161
Pipilo Alberti, ii. 279
 erythrophthalmus, ii. 279
 mesoleucus, ii. 280
Pisidium amnicum, i. 251
 cinereum, i. 251
 fontinale, iii. 172
Pithecolobium lobatum?, iii. 81
Placusa infima, ii. 254
Plagiochila asplenoides, v. 287
 spinulosa, v. 287
Plagiothecium annotinum, i. 231
 denticulatum, v. 286
 Müllerianum, i. 208
 pulchellum, v. 286
 undulatum, v. 286
Planorbis albus, i. 189, 192
 carinatus, iii. 273
 complanatus, iii. 172; iv. 118
 contortus, i. 189, 192
 marginatus, i. 251
 nitidus, i. 190, 192
 spirorbis, i. 189, 192
Planorbulina ungeriana, i. 147
Plantago Coronopus, iv. 223; v. 8*
 lanceolata, ii. 260; v. 8*
 major, v. 8*
 maritima, v. 8*, 278
 media, v. 5*
Platalea leucorodia, iii. 310; iv. 247
Platessa limanda, i. 45
Platanus aceroides, ii. 23
 hebridicus, ii. 23
 orientalis, ii. 171
Platycercus auriceps, i. 185
 pacificus, i. 185
Platycheles longicornis, i. 62
Platysamia cecropia, ii. 2
Plecotus auritus, iii. 187; v. 120
Plectrocnemia conspersa, iii. 28
 geniculata, iii. 28
Plectrophanes lapponicus, iii. 49, 291
 nivalis, i. 287; iii. 49, 264, 290; iv.
 60, 164, 240, 309; v. 57, 141
Plectropterus gambensis, iv. 253
Pleurobranchus plumula, ii. 32
Pleurotoma pyramidalis, ii. 37
 Trevelyana, ii. 37
 turricula, ii. 37
 violacea, ii. 37
Pleurotomaria acuta, v. 240
 contraria, ii. 254
 Frenoyana, v. 240
 Galleottiana, ii. 254
 granulata, v. 240
 interstitialis, v. 240
 monilifera, ii. 254
 Vvanii, ii. 254; v. 240
Pleurozia cochleariformis, v. 287
Plumularia Catharina, ii. 47
 cristata, i. 33
 falcata, i. 33, 142, 149; iii. 178
 frutescens, i. 186
 myriophyllum, i. 126
 pinnata, ii. 47
Poa alpina, v. 281
 annua, v. 8*
 Balfourii, v. 163, 281
 pratensis, iii. 281
 rigida, v. 6*, 255
Podiceps auritus, i. 85, 186; iii. 315
 cornutus, i. 7, 313; ii. 188; iii. 73,
 315; iv. 186, 203, 324; v. 77,
 226
 cristatus, i. 313; iii. 73, 164, 266,
 315; iv. 186, 252; v. 226

- Podiceps minor*, i. 85, 313; ii. 126, 163; iii. 73, 164, 247, 266; iv. 68, 185, 252, 324; v. 62, 150, 226
rubricollis, i. 85, 313; iii. 164, 315; iv. 186, 252; v. 226
Podisoma juniperi, v. 297
Sabinae, v. 298
Podocerus falcatus, i. 2
pelagicus, ii. 24, 49
pulchellus, ii. 49
Poecilodus sp. ?, v. 240
Poecilosoma excisum, ii. 262, 292; iii. 89, 251
guttatum, ii. 262
longicorne, iv. 108
pulveratum, ii. 251, 292; iii. 89, 251
sublineata, i. 342
submuticum, ii. 292; iii. 251
Pogonatum aloides, v. 285
alpinum, v. 285
var. campanulatum, v. 285
nanum, v. 285
urnigerum, v. 285
Polyborus thaurus, iv. 123
Polycentropus Kingii, v. 76
Polycera ocellata, i. 206
quadrilineata, i. 206
Polyclinum constellatum, i. 87
Polygala depressa, v. 276
vulgaris, iv. 83
Polygonum Hydropiper, iii. 165
lappathifolium, iii. 165
minus, iv. 121
Raii, v. 255
Polyides rotundus, i. 23
Polymorphina lanceolata, v. 268
rotundata, v. 268
sororia, *var. cuspidata*, v. 268
Polyporus betulinus, v. 254
igniarius, i. 11
Polypodium alpestre, i. 269; v. 161, 281
Dryopteris, v. 159, 160, 249, 254, 281
Phegopteris, iii. 156, 166; v. 159, 160, 249, 281
vulgare, v. 8*, 281
Polysiphonia elongata, i. 24
fastigiata, i. 23
violacea, i. 23
Polystichum angulare, iv. 119
Lonchitis, iii. 42, 321; v. 162
Polystomella complanata, i. 148
crispa, ii. 38
striato-punctata, ii. 38, 342
Polytrichum commune, i. 162; v. 285
var. fastigiatum, v. 285
humile, v. 285
sexangulare, i. 143; v. 285
strictum, v. 161, 285
Pompilus affinis, iii. 90
Pompilus niger, ii. 294; iii. 90
Ponera contracta, v. 29
Poospiza bilineata, ii. 278
Populus alba, iii. 342
balsamifera, ii. 173
canescens, iii. 342
monilifera, iii. 342
nigra, iii. 342
tremula, iii. 342
Porcellana longicornis, i. 8, 149
Porcellia armata, ii. 16; v. 240
Porcellidium fimbriatum, i. 98
Porella laevigata, v. 287
platyphylla, v. 287
Porphyra laciniata, i. 23
vulgaris, i. 23, 201
Porphyrio hyacinthus, i. 81
melanotus, ii. 232
Portunus arcuatus, i. 29
depurator, i. 62
holsatus, i. 9
puber, i. 83
Porzana maruetta, iv. 17, 177, 250
parva, v. 211
Posidonomya corrugata, ii. 31
Potamogeton gramineus, iii. 166
natans, v. 279
polygonifolius, *var. Kirkii*, v. 279
zizii, iv. 192
Potentilla alpestris, iii. 42; v. 161
anserina, v. 7*
Fragariastrum, v. 242
fruticosa, iii. 343
reptans, i. 125
Tormentilla, v. 276
tridentata, iii. 321
Poteriocrinus crassus, i. 111; iii. 91; iv. 20, 21
nuciformis, iii. 280
Poterium officinale, v. 5*
Sanguisorba, v. 5*
Praniza coeruleata, i. 117
obesa, i. 116
Edwardsii, ii. 24
Pratincola indica, iii. 135
rubetra, iii. 262; iv. 56, 153, 237; v. 135
rubicola, iii. 50, 262; iv. 56, 237; v. 135
Preissia commutata, v. 286
Primula scotica, i. 18
sinensis, iv. 207
veris, v. 81
vulgaris, v. 278
Procellaria leucorrhea, iv. 68
pelagica, ii. 130; iii. 165; iv. 68, 253; v. 226
Productus aculeatus, i. 96
complectens, iii. 175; iv. 30
cora, i. 96

- Productus costatus*, i. 96; iv. 78
 fimbriatus, i. 96
 giganteus, i. 96
 Griffithianus, iv. 79
 latissimus, i. 96; v. 239
 longispinus, i. 96; ii. 4; iii. 176
 mesolobus, i. 96
 punctatus, i. 96
 scabriculus, i. 96, 197; v. 312
 semireticulatus, i. 96; iii. 175
 var. *Martini*, i. 96
 spinulosus, i. 96
 undatus, i. 96
 Youngianus, i. 96
Progne purpurea, ii. 275
Protella phasma, ii. 50
Proteus anguinus, iii. 327
 latifrons, ii. 179
Proto pedata, ii. 50
Protomedeia Whitei, ii. 23
Proustia pungens, iv. 50
 pyrifolia, iv. 50
Prunella vulgaris, v. 8*, 278
Prunus Avium, ii. 172
 communis, var. *spinosa*, v. 7*
 lauro-cerasus, ii. 172
 lusitanica, ii. 172
 Mahaleb, ii. 172
 Padus, ii. 172; iii. 342
Psamma arenaria, v. 255
Psammobia Ferroensis, i. 26
 vespertina, i. 24, 25
Psammodendron arbuscula, v. 163
Psilodora Boienii, iii. 203
 maculata, iii. 203
Psodos trepidaria, ii. 225
Pteris aquilina, v. 8*, 281
Pterocormus means, ii. 304
Pteronites fluctuosus, i. 146
Ptychomitrium polyphyllum, v. 283
Puccinia caricis, v. 299
 coronata, v. 298
 graminis, v. 295, 296, 298
 Magnusiana, v. 299
 Moliniae, v. 298
 poarum, v. 299
 rubigo-vera, v. 298
 saniculae, v. 254
 sessilis, v. 299
Puffinus anglorum, i. 321; ii. 60, 130; iii. 267; iv. 187, 253
Pulicaria dysenterica, v. 161
Pulvinula canariensis, i. 147
Puncurella noachina, ii. 341
Pupa anglica, i. 249, 250
 muscorum, i. 35, 249, 250
 ringens, v. 291
 var. *pallida*, v. 291
 umbilicata, i. 189, 194, 249
Purpura lapillus, i. 26, 32, 33, 35, 100; ii. 37
- Pychotrichia utricularum*, iii. 203
Pyrallis (?) crassalis, i. 368
Pyrameis cardui, ii. 154
Pyrausta rubra, ii. 274
Pyrola aphylla, iv. 212
 media, iii. 165
 rotundifolia, v. 5*, 278
 secunda, iv. 119
Pyrrhocorax graculus, ii. 98; iii. 66
Pyrrhula enucleator, iii. 293
 erythrina, iii. 293
 europaea, iii. 264, 330; iv. 58, 239; v. 139
 rosea, iii. 293
 rubicilla, iii. 292
 vulgaris, i. 290; ii. 102; iii. 49, 66, 159, 163
Pyrus Aria, ii. 173
 Aucuparia, ii. 173; iii. 342
 Malus, v. 79
 var. *prunifolia*, iii. 342
 prunifolius, ii. 173
 Sorbus, iii. 342
 spectabilis, iii. 342
- ## Q
- Quercus Cerris*, iii. 342
 coccinea, iii. 342
 infectoria, ii. 288
Querquedula circia, iv. 254
 crecca, ii. 120; iii. 72, 164, 266
 strepera, i. 51
Quillaja saponaria, iv. 48
Quinqueloculina agglutinans, i. 147
 seminulum, ii. 38, 342
 tenuis, v. 12
Quiscalus versicolor, ii. 281
- ## R
- Raclia*, i. 366
 cervina, i. 367
Racomitrium aciculare, v. 283
 canescens, v. 283
 fasciculare, v. 283
 heterostichum, v. 283
 var. *gracilescens*, v. 161, 283
 lanuginosum, v. 283
 patens, v. 283
 protensum, v. 283
 sudeticum, v. 283
Radiola Millegrana, iii. 165; v. 162
Radula commutata, v. 287
 complanata, v. 287
Raia pastinaca, iii. 4
Rallus aquaticus, i. 307; ii. 117, 162, 186, 253; iii. 70, 164, 305; iv. 67, 177, 250, 316; v. 147

- Rallus crepitans*, ii. 286
 virginianus, ii. 286
Rana temporaria, ii. 148.
Raniceps trifurcatus, i. 8, 90
Ranunculus acris, v. 6*, 275
 auricomus, v. 78, 250
 Ficaria, iv. 223; v. 275
 hederaceus, v. 275
 Lingua, v. 78, 275
 repens, v. 6*, 275
 reptans, v. 5*
 sceleratus, iii. 165; v. 78, 242, 244, 255
Raphanus maritimus, v. 160
Raphidia maculicollis, ii. 209
Recurvirostra avocetta, iii. 306; iv. 249
Regulus calendula, iii. 63
 cristatus, i. 284; ii. 89; iii. 63, 235, 262, 300; iv. 56, 152, 237
 ignicapillus, iv. 56
 proregulus, iii. 301
Reophax difflugiformis, v. 12
 glomerata, v. 12
 nodulosa, var.?, v. 12
Reseda lutea, v. 5*
 luteola, i. 125
Retepora retiformis, i. 10
 virgulacea, v. 30
Rhabdomeson gracile, v. 238
Rhabdoweissia denticulata, v. 282
 fugax, v. 282
Rhinanthus Crista-galli, v. 278
Rhinolophus ferrum-equinum, v. 120
Rhodites eglanteriae, iii. 90
Rhododendron catawbiense, iii. 343
 Cunninghami, iii. 343
 ferrugineum, iii. 343
 hirsutum, iii. 343
Rhodomela lycopodioides, i. 24
Rhodymenia bifida, i. 24
Rhombus hirtus, i. 81
 punctatus, i. 81
Rhoptrameris encerus, iii. 252
Rhus Cotinus, iii. 342
 typhina, iii. 342
Rhyacophila oblitterata, iii. 258
Rhynchaspis clypeata, iii. 313
Rhynchonella anula, ii. 21
 pleurodon, i. 96
 pugnus, i. 96
 Salteri, ii. 166
 Thomsoni, ii. 21
 Weaveri, ii. 21
Rhynchopora Geinitziana, iv. 13
 Youngii, iv. 14
Rhynchops nigra, ii. 288
Rhynchospira alba, v. 277
Ribes aureum, iii. 343
 sanguineum, iii. 343; iv. 216
Ricla, i. 365
Ricla expandens, i. 365
Rissa tridactyla, ii. 210; iii. 267; iv. 67, 251, 289; v. 118, 147, 190, 207
Rissoa parva, i. 35; ii. 340
 var. *interrupta*, ii. 340
 striata, ii. 37, 340; iii. 278
 var. *interrupta*, ii. 37
 ulvae, i. 92
Robertina arctica, v. 12
Robinia Pseudacacia, iii. 342
Roestelia cancellata, v. 297
 cornuta, v. 298, 300
 lacerata, v. 297
Rosa arvensis, v. 79
 spinosissima, v. 7*
 villosa, iv. 3
Rotalia Beccarii, ii. 38
 orbicularis, i. 147
 Soldanii, i. 147
Rubus Chamaemorus, v. 276
 corylifolius, iv. 123; v. 7*
 idaeus, v. 7*
 rhamnifolius, v. 7*
 saxatilis, v. 254, 276
Rumex Acetosa, v. 8*, 278
 Acetosella, iv. 83; v. 8*, 278
 alpinus, v. 5*, 8*
 crispus, ii. 170; v. 8*
 maritimus, v. 175
 obtusifolius, ii. 170
 sanguineus, v. 5*
 viridis, v. 160
Ruppia maritima, sub-sp. *rostellata*, v. 227
 rostellata, v. 243, 245
Rusa hippelephas, ii. 194
Russula adusta, v. 254
 emetica, v. 254
 fellea, v. 254
 foetens, v. 160, 254
 heterophylla, v. 160, 254
 nigricans, v. 254
Ruticilla Phoenicura, ii. 90; iii. 50, 62, 236, 262; iv. 56, 236; v. 135

S

- Sabellaria alveolata*, i. 31; iii. 34
Saccammina Carteri, ii. 32
Saccogyna viticulosa, v. 287
Sagartia bellis, ii. 28
 miniata, ii. 28
 nivea, i. 9; ii. 27, 28
 parasitica, ii. 27, 28
 troglodytes, var. *Prasinopicta*, ii. 28
 venusta, ii. 27, 28
 viduata, ii. 28
Sagina maritima, v. 255

- Sagina nivalis*, v. 5*
 procumbens, v. 6*, 276
 saxatilis, v. 5*, 162, 276
 subulata, v. 244
Sagitta bipunctata, i. 3
Sagittaria sagittifolia, iii. 322
Salicaria arundinacea, iii. 300
 fluviatilis, iii. 300
 locustella, i. 281; iii. 63, 300
 palustris, iii. 300
 Phragmitis, i. 282; ii. 161; ii. 63, 159, 300
 turdoides, iii. 300
Salisburia adiantifolia, iii. 342
Salix alba, iii. 342
 americana, iii. 342
 Arbuscula, var. *prunifolia*, v. 279
 vaccinifolia, v. 279
 venulosa, v. 279
 aurita, v. 278
 Caprea, iii. 342
 herbacea, iii. 166; iv. 120; v. 5*, 6*, 242, 279
 nigricans, v. 279
 pentandra, iii. 281; v. 159
 phylicifolia, var. *Davalliana*, v. 279
 repens, var. *ascendens*, v. 279
 prostrata, v. 279
 reticulata, v. 5*, 279
 rubra, iii. 342
 Russeliana, iii. 342
Salsola Kali, i. 18; v. 242, 255
Salvia Verbenaca, v. 5*, 83, 213
Sambucus canadensis, ii. 171
 nigra, ii. 171; iii. 342; v. 7*
 racemosa, ii. 171; iii. 342
Samea figuralis, i. 368
Sanguisorba officinalis, iv. 119
Sapholitus apicalis, ii. 323
Saponaria officinalis, i. 125
Sarcorampus aequatorialis, iv. 192
 gryphus, iv. 192
Sarothrus canaliculatus, iii. 90, 252
Saussurea alpina, v. 4, 5*, 277
Saxicava norvegica, v. 11
 rugosa, i. 34; ii. 340; iii. 198
Saxicola deserti, v. 53
 oenanthe, i. 281; ii. 90, 161; iii. 50, 63, 163, 236, 262, 302; iv. 56, 153, 237; v. 53, 135, 189
 rubetra, i. 281; ii. 90; iii. 63, 236, 302
 rubicola, i. 281; ii. 90, 161; iii. 63, 163, 236, 302
Saxifraga aizoides, iv. 120; v. 5*, 80, 277
 cernua, i. 18; v. 5*
 hypnoides, iv. 120; v. 80, 159, 277
 nivalis, i. 18; v. 161, 277
Saxifraga oppositifolia, i. 18; ii. 325; iv. 120; v. 158, 277
 stellaris, i. 18; iii. 165; iv. 120; v. 253, 277
 umbrosa, iii. 165
Sayornis fuscus, ii. 271
Scabiosa Columbaria, v. 163
 succisa, v. 277
Scalites angulatus, ii. 166
Scandix Pecten-Veneris, i. 18
Scapania curta, var. *rosacea*, v. 287
 nemorosa, v. 287
 planifolia, v. 287
 purpurea, v. 287
 resupinata, v. 287
 subalpina, v. 287
 undulata, v. 287
Scarabaeus hercules, iii. 105
Schizanthus candidus, iv. 49
 Grevillei, i. 218
 pinnatus, iv. 49
Sciara humeralis, ii. 298
Sciatta, i. 337
 inconcisa, i. 338
Scirpus caespitosus, v. 279
 maritimus, v. 242
 palustris, v. 279
 pauciflorus, v. 279
 Savii, v. 163, 243, 245, 252
 setaceus, v. 280
Sciurus aurocapillus, ii. 273
 vulgaris, ii. 144; iii. 157, 189; v. 123, 232
Sclerochloa loliacea, iv. 229
Scodion cephalotes, i. 376, Plate
Scolopax gallinago, i. 306; ii. 115, 162; iii. 51, 309
 gallinula, i. 306; ii. 115, 162; iii. 308; v. 146
 major, i. 101, 236, 306; iii. 51, 309
 rusticola, i. 305; ii. 116, 188, 253, 303; iii. 70, 164, 245, 265, 309; iv. 66, 174, 248, 315; v. 60, 145
Scolopendrium vulgare, iii. 156; v. 8*, 242, 289
 var. *excurrens*, i. 167
Scomber scomber, iv. 84
Scops asio, ii. 268
 giu, ii. 83
Scorpio afer, v. 227
Scrobicularia prismatica, ii. 37; v. 252
Scrophularia aquatica, iii. 165
 vernalis, iv. 118
Scutellaria galericulata, v. 8*, 81, 243
Scyllium canicula, i. 29
 catulus, iv. 84
Sedum acre, iii. 165
 anglicum, iv. 83; v. 7*
 reflexum, v. 251

- Sedum Rhodiola*, iii. 165; iv. 120; v. 162, 277
villosum, v. 159, 244
Segestria senoculata, iii. 170, 171
Selaginella Selaginoides, v. 281
Selandria grandis, ii. 292
morio, ii. 292; iii. 89, 251
serva, ii. 292; iii. 89, 251
stramineipes, ii. 292; iii. 89
Senebiera Coronopus, ii. 3; v. 243, 244, 255
didyma, v. 255
Senecio denticulatus, iv. 50
Jacobaea, v. 7*
saracenicus, v. 243, 245
sylvaticus, v. 80
viscosus, i. 125; v. 80
vulgaris, v. 7*
Sepia octopodia, iii. 85
Sepiola Rondeletii, i. 2
Septopora cestriensis, v. 31
Sequoia gigantea, ii. 23
Langsdorfii, ii. 23
sempervirens, ii. 23
Sternbergii, ii. 23
Sericostoma personatum, iii. 258
Serpentarius secretarius, v. 64
Serpula Berkeleyi, ii. 55
carinatus, ii. 341
hexagona, i. 261
hexicarinata, i. 261
parallela, iii. 103
reversa, ii. 55
vermicularis, ii. 38, 341
Sertularia abietina, i. 29, 33, 142, 149
argentea, i. 33; ii. 47
filicula, i. 142, 149; iii. 178
fusca, i. 186
operculata, iii. 178
polyzonias, i. 186; ii. 47
rosacea, i. 126
tamarisca, i. 186
Sesia bembeciformis, iv. 17
Setaria viridis, v. 82
Setodes testacea, iii. 57
Setophaga ruticilla, ii. 275
Sialia sialis, ii. 272
Sibbaldia procumbens, iii. 42, 281; iv. 120; v. 276
Sibthorpia europea, i. 17
Silene acaulis, iv. 120; v. 158, 276
conica, i. 19
inflata, i. 19, 125; v. 5*, 79
maritima, v. 6*, 242
noctiflora, i. 19; iii. 41; v. 79
nutans, i. 19
Siliquaria carbonaria, v. 108
Siphonostoma uncinata, i. 63
Siphonotreta micula, i. 169
Sirex Juvenus, i. 44
Sirex melanocerus, iii. 321
Sisymbrium Irio, ii. 3
Sitta caesia, ii. 221; iv. 60
carolinensis, ii. 277
uralensis, iii. 295
Sium latifolium, v. 245
Sizalisca, i. 339
graminosa, i. 340
Skenæa planorbis, ii. 37, 341
Smerinthus subjectus, i. 328
Solanum elaeagnoides, iv. 49
nigrum, v. 81
tuberosum, iv. 45
Solaster endeca, i. 37; ii. 17, 51
papposa, i. 29, 61; ii. 51
Solen ensis, i. 25, 31
siliqua, i. 25, 31; ii. 37
Solenocaris solenoides, i. 173, Plate
Solenopsis geminata, v. 29
Solidago Virgaurea, iv. 83
var. cambrica, v. 5*, 277
Soloe quadriguttata, i. 336
Somateria mollissima, i. 311; ii. 258; iii. 164, 274; iv. 69, 183, 256; v. 189, 209
spectabilis, i. 90; iii. 274; iv. 184
Stellerii, i. 15
Sonchus asper, v. 7*
Sorex minutus, iv. 92; v. 230
remifer, i. 70
tetragonus, iii. 188; v. 120, 229
vulgaris, ii. 140
Sparganium natans, iii. 166
Spathogaster baccarum, ii. 209, 293; iii. 90, 142, 252
tricolor, iii. 252
verrucosus, v. 158
Spathularia flavida, v. 161
Spatula clypeata, iv. 68, 182, 255, 322
Spergularia marginata, v. 243, 244
rubra, v. 255
Sphacelaria nodosa, i. 23
Sphaerium corneum, v. 311
Sphaeromphale Henscheliana, ii. 33
Sphaerophoron australe, v. 253
compressum, v. 253
Sphagnum acutifolium, v. 282
var. deflexum, v. 282
elegans, v. 282
quinquefarium, v. 282
rubellum, v. 282
auriculatum, i. 208
curvifolium, i. 137, 208
cymbifolium, v. 282
Girgensohni, i. 208
Kinlayanum, i. 208
Lindbergii, i. 208
Mougeotii, i. 38
Muelleri, i. 208
papillosum, v. 282

- Sphagnum rigidum*, i. 208; v. 282
 squarrosum, v. 282
 subsecundum, v. 282
 tenellum, v. 282
 teres, i. 202, 208
Spheniscus demersus, iii. 321
Sphenopteris artemisiaefolia, iv. 19
 latifolia, iv. 19
Spilosoma ramivitta, i. 336
Spinax acanthias, iii. 157
Spiraea callosa, iii. 343
 Douglasii, iii. 343
 Filipendula, iv. 223
 Lindleyana, iii. 343
 trilobata, iii. 343
 Ulmaria, iv. 223; v. 7*, 276
Spiralis retroversus, iv. 230
Spirifera acuta, iii. 40
 bisulcata, i. 95; iii. 38
 Clannyanus, iii. 40
 duplicicosta, i. 95
 glabra, i. 96
 lineata, i. 96
 mosquensis, iii. 40
 ovalis, i. 96
 triangularis, iii. 40
 trigonalis, i. 95; iii. 37
 unguiculus, iii. 40
 Urii, i. 96; iii. 40
Spiriferina Etheridgei, iv. 264
 octoplicata, i. 96
Spirorbis caperatus, iv. 75
 carbonarius, i. 102, 379; iii. 329
 helicteres, i. 102; iii. 329; iv. 9
Spizaetus cristatellus, ii. 22
Spizella pusilla, ii. 279
 socialis, ii. 279
Splachnum ampullaceum, v. 160
 luteum, 8
 sphaericum, v. 284
 vasculosum, i. 75, 142
Spongilla fluviatilis, i. 252
Spyridia filamentosa, i. 24
Squalina angelus, i. 99
Squalus melastoma, i. 238
Squatrola cinerea, i. 302
 helvetica, iii. 50, 305; iv. 249; v. 146
Stachys Betonica, v. 5*
 palustris, iv. 192
Starna cinerea, iii. 304
Staurocephalus unicus, ii. 179
Steatoda bipunctata, iv. 79
Stegocephalus celticus, i. 50
Stellaria glauca, v. 276
 graminea, v. 276
 Holostea, v. 276
 media, v. 7*, 276
 nemorum, v. 249
 uliginosa, v. 276
Stenophylax coenosus, iii. 28
Stenophylax infumatus, v. 176
 latipennis, iii. 28
 rotundipennis, v. 176
 stellatus, iii. 28
Stenopora tumida, i. 95; iii. 335
Stenorhynchus phalangium, i. 8, 29
Stercorarius antarcticus, iv. 274
 Buffonii, iii. 52
 catarrhactes, iv. 251, 274
 chilensis, iv. 274; v. 110
 crepidatus, iii. 247; iv. 251, 274
 parasiticus, iii. 52; iv. 252, 274
 pomatorhinus, iv. 274, 275; v. 203
 sp. ?, iii. 267; iv. 189
Sterna antarctica, ii. 236
 aranea, ii. 287
 arctica, i. 318; v. 183
 Boysii, i. 317
 cantiaca, 7; ii. 133; iii. 74, 276;
 iv. 250
 Dougallii, iii. 74, 276; iv. 250
 fissipes, i. 318; ii. 63; iii. 74, 104
 fluviatilis, ii. 133; iii. 73, 248, 267,
 276; iv. 250
 frenata, ii. 288
 fuliginosa, ii. 287
 hirundinacea, v. 274
 Hirundo, i. 318; ii. 133; iii. 52, 73,
 164, 248
 macrura, iii. 276; iv. 67, 250; v.
 147, 190
 minuta, i. 318; ii. 133; iii. 74, 248;
 iv. 250, 251; v. 147
 nigra, i. 271
 paradisea, ii. 287
 sp. ?, iii. 267; iv. 189
Stigmara ficoides, iv. 19
Stomphia Churchiae, ii. 29
Strepsilas interpres, i. 99, 302; iii. 69,
 265, 277; iv. 249; v. 60, 146, 189
Streptorhynchus crenistria, i. 50, 96; v.
 239
 var. Kellii, i. 50
 radialis, i. 50, 96
 robusta, i. 50
 senilis, i. 50
Stridova, i. 353
 albigutta, i. 354
Strigops habroptilus, i. 254; ii. 244
Strix aluco, ii. 83; iii. 233
 flammea, i. 277; iii. 61, 158, 162
 stridula, iii. 261; iv. 62, 148, 243; v.
 133
Strongylogaster cingulatus, ii. 292; iii.
 89, 251
 delicatulus, ii. 292; iii. 89
 femoralis, ii. 259
 mixtus, ii. 292
Strophomena analoga, i. 96
 Grayi, ii. 21

Strophomena imbrex, ii. 21
Sturnella magna, ii. 281
Sturnus praedatorius, i. 146
 vulgaris, i. 13, 291; ii. 98, 161, 184, 195; iii. 66, 163, 240, 264, 297; iv. 60, 161, 240, 308; v. 56, 117, 139
Stylostegium caespiticium, i. 124
Suaeda maritima, iii. 165; v. 242
Subrita luctuosa, i. 377
Succinea oblonga, v. 267
 putris, i. 189, 193, 250
Sula alba, i. 317
 bassana, iii. 164, 267, 274; iv. 253; v. 150, 212
Sulcoretepora parallela, iii. 167
 porosa, ii. 258
 raricosta, iii. 167
 Robertsoni, iii. 166, Plate
Surina, i. 333
 hypsoidea, i. 333
Surirella biseriata, i. 219
 craticula, i. 220
 elegans, i. 219
 flexuosa, i. 219
 intermedia, i. 218
 nobilis, i. 219
 splendida, i. 219
Surnia funerea, i. 81, 236, 276, 278; iii. 286
 nyctea, i. 55, 81, 202, 278; ii. 242; iii. 48, 286
 passerina, iii. 286
Sus babyrussa, iii. 319
 scrofa, ii. 138; v. 125
Swanka cruentata, v. 213
Sylvia atricapilla, iii. 63, 301, 349; iv. 153, 237
 cinerea, iii. 63, 301
 Curruca, iii. 101; iv. 57; v. 52
 cyanura, iii. 301
 hortensis, iii. 163, 301
 hypolais, ii. 161
 nisoria, iii. 301
 rufa, i. 284; ii. 88; iii. 235, 262; iv. 152, 237; v. 52, 134, 225
 salicaria, iv. 57
 sylvicola, i. 283; ii. 161
 sylviella, iii. 63
 trochilus, i. 283; ii. 161, 164
 Wolfi, ii. 192
Symphemia semipalmata, ii. 285
Symphoricarpus racemosus, ii. 173; iii. 343
Symphytum officinale, ii. 170; iii. 165
 tuberosum, v. 249
Synapta digitata, i. 73; ii. 55
 inhaerens, i. 73
 tenera, ii. 52
Syngnathus lumbriciformis, iv. 84

Synocladia biserialis, v. 31
 carbonaria, v. 31
 fenestelliformis, v. 31
 scotica, iii. 355, Plate; v. 31
 virgulacea, v. 31
Syringa chinensis, ii. 173
 persica, ii. 173; iii. 343
 vulgaris, ii. 173; iii. 343
Syringothyris cuspidata, iv. 264
Syrinx Harveii, ii. 52
 nudus, i. 63; ii. 52
Syrnium aluco, iii. 61, 158, 162; v. 209
 monticolum, i. 57
 stridula, i. 278
Syrnhaptes paradoxus, i. 76, 151; ii. 175; iv. 64, 245; v. 141

T

Tachinus elongatus, ii. 254
 flavipes, ii. 254
 laticollis, ii. 254
 rufipes, ii. 323
Tachosa, i. 345
 acronyctoides, i. 345
 metaphaearia, i. 346
Tadorna cornuta, iv. 254; v. 151, 211
 vulpanser, i. 310; ii. 119; iii. 164; iv. 202
Talegalla Lathamii, ii. 150
Talpa europaea, ii. 68, 140; v. 120, 229
Tanagra Darwinii, i. 20
Tanais hirticaudata, i. 116
 vittatus, ii. 50
Tapes aurea, i. 24, 25
 decussata, i. 24, 25, 32
 pullastra, i. 25, 32, 34, 114
 virginea, i. 26
Taraxacum officinale, iv. 213
 var. *palustre*, v. 277
Tarentula andreniora, iii. 172
 miniata, iv. 79
 pulverulenta, iii. 172
Tavila, i. 349
 indeterminata, i. 350
Taxonus agrorum, iii. 249, 251
 anomala, iii. 249
 coxalis, ii. 244
 equiseti, ii. 292
 Fletcheri, iii. 321
 glabratus, iii. 251
 glottianus, ii. 209
Taxus baccata, iii. 166
Tealia crassicornis, ii. 29
Technitella legumen, v. 107, 163
 malo, v. 107
Tectura virginea, ii. 37, 341
Teesdalia nudicaulis, v. 243, 244

- Tegenaria Derhamii*, iii. 171
Tegeocramus latus, v. 6
Tellina calcarea, ii. 36, 340; iii. 84
 fabula, i. 32, 34
 proxima, i. 114
 solidula, i. 25, 32, 92
Tenthredo atra, iii. 89
 var. *dispar*, ii. 293
 aucupariae, ii. 293
 balteata, ii. 293; iii. 90, 251
 dispar, iii. 89, 251
 Lachlaniana, iii. 320
 lateralis, ii. 293
 livida, ii. 293; iii. 90, 251
 mesomela, ii. 293; iii. 90, 142, 251
 moniliata, ii. 304
 obsoleta, ii. 209
 olivacea, ii. 293; iii. 90, 251
 punctulata, ii. 293; iii. 90, 251
 rufiventris, ii. 293; iii. 90, 251
 scalaris, ii. 293; iii. 90, 251
 scotica, v. 181
 velox, ii. 293; iii. 90, 251
 viridis, iii. 251
Tenthredopsis nigriceps, v. 181
Tephrosia diffusa, i. 374
Terebellides straemii, i. 84
Terebratulata hastata, i. 95
 sacculus, i. 95
Teredo navalis, i. 34
Terekia cinerea, iii. 51
Testacella scutulum, 15
Testudinaria elephantipes, v. 221
Testudo carolina, v. 65
 marginata, i. 208
Tetracerus quadricornis, i. 21
Tetrao bonasia, iii. 304
 lagopus, ii. 306; iii. 68
 mutus, iii. 264
 scoticus, ii. 306; iii. 68, 164, 264
 tetrix, i. 230, 299; ii. 263, 306; iii. 50, 68, 127, 264, 304; iv. 65, 167, 245, 310; v. 143
 urogalloides, iii. 304
 urogallus, i. 47, 299; ii. 106, 263, 306; iii. 50, 68, 127, 304, 348; iv. 65, 201, 213
Tetraphis pellucida, v. 285
Tetraplodon angustatus, i. 143
 mnioides, v. 284
Tetrarhoptera 4-toma, ii. 324
Tetrarhynchus reptans, v. 178
Tetrastes bonasia, iii. 50
Tetrix bipunctata, ii. 209
 denticulata, iii. 171
Tetrodontium Brownianum, v. 3, 160, 285
Teucrium Scorodonia, v. 8*
Textularia gibbosa, ii. 32
Thalassema Neptuni, i. 115
Thalassidroma Leachii, i. 81, 228, 322, 378; ii. 286
 pelagica, i. 48, 197, 228, 322; ii. 221
Thalictrum alpinum, iii. 281; iv. 120; v. 162, 275
 minus, iv. 228; v. 5*
Thamniscus dubius, v. 33
 Rankini, ii. 258; v. 34
Thamnium alopecurum, v. 285
Thaumantis camadeva, iii. 29
Thelepus circinnatus, iii. 34
Thelopsis rubella, i. 167
Thermesia (?) sejuncta, i. 364
Thera juniperata, iv. 273
Theridion pallens, iii. 171
 sisyphium, iii. 171
Thesium linophyllum, iv. 209
Thlaspi arvensis, iii. 42
Thuiaria articulata, i. 186
 thua, i. 142; iii. 178
Thymus Serpyllum, iv. 83; v. 7*, 278
Thyone papillosa, ii. 51
Thysanocaulon Pinkertonii, v. 253
Thysanopoda Couchii, i. 119, 245
 norvegica, i. 119
Tilia europaea, ii. 171
 grandifolia, ii. 171
 parvifolia, ii. 172
Timana, i. 373
 costalis, i. 373, Plate
Timmia megapolitana, i. 145
 norvegica, v. 5*
Tinnunculus alaudarius, ii. 77; iii. 232
Tofieldia palustris, iii. 281; v. 279
Tolna, i. 355
 versicolor, i. 355, Plate
Tomopteris Scolopendra, i. 3
Tormentilla officinalis, iv. 83
Torrubia militaris, v. 161
Tortula Hornschuchiana, i. 36
 incurvidens, ii. 187
 intermedia, i. 112
 papillosa, i. 36
 recurvifolia, i. 36
Torymus azureus, iv. 108
 caudatus, iv. 108
 hibernans, iii. 104
 juniperi, iv. 274
Totanus calidris, i. 304; ii. 112, 162; iii. 69, 164, 265, 306; iv. 66, 172, 247; v. 144
 chloropygius, ii. 7, 196
 fuscus, iii. 51, 306
 glareola, i. 304; ii. 193; iii. 51, 69, 307; iv. 9, 66, 173, 201, 247
 glottis, i. 305; ii. 113, 162; iii. 51, 69, 244, 265, 306; iv. 65, 172, 247; v. 59, 144
 hypoleucos, i. 304; ii. 162
 macularius, i. 16, 256; ii. 2, 196

- Totanus ochropus*, i. 237, 304; ii. 57; iii. 307
 stagnatilis, iii. 306
Trachinus draco, i. 90
 vipera, v. 9*
Tragopogon pratensis, i. 125
Traina, i. 372
 stramineata, i. 372, Plate
Trechus obtusus, ii. 217
Trichecus rosmarus, iv. 97
Trichina spiralis, v. 273
Trichiosoma betuleti, ii. 303; iii. 207
 lucorum, ii. 291, 303; iii. 87, 204, 206, 252
 sorbi, ii. 291, 303; iii. 205
 vitellinae, ii. 291, 304; iii. 88, 206
Trichius fasciatus, 8
Trichocolea tomentella, v. 287
Trichoglossus versicolor, ii. 244
Trichomanes radicans, i. 18, 269
Trichostomum crispulum, i. 124
 littorale, i. 225
Tridentalis europaea, ii. 4; iv. 121; v. 278
Trifolium arvense, v. 5*, 79
 elegans, i. 12
 ochroleucum, ii. 3
 pratense, v. 276
 repens, iv. 44; v. 7*, 276
 resupinatum, ii. 3
 striatum, v. 243, 244, 250
Triglesia Grayiana, i. 207
Triglochin palustre, v. 279
Trigonaspis megaptera, ii. 209; iii. 142, 251, 252
Trigonocarpum sp. ?, i. 267, Plate
Tringa alpina, ii. 114; iii. 69, 244, 265, 308; iv. 248; v. 145
 canutus, i. 306; iii. 123, 308; iv. 248
 cinclus, iii. 51
 maculata, v. 291
 maritima, 7; i. 307; ii. 64, 112; iii. 265; v. 189
 minuta, i. 197; ii. 4, 57; iii. 51, 70, 308; iv. 248
 pectoralis, ii. 196
 rufescens, ii. 196
 striata, iii. 277; iv. 290; v. 145
 subarquata, i. 197, 306; iii. 51, 265, 308; iv. 66, 248
 Temminckii, iii. 51, 164, 308
 variabilis, i. 197, 306
Tringoides hypoleucos, ii. 112; iii. 69, 164
 macularius, ii. 285
Triodia decumbens, v. 281
Triopa clavigera, i. 9, 11, 206
Triplesia Grayi, ii. 21
Trisetum flavescens, i. 125
Triticum repens, v. 8*
- Triton alpestris*, iv. 273
 cristatus, ii. 148
 palmipes, ii. 148
 taeniatus, ii. 148
Tritonia Hombergii, i. 206; iv. 232
 plebeia, i. 206
Trochammina centrifuga, ii. 32
 incerta, ii. 32
 gordialis, ii. 32
Trochosa ruricola, iii. 172
 terricola, iii. 172
Trochus biserratus, iii. 225; v. 240
 cinerarius, i. 26, 29, 32, 35; ii. 37
 groenlandicus, ii. 341
 magus, i. 26, 32, 35
 tumidus, i. 26, 65
 umbilicatus, i. 26, 32, 35
 zizyphinus, i. 26, 32, 35
Troglodytes aedon, ii. 277
 europaeus, v. 117
 parvulus, ii. 88; iii. 64, 163, 234, 262, 297; iv. 56, 150, 237, 305; v. 134
 vulgaris, i. 294; iii. 159
Trogon resplendens, i. 137
Trollius europaeus, iii. 165; v. 78, 159, 242, 250, 275
Tropaeolum azureum, iv. 47
 brachyceras, iv. 47
 speciosum, iv. 47
 tricolor, iv. 47
Trophon clathratus, i. 114; ii. 37, 340
 var. *Gunnerie*, ii. 340
 truncatus, ii. 37
Trybliographa diaphana, iii. 90
 scutellaris, iii. 90
Tryblionella acuminata, i. 217
 apiculata, i. 217
Tubicinella balaenaris, i. 39
Tubularia indivisa, i. 33, 66; ii. 48
Tuerta, i. 346
 chrysochlora, i. 347, Plate
Tulipa sylvestris, iv. 118
Turbo petholatus, ii. 193; iii. 4
Turdus atrigularis, ii. 299
 fuscescens, ii. 272
 iliacus, i. 280; ii. 161; iii. 50, 62, 263, 299; iv. 56, 157, 237, 307
 merula, i. 280; ii. 95, 161; iii. 62, 159, 163, 238, 263, 330; iv. 56, 158, 237, 306; v. 137
 migratorius, ii. 272
 musicus, i. 280; ii. 94, 161; iii. 62, 159, 163, 238, 263, 299; iv. 56, 156, 237, 306; v. 137
 mustelinus, ii. 272
 pilaris, i. 198, 279; ii. 161, 177; iii. 49, 62, 163, 263, 300; iv. 56, 156, 237, 307; v. 137

- Turdus torquatus*, i. 280; ii. 95; iii. 62, 163, 263, 299; iv. 56, 237; v. 137
varius, iv. 158
viscivorus, i. 279; ii. 94, 161; iii. 62, 238, 263, 300; iv. 56, 155, 237; v. 137
Turritella communis, i. 26, 29, 32; iii. 320
terebra, v. 252
Turtur auritus, iii. 68; iv. 243, 310; v. 141
Tussilago Farfara, v. 277, 302
Typha latifolia, iii. 166; iv. 44
Typhlichthys subterraneus, ii. 264
Tyrannus carolinensis, ii. 270

U

- Ulex europaeus*, v. 7*
Ulmus campestris, iii. 342
montana, iii. 342
Ulota Bruchii, v. 284
intermedia, v. 284
phyllantha, v. 284
Ulula aluco, iii. 286
barbata, iii. 286
uralensis, iii. 286
Ulva latissima, i. 24
Linza, i. 24
Undina mersa, iii. 313
Ungulina sp.?, v. 239
Unio aegyptiaca, i. 382
margaritifera, i. 160, 189, 191
nilotica, i. 382
pictorum, i. 382
Upupa Epops, i. 76, 294; iii. 255, 289; iv. 12, 149, 241; v. 141
Urania leilus, ii. 222
ripheus, ii. 222
Sloanus, ii. 222
Uraster glacialis, i. 65
rubens, i. 41, 61, 65
violacea, i. 29
Uredo confluens, v. 249
linearis, v. 295, 296
Uria Brunnichii, i. 87
grylle, i. 315; ii. 127, 258; iii. 255, 267; iv. 252, 289; v. 118, 149, 226
lachrymans, i. 87, 224, 314; iv. 252
troile, i. 2, 130, 314; ii. 126; iii. 164; v. 190, 208
var. lacrimans, v. 191, 208
rhynvia, iii. 266
Uromyces Dactylidis, v. 298
intrusa, v. 249
Junci, v. 298
pisi, v. 298

- Uromyces Poae*, v. 298
Urostigma elastica, i. 52
Urothoe elegans, ii. 49
Ursus arctos, v. 125
Urtica dioica, v. 8*, 278
Urus scoticus, i. 56
Ustilago segetum, iv. 206; v. 300
Utricularia intermedia, v. 162
minor, v. 162
sp.?, iv. 228
Utriculus obtusus, ii. 37, 341
Uvigerina pygmaea, i. 147

V

- Vaccinium Myrtillus*, v. 278
Oxycoccus, v. 80, 245, 278
uliginosum, v. 278
Vitis-idaea, iii. 165; iv. 227; v. 245, 278
Vaena, i. 341
eacloides, i. 341
Valeriana officinalis, v. 277
pyrenaica, v. 250
Valvata cristata, i. 190, 192
multiformis, i. 238
piscinalis, i. 190, 192
Valvulina decurrens, ii. 32
palaeotrochus, ii. 31, 32
var. compressa, ii. 32
Youngi, ii. 32
Vanellus cristatus, i. 158, 302; ii. 109, 162; iii. 69, 164, 243, 264, 305; iv. 66, 169, 249; v. 58, 146
gregarius, iii. 305
Vatica, i. 369
rutilalis, i. 369
Velella sp.?, i. 186
Velia currens, v. 251
Velutina laevigata, ii. 37, 341
Venerupis irus, i. 34
Venilia macularia, ii. 17
Venus casina, i. 34
fasciata, i. 32, 34
striatula, i. 25, 32
sp.?, v. 239
Verbascum blattaria, v. 81
Thapsus, v. 81, 251
Vermilia minuta, iv. 76
Veronica alpina, iii. 281
Anagallis, iv. 228
Chamaedrys, v. 7*
hederifolia, iii. 281
humifusa, v. 5*, 278
montana, iii. 165
saxatilis, i. 18; v. 5*
scutellata, iii. 165
Verruca Strömia, ii. 38, 341
Verrucaria Henscheliana, ii. 33

- Vertigo antivertigo*, i. 249, 250
edentula, i. 249, 250; v. 228, 291
pygmaea, i. 249, 250; ii. 252; v. 291
 var. *pallida*, v. 291
 substriata, v. 291
Vespa arborea, ii. 259
 germanica, ii. 259, 294; iii. 253
 norvegica, ii. 259; iii. 253
 rufa, ii. 259, 294
 sylvestris, ii. 259
 vulgaris, ii. 259, 294
Vespertilio Daubentonii, i. 203; v. 229
Vesperugo pipistrellus, ii. 139; iii. 187;
 iv. 91; v. 120, 229
Viana, i. 340
 velutina, i. 341
Viburnum Lantana, iii. 343
 Opulus, var. *sterile*, iii. 343
 tinus, ii. 324
Vicia angustifolia, v. 79
 hybrida, v. 255
 lathyroides, v. 79, 243, 244
 Orobis, v. 162
 sylvatica, v. 79, 244, 250, 251
Viola canina, v. 6*
 lutea, v. 276
 var. *amoena*, v. 276
 odorata, iv. 44
 palustris, v. 276
 sylvatica, v. 276
 tricolor, v. 276
Vireo olivaceus, ii. 276
Virgularia mirabilis, i. 67
Viscum album, iv. 209
Vitrina pellucida, i. 35, 189, 193, 247
Viverra mephitis, iii. 140
Vriesia speciosa, i. 88
Vulpanser tadorna, iii. 311
Vulpes vulgaris, ii. 143

W

- Webbina acervalis*, ii. 32
Webera acuminata, v. 284
 carnea, v. 284
 cruda, v. 284
 elongata, v. 284
 nutans, v. 184
 polymorpha, v. 284
Weigela rosea, iii. 343
Weissia cirrhata, v. 282
 crispula, v. 282
 mucronata, v. 282

- Weissia viridula*, v. 282
Woodsia hyperborea, iv. 119; v. 162
 ilvensis, iii. 281

X

- Xacca*, i. 370
 trigonalis, i. 370
Xantheria Kingiana, iv. 18
Xysticus cristatus, iii. 172
 ulmi, iv. 79

Y

- Yucca recurva*, iii. 343
Yunx torquilla, ii. 179

Z

- Zaracha*, i. 335
 extranea, i. 335
Zarfa, i. 338
 lunifera, i. 339
Zenaidura carolinensis, ii. 283
Zethus rugosus, ii. 179
Zicrona coerulea, iii. 105
Zieria julacea, v. 284
Zilla atrica, iii. 172
 x-notata, iii. 172
Zinara, i. 343
 nervosa, i. 343
Zirona, i. 363
 marginata, i. 363
Zonites alliarius, i. 189, 193, 248
 cellarius, i. 35, 189, 193, 248
 crystallinus, i. 189, 193, 248
 excavatus, i. 248, 250; v. 290
 fulvus, i. 189, 193, 248
 jebusitica, i. 383
 nitidulus, i. 248, 250
 nitidus, i. 248, 250
 purus, i. 248
 radiatulus, i. 189, 193, 248; v. 290
Zonotrichia albicollis, i. 209, Plate
Zootoca vivipara, i. 173; ii. 147
Zostera marina, i. 46, 61
 nana, v. 242, 245
Zua lubrica, i. 35, 249
Zygodon Mougeotii, i. 116
 Stirtoni, i. 198

INDEX TO NAMES OF CONTRIBUTORS.

- Allan, James, iv. 117, 214; v. 6, 18
 Allan, James W., ii. 11
 Alston, Edward Richard, F.Z.S., F.L.S.,
 F.G.S., i. 55, 70, 87, 103, 130, 176,
 198, 203; ii. 63, 68, 138, 149, 222;
 iv. 80
 Anderson, Thomas, i. 126, 186, 269;
 ii. 17
 Angus, William Craibe, i. 207, 209,
 237; ii. 164; v. 265, 308
 Armstrong, James, ii. 254
 Aytoun, Roger J. R., i. 74

 Bateson, John, ii. 182
 Bell, John, ii. 60, 135
 Bennett, Robert J., iii. 75, 192, 256; iv.
 10, 193; v. 13, 163, 269
 Binnie, Francis G., iii. 27, 42, 57, 111,
 114, 141, 178, 258; iv. 118
 Binning, Lord, i. 150, 166, 186; ii. 39
 Bowman, David, i. 120, 121
 Boyd, D. A., v. 227, 241, 249, 250,
 252
 Boyd, William, i. 235
 Boyle, Thomas, v. 249, 254
 Broom, John, v. 6*, 250, 251
 Brown, Colin, i. 102
 Brown, Duncan C., i. 82; ii. 222
 Brown, George, i. 85, 101
 Buchanan, John, i. 185; ii. 187
 Buchanan, Sir George Leith, iv. 9
 Buckley, Thomas E., F.Z.S., v. 126
 Burns, George A., iv. 15, 196
 Burns, Walter, iv. 4, 5, 8

 Cairney, Mr., iv. 117
 Cameron, Peter, ii. 183, 209, 244, 246,
 251, 259, 260, 261, 289, 290, 295,
 300, 302, 303, 304, 315, 336, 343;
 iii. 2, 4, 5, 15, 36, 43, 84, 86, 95, 99,
 104, 105, 107, 110, 128, 141, 196,
 198, 201, 202, 248, 320, 321, 352;
 iv. 108, 120, 121, 158, 197, 224,
 256, 257, 273; v. 4, 6*, 10*, 29,
 64, 65, 158, 161, 176, 181, 225,
 251, 252, 253, 256, 257, 289
 Campbell, John M., iii. 197, 321, iv. 37,
 123, 192, 197, 199, 269, 271, 273;
 v. 24, 28, 109, 110, 162, 176, 181,
 191, 213, 223, 267, 274, 291

 Chapman, Thomas, i. 11, 12, 21, 82,
 88, 102, 104, 325; ii. 2, 4, 11, 17,
 154, 157, 177, 181, 194, 213, 222,
 295, 303, 344; iii. 4, 28, 56, 99,
 196, 224
 Christie, James C., v. 83, 180, 249
 Clark, Henry E., M.R.C.S., v. 308
 Clark, Peter, i. 51, 52, 56, 70
 Cleland, Prof. John, M.D., F.R.S., v.
 30, 178, 268
 Colquhoun, Dr. Hugh, i. 55, 70
 Combe, George J., i. 167, 269; iv. 123;
 v. 180, 312
 Connal, Michael, i. 68
 Copeland, Rev. James, i. 45
 Copeland, Rev. Joseph, i. 77
 Coutts, James, i. 158, 236; ii. 6, 7, 33,
 159, 193, 221, 256, 257, 294, 336;
 iii. 81, 82, 128, 178, 255, 318,
 327; iv. 4, 12, 52, 73; v. 251
 Craemers, F. C., iii. 282
 Crawford, Mr., iv. 117
 Crawford, William P., iv. 121
 Crosskey, Rev. Henry W., i. 112, 147, 238

 Dairon, James, i. 268
 Dalgleish, John J., M.B.O.U., iii. 259;
 iv. 274
 Dennistoun, A. H., junr., ii. 68, 196
 Dewar, Donald, M.D., i. 1, 3, 12, 21,
 47, 52, 55, 56, 72, 76, 81, 87, 99,
 101, 130, 236; ii. 150, 176, 185,
 193, 241, 253, 289
 Dickson, Prof. Alexander, M.D., ii. 155,
 184
 Dixon, James S., ii. 65, 151, 160, 260
 Donaldson, Alexander, ii. 17
 Donaldson, George, iii. 4, 37
 Dougall, J. C., v. 267
 Dougall, James D., iv. 37
 Dougall, James D., junr., i. 254
 Dougall, John, i. 188, 208
 Dunbar, Henry, i. 251
 Duff, M. C., v. 161

 Eadie, Charles, ii. 159
 Eggleton, James, iv. 199, 213; v. 64
 Etheridge, Robert, junr., F.G.S., Pres.
 Roy. Physical Soc. Edinburgh, iv.
 19, 260, 263; v. 84

- Ewing, Peter, iv. 118, 192, 195, 269;
v. 4, 5*, 6*, 9*, 158, 159, 160,
161, 163, 250, 251, 254, 274, 302
- Farquhar, Donald, v. 311
- Farquhar, John, iv. 199
- Fergus, Freeland, M.B., iv. 212, 213;
v. 273
- Ferguson, Thomas, 11
- Ferguson, William, 11, 16
- Feilden, Capt. H. W., C.M.Z.S., ii. 19,
58; iii. 281
- Fleming, Francis P., L.L.D., F.R.G.S.,
iii. 1, 85, 318
- Fraser, J. P., 6
- Galt, Walter, i. 208; ii. 56
- Gibson, Ernest, iii. 136, 344; iv. 38,
84; v. 310
- Gilmour, John, i. 197, 224, 230; ii. 6,
11, 18, 189
- Glen, David Corse, F.G.S., iii. 56, 83,
110, 197, 320
- Goodwin, William, v. 249, 250, 251, 255
- Gourlie, William, 8
- Graham, Henry Devonport, i. 7, 53,
198, 202
- Grant, Alexander J., i. 237
- Gray, Alexander, ii. 193
- Gray, John, 4, 8; i. 38, 39
- Gray, Robert, F.R.S.E., 6; i. 5, 10,
12, 13, 20, 21, 39, 42, 43, 44, 46,
50, 72, 74, 76, 81, 86, 87, 89, 93,
100, 106, 124, 129, 146, 148, 165,
168, 186, 197, 224, 226, 229, 230,
238, 239, 251, 254, 256, 268, 269,
378; ii. 2, 4, 6, 7, 10, 22, 31, 39,
57, 63, 64, 66, 150, 157, 164, 166,
178, 180, 182, 184, 186, 192, 196,
198, 209, 213, 215, 221, 242, 244;
iii. 349
- Gray, Thomas, 11
- Gregorson, David, iv. 117; v. 6*, 159,
250, 253, 254, 289, 302
- Grierson, Dr., ii. 197
- Grieve, John, M.A., M.D., i. 3, 7, 11,
12, 14, 21, 57, 68; ii. 22, 23, 45;
iv. 230
- Gurney, J. H., junr., iii. 268
- Haddin, William, i. 247; ii. 6
- Hamilton, James, i. 15, 16, 110
- Hamilton, William, i. 110
- Harvie-Brown, John A., F.R.S.E.,
F.Z.S., M.B.O.U., i. 173, 197,
202, 238; ii. 4, 57, 60, 63, 64, 69,
138, 210, 216, 225, 232, 237, 241,
258, 264; iii. 43, 44, 115, 123,
126, 132, 136, 226, 282, 317, 331,
348; iv. 12, 14, 88, 280, 291; v. 19,
41, 110, 181, 197, 257, 260, 274, 310
- Hawes, Lieut., i. 51
- Hennedy, Roger, 10, 11
- Hill, Robert, iii. 105, 319; iv. 196
- Horn, William, M.A. Oxon, iv. 54,
234; v. 119, 225, 228
- Horne, Mr., i. 91
- Hutcheson, Thomas S., i. 146; iii. 105
- Jaffray, John, i. 103, 142; ii. 243
- Johnston, William, ii. 194
- Kidston, R., v. 161
- King, James J. F. X., ii. 214, 217, 225,
254; iv. 118, 121; v. 28, 76, 176,
213, 251, 302, 308
- King, Thomas, iv. 41, 119, 121, 195,
259, 269; v. 5*, 9*, 35, 76, 160,
161, 166, 175, 192, 213, 249, 251,
253, 254, 255, 269, 273, 302
- Kirsop, John, F.S.A. Scot., ii. 156,
167, 179, 186, 194, 209, 213, 215,
259; iii. 3, 36, 168, 178, 319; iv.
5, 18, 196; v. 65, 176, 180, 213,
225, 227, 251, 267, 308, 310
- Knox, David N., M.A., M.B., ii. 324,
335
- Levack, John, ii. 4
- Lindsay, Alexander, M.D., i. 3, 6, 16,
21
- Long, Rowley Jex, iv. 53
- Lorrain, William B., M.D., 11, 14; i.
198, 230, 236; ii. 7
- Low, James B., M.A., v. 176, 214
- Lumsden, James, F.Z.S., M.B.O.U., ii.
176, 181, 186, 188, 192, 193, 194,
213, 224, 242, 246, 263, 289,
303, 336; iii. 3, 29, 43, 58, 83, 86,
104, 127, 128, 186, 196, 255, 327,
330; iv. 12, 17, 37, 199; v. 77,
192, 209, 291
- Mahony, James A., i. 159, 186, 199,
230, 252; ii. 22, 23, 24; iii. 152;
iv. 80; v. 4, 7, 9*
- Martin, Donald T., ii. 289
- Martin, George, ii. 179
- Mason, John, i. 97
- Mason, Robert, ii. 260; iii. 280, 321;
iv. 37, 123, 190; v. 19, 213, 227,
267
- Miller, Gavin, i. 197
- Milligan, W. J., v. 3
- Murdoch, James Barclay, i. 48; ii. 251;
iii. 35, 80; v. 221
- MacCartney, W. Newton, i. 151, 165,
168, 174
- M'Culloch, Mr., i. 184
- M'Dowall, Robert, i. 137
- M'Ewan, William, M.D., C.M., ii. 263

- M'Kay, Richard, iv. 117, 120, 121; v. 5*, 159, 160, 161, 176, 250, 272
 M'Kinlay, Alexander, i. 38, 49, 75, 91, 100, 104, 107, 115, 118, 124, 126, 137, 167, 168, 208
 MacLachlan, George, iv. 180
 M'Lay, ii. 214
 M'Lellan, Duncan, i. 111; ii. 17, 246, 324, 336; iii. 79, 100, 176, 324, 340; iv. 17, 70, 214; v. 36, 193, 303
 M'Niven, Alexander, i. 48
 Napier, James, iii. 105, 194, 195
 Neilson, James, junr., iv. 78
 Noble, Alexander, v. 161, 250
 Paterson, George E., ii. 193, 195, 215, 251, 254, 258; iii. 224, 255
 Pratt, Arthur, iii. 279; iv. 199
 Ramsay, James, i. 17, 51, 76, 91, 125, 199; ii. 3, 158, 169; iii. 41
 Rannie, Henry A., ii. 164
 Reid, John Eaton, i. 45, 54
 Renwick, John, v. 161, 251
 Robertson, Archibald, ii. 264; iii. 105
 Robertson, David, F.G.S., F.L.S., i. 1, 2, 3, 4, 8, 9, 10, 11, 14, 15, 21, 36, 39, 41, 43, 45, 49, 52, 56, 67, 69, 72, 73, 81, 82, 84, 85, 86, 87, 89, 92, 93, 97, 98, 99, 104, 108, 109, 115, 116, 119, 124, 125, 130, 142, 148, 179, 204, 227, 238, 240, 268; ii. 3, 7, 24, 32, 33, 61, 158, 176, 217, 252, 254, 289; iii. 31, 84, 85, 172, 198, 278, 279, 330, 332; iv. 77, 233; v. 11, 17, 107, 163, 223, 268, 274
 Sabanäeff, Leonida, on the Avi-fauna of the Ural, iii. 288
 Schulze, Adolph, iv. 117
 Scott, Thomas, iv. 226; v. 77, 192, 213, 214, 228, 290, 308, 310
 Scouler, John, M.D., LL.D., F.L.S., 3, 8, 10, 13; i. 5, 8, 9, 10, 11, 13, 14, 47, 67, 77, 82, 87, 89, 97, 101, 103, 115, 120, 122, 125, 143
 Shaw, John, i. 15, 36, 49, 69, 110, 115, 120, 127, 131, 148, 158
 Sherry, Christopher, v. 4, 250, 251
 Sinclair, William, i. 85, 237
 Smyth, R. Brough, i. 187
 Somerville, Rev. James E., B.D., i. 231, 237, 380, 382; ii. 4, 7, 18, 33; iii. 177
 Somerville, Joseph, v. 249, 255
 Southwell, Thomas, F.Z.S., v. 36, 66, 215, 292
 Steel, James, v. 192, 252, 267, 289, 302
 Stewart, C. W. Arnott, v. 19
 Stewart, Ludowick C., i. 57, 68
 Stewart, Dr. W. L., i. 268
 Stewart, William, iv. 120, 226; v. 4
 Stirton, James, M.D., F.R.C.S.Ed., F.L.S., i. 112, 115, 123, 126, 142, 145, 165, 197, 198, 199, 202, 231, 238, 240, 381; ii. 18, 33, 56, 186, 343; iv. 119; v. 161, 252
 Sutherland, Adam, i. 127; ii. 154
 Sutherland, Alexander, i. 15
 Sutherland, Arthur, i. 237
 Thomson, Dr. Allen, ii. 68
 Thomson, James, F.G.S., i. 39, 50, 67, 69
 Thomson, James, Kelvingrove, ii. 166, 175, 180, 188, 197, 213, 215, 241, 251, 257
 Turner, Robert, iv. 118, 120, 192, 203; v. 3, 4, 9*, 159, 174, 181, 248, 249, 251, 254, 293
 Walker, Francis, i. 325
 Walker-Arnott, Prof. G. A., i. 6, 211
 White, James, v. 4, 251
 Whiteford, J., ii. 22
 Wilson, Prof. Alexander S., M.A., B.Sc., iv. 118, 217; v. 3, 6*, 16, 158
 Wünsch, Edward A., F.G.S., i. 123; ii. 247
 Young, Henry C., iii. 170, 351; iv. 79
 Young, Prof. John, M.D., F.G.S., i. 169, 173, 174, 178, 186, 203, 208, 225, 229, 230, 239, 378; ii. 4, 135, 149, 156, 158, 167, 174, 175, 176, 195, 214, 215, 222, 223, 224, 244, 252, 260, 302, 325, 335; iii. 123, 125, 166, 253, 327, 353; iv. 13, 197; v. 174, 311
 Young, John, F.G.S., i. 68, 70, 74, 76, 84, 86, 88, 94, 95, 101, 111, 117, 120, 122, 123, 132, 145, 148, 167, 178, 185, 203, 207, 236, 239, 240, 256, 379; ii. 1, 2, 4, 5, 16, 21, 31, 61, 67, 135, 150, 154, 159, 165, 166, 174, 179, 182, 196, 197, 216, 219, 222, 223, 225, 243, 244, 252, 254, 257, 262, 294, 325, 335, 344; iii. 2, 37, 82, 91, 101, 102, 125, 166, 169, 175, 177, 207, 224, 253, 259, 322, 328, 333, 339, 353; iv. 5, 9, 13, 18, 69, 73, 77, 78, 79, 257; v. 18, 29, 30, 65, 108, 175, 213, 234, 268, 274, 312
 Yuill, Rev. James, i. 186

INDEX TO GENERA, SPECIES, AND VARIETIES NEW TO SCIENCE.

- Achaea ophismoides*, i. 357
 partita, i. 358
Acidalia latifera, i. 375
Adelanthus Carringtoni, ii. 18
Agrotis catenifera, i. 349
 hemileuca, i. 348
Aletis postica, i. 332
Ambulix constrictilis, i. 328
Amphigonia fumosa, i. 363
Anchistropus emarginatus, i. 43
Antheraea intermiscens, i. 344
 rhodophila, i. 343
Archaeocidaris Rankinii, v. 108
Artaxa squamiplaga, i. 338
Athalia scutellariae, v. 4
Athyra albicincta, i. 360
Aulax graminis, ii. 322
- Bairdia submucronata*, i. 122
Balacra ochracea, i. 331
Barsine indecisa, i. 336
Basiana suffusa, i. 329
Bathyporeia Robertsoni, i. 74
Beyrichia radiata, i. 122
 symmetrica, i. 122
Blennocampa alchemillae, iii. 107
Boarmia abruptaria, i. 374
Bodotria concava, i. 69
 longipes, i. 125
Botys interfixalis, i. 370
Brachythecium Hunti, i. 197
Briarda conturbata, i. 354
Bryum barbatum, i. 126
 contortum, ii. 187
- Campylopus auriculatus*, i. 91
 Shawii, i. 148
Candona simplex (detecta), i. 130
Capnodes (?) *trinitata*, i. 365
Cecidomyia cerastii, iii. 181
 pilosellae, iii. 179
 quercus, iii. 179
Cheirurus trispinosus, i. 171
Chiton Armstrongianus, v. 89
 Dalriensis, v. 86, 104
 Geikei, v. 94, 105
 solaeformis, v. 92, 105
- Chitonellus Bennieanus*, v. 99, 106
 Kirkbyanus, v. 100, 106
 patelliformis, v. 98, 106
Cuma pygmaea, i. 115
 unguiculata, i. 2
 sp.?, i. 97
Cythere cornigera, i. 122
 ventricornis, i. 122
Cytheridea Robertsoniana, i. 142
- Dineura selandriiformis*, ii. 304
- Echinocardium pennatifidum*, i. 99
Eichwaldia bipartita, i. 122
Erastria decora, i. 350
Eriocampa testaceipes, ii. 292
Estheria punctatella, ii. 159
Eusemia pardalina, i. 329
Eutelina quadriliterata, i. 352
- Geometra congrua*, i. 371
Glauconome aspera, ii. 329
 elegans, ii. 328
 flexicarinata, ii. 329
 laxa, ii. 331
 marginalis, ii. 326
 recticarinata, iv. 257
 retroflexa, ii. 330
 robusta, iii. 354
 stellipora, ii. 327
Grammodes curvilinea, i. 361
Grimmia Buchananii, ii. 187
- Hydrelia terminata*, i. 351
Hypaetra atriplaga, i. 358
 biangulata, i. 359
 nana, i. 360
Hypnum breadalbanense, i. 197
Hypsa dissociata, i. 334
- Leptaena Youngiana*, i. 229
Leucopsumis cryptochroma, i. 331
Limneria croceipes, iii. 36
Lygocerus juniperi, iv. 274
Lynceus pectenatus, i. 43
- Micra convergens*, i. 351
 intricata, i. 352

- Micronia tenella*, i. 377
Nebessa, i. 375
 chalyboeata, i. 376
Nedroma, i. 353
 ferruginea, i. 353
Nematus antennatus, iii. 250
 baccarum, iii. 5
 clibrichellus, iii. 250
 dorsatus, ii. 292
 dubius, iii. 320
 flavipennis, iii. 5
 furvescens, ii. 308
 herbaceae, ii. 306
 interstitialis, ii. 260
 leucostigmus, ii. 308
 luteus, var. *trimaculatus*, ii. 259
 Marshallii, ii. 262
 strongylogaster, iii. 320
Nyctemera decisa, i. 330
 simplex, i. 330
Nyssia rudis, i. 342
Obba, i. 362
 prompta, i. 362
Ophideres divitiosa, i. 356
Ophiusa subaenescens, i. 361
Opula, i. 371
 impletalis, i. 371
Orixa, i. 367
 filifera, i. 367
Orthotrichum Shawii, i. 16
Ortonia carbonaria, ii. 223
Palaeoniscus Wardi, ii. 66
Petrinia, i. 347
 lignosa, i. 348
Phaegorista similis, i. 332
Plagiothecium annotinum, i. 231
Poecilocampa sublineata, i. 342
Polycentropus Kingi, v. 76
Porcellidium fimbriatum, i. 98
Pteronites fluctuosus, i. 146
Pyrallis (?) *crassalis*, i. 368
Raclia, i. 366
 cervina, i. 367
Ricla, i. 365
 expandens, i. 365
Samea figuralis, i. 368
Sciatta, i. 337
 inconcisa, i. 338
Scodiona cephalotes, i. 376
Sizalisca, i. 339
 graminosa, i. 340
Smerinthus subjectus, i. 328
Soloe quadriguttata, i. 336
Solenocaris solenoides, i. 173
Sphagnum curvifolium, i. 137
Spilosoma ramivitta, i. 336
Stegocephalus celticus, i. 50
Stridova, i. 353
 albigutta, i. 354
Strophomena Grayi, ii. 21
Subrita luctuosa, i. 377
Sulcoretepora Robertsoni, iii. 166
Surina, i. 333
 hypsoidea, i. 333
Synocladia (?) *scotica*, iii. 355
Tachosa, i. 345
 acronyctoides, i. 345
 metaphaearia, i. 346
Tavila, i. 349
 indeterminata, i. 350
Taxonus Fletcheri, iii. 321
 glottianus, ii. 209
Tephrosia diffusa, i. 374
Thermesia (?) *sejuncta*, i. 364
Timana, i. 373
 costalis, i. 373
Tortula incurvidens, ii. 187
Traina, i. 372
 stramineata, i. 372
Triglesia Grayiana, i. 207
Tuerta, i. 346
 chrysochlora, i. 347
Vaena, i. 341
 eacleoides, i. 341
Vatica, i. 369
 rutilalis, i. 369
Viana, i. 340
 velutina, i. 341
Xacca, i. 370
 trigonalis, i. 370
Zaracha, i. 335
 extranea, i. 335
Zarfa, i. 338
 lunifera, i. 339
Zinara, i. 343
 nervosa, i. 343
Zirona, i. 363
 marginata, i. 363

INDEX TO GENERA, SPECIES, AND VARIETIES NEW TO BRITAIN.

- Aegilips abietina*, ii. 324
 subulifera, ii. 324
Alteutha bopyroides, i. 105
Andreaea alpestris, i. 167
Athalia annulata, iii. 198

Barbula fragilis, i. 124
Blennocampa bipunctata, iii. 104
 lineolata, iii. 104
 micans, iii. 198
Bodotria Goodsirii, i. 52
Brachythecium Starkii, i. 231
Bryum cirrhatum, i. 238

Campylopus brevifolius, i. 119
Ceroptres, ii. 323
 arator, ii. 323
 cerri, iii. 110
Cladius Drewseni, iii. 37
Clymene lumbricalis, i. 82

Dicranum longifolium, i. 165
Didymodon daldinianus, i. 124
Dineura fuscula, ii. 304

Falco islandicus, i. 99

Grimmia commutata, i. 112
 elongata, i. 225
 subsquarrosa, i. 123

Habrodon Notarisii, i. 118
Helix villosa, iii. 172
Hyperammina arbuscula, v. 163
 elongata, v. 163
Hypnum Bambergeri, i. 231
 undulatum (male), i. 36

Jungermannia saxicola, i. 168

Lagena aperta, v. 268
 Rizzeae, v. 268
Leskea nervosa, i. 197
Limnophilus subcentralis, v. 28
Longipedia coronata, i. 108
Lyda fulvipennis, ii. 198

Macrophya albipunctata, iii. 43
Mesoleius marginatus, iii. 110
Miliolina Auberiana, v. 268
 contorta, v. 268
 labiosa, v. 268
 venusta, v. 268
Mnium spinosum, i. 104
Molanna palpata, v. 28
Myurella apiculata, i. 124

Nematus abietum, ii. 311
 albipennis, ii. 262
 apicalis, iii. 2
 betulae, iii. 249
 brachyacanthus, ii. 312
 canaliculatus, iii. 249
 crassus, iii. 312
 dorsatus, iii. 2
 hyperboreus, ii. 262
 puncticeps, ii. 262
 Zetterstedti, ii. 262
Nonionina orbicularis, v. 274

Onuphis Eschrichtii, i. 85
Orthotrichum fastigiatum, i. 120.
 patens, i. 16
 pumilum, i. 120
 Rogeri, i. 120
 Sturmii, i. 16

Pelosina variabilis, v. 163
Pentacrita albipennis, ii. 324
 5-toma, ii. 324
Plagiothecium Mullerianum, i. 208
Poecilosoma excisum, ii. 262
 guttatum, ii. 262
Polymorphina lanceolata, v. 268
 rotundata, v. 268
 sororia, v. 268
Priniza obesa, i. 116
Productus Griffithianus, iv. 79

Sapholytus apicalis, ii. 323
Sirex melanocerus, iii. 321
Sphaeromphale Henscheliana, ii. 33.
Sphagnum auriculatum, i. 208
 curvifolium, i. 208
 Girgensohni, i. 208
 Kinlayanum, i. 208
 Lindbergii, i. 208
 Muelleri, i. 208
 rigidum, var. *crassifolium*, i. 208.
 teres, i. 208
Stegocephalus, i. 50

Tanais hirticaudata, i. 116
Tentredo obsoleta, ii. 209
Terebellides straemii, i. 84
Tetrarhoptera 4-toma, ii. 324
Thelopsis rubella, i. 167
Timmia Megapolitana, i. 145
Torymus juniperi, iv. 274
Totanus chloropygius, ii. 7
Trichiosoma sorbi, ii. 302

INDEX TO GENERA, SPECIES, AND VARIETIES NEW TO SCOTLAND.

Agroëca proxima, iv. 79
Argyroneta aquatica, iii. 351
Azeca tridens, i. 240

Bryum murale, i. 36
 obconicum, i. 36
Bunodes thallia, ii. 27

Campylopus brevipilus, var., i. 75
Cerianthus Lloydii, i. 72
Chonetes gibberula, iv. 79
Cinclidium stygium, i. 100
Cursorius europaeus, i. 238
Cyphona geminata, iii. 249

Dicranodontium longirostre, i. 39
Didymodon recurvifolius, i. 75
Doris proxima, i. 268

Edwardsia callimorpha, i. 45
 carnea, i. 37
Eolis glauca, i. 268
Epeira agalena, iv. 79

Fissidens rupestris, i. 91

Halcampa chrysanthellum, i. 73
Heliophanus flavipes, iv. 79
Hero formosa, i. 205
Hypnum imponens, i. 231
 irriguum, i. 36

Lagena curvilineata, v. 274
Leptacanthus Jenkinsoni, ii. 159
Leskea pulvinata, i. 36

Linyphia frenata, iii. 351
 montana, iii. 351
 nebulosa, iii. 351
 pallida, iv. 79
 zebrina, iv. 79

Naucoris cimicoides, iii. 2
Neriere rufipes, iv. 79

Ophiocoma brachiata, i. 73
Orthodontium gracile, i. 115

Peachia hastata, i. 69
 triphylla, ii. 27
Pisidium fontinale, var. *Henslowana*,
 iii. 172
Planorbis marginatus, i. 251

Rhynchonella Weaveri, ii. 21

Sagartia nivea, ii. 27
 parasitica, ii. 27
 venusta, ii. 27
Steatoda bipunctata, iv. 79
Stenophylax rotundipennis, v. 176
Streptorhynchus crenistria, var. *robusta*,
 i. 50

Tarentula miniata, iv. 79
Tortula Hornschuchiana, i. 36
 papillosa, i. 36
 recurvifolia, i. 36

Xysticus ulmi, iv. 79

8 JUN 1887





PUBLICATIONS

OF THE

NATURAL HISTORY SOCIETY OF GLASGOW.

PROCEEDINGS—

Vol.	I.	Part 1.	228 pp.	3 Plates.	1859-68. (<i>Out of print.</i>)
"	"	" 2.	153 pp.	4 "	1863-69. Price 4/.
Vol.	II.	Part 1.	164 pp.	1 "	1869-71. " 3/6.
"	"	" 2.	192 pp.	3 "	1871-75. " 4/6.

This Part contains Titles and Contents for Vols. I. and II.

Vol.	III.	Part 1.	100 pp.		1875-76. " 2/6.
"	"	" 2.	128 pp.	2 Plates.	1876-77. " 2'.
"	"	" 3.	192 pp.	1 "	1877-78. " 3/6.

This Part contains Title and Contents for Vol. III.

Vol.	IV.	Part 1.	109 pp.	4 Plates.	1878-79. " 4/.
"	"	" 2.	218 pp.	2 "	1879-80. " 4/6.

This Part contains Title and Contents for Vol. IV.

Vol.	V.	Part 1.	154 pp.	2 Plates.	1880-81. " 4'.
"	"	" 2.	100 pp.	3 "	1881-82. " 3/.
"	"	" 3.	71 pp.		1882-83. " 2'.

This Part contains Title and Contents for Vol. V.

INDEX TO PROCEEDINGS, Vols. I.-V. 1851-83. Price 3/.

PROCEEDINGS AND TRANSACTIONS—

Vol. I., Part 1.	136 pp.	1883-84. Price 3/.
" " " 2.		1884-85. (<i>In the press.</i>)

THE FAUNA OF SCOTLAND, with special reference to Clydesdale and the Western District:

Hymenoptera—Part I.	By Peter Cameron,	-	Price 1/6.
" " II.	" " "	-	(<i>In the press.</i>)
Mammalia.	By E. R. Alston, F.Z.S., F.L.S.,	-	Price 1/6.
Crustacea—Part I. Ostracoda.	By David Robertson, F.L.S.,		
F.G.S.	- - - - -	-	Price 1/6.

Various other Lists are preparing for Publication.

A CATALOGUE OF THE BRITISH TENTHREDINIDÆ. By P. Cameron. - - - - - Price 1/.

Printed on one side of the paper for the use of Collectors.

NOTES ON THE FAUNA AND FLORA OF THE WEST OF SCOTLAND, with Lists. Compiled for the Meeting of the British Association, Glasgow, September, 1876. Small 8vo. Price 2/6

Copies of any of the above may be had from the Librarian.
Mr. JAMES J. F. X. KING, 207 Sauchiehall Street, Glasgow.











